
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PRICE LIST

FALL, 1940 — SPRING, 1941



Henry Kohankie & Son

PAINESVILLE, OHIO
30 Miles East of Cleveland on Rt. 20
Tel. 4380



PRICE LIST

E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standardized Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

HENRY KOHANKIE & SON

Route 20
One Mile East of Painesville
PAINESVILLE, OHIO

Please Read Carefully

CONDITIONS OF SALE

Prices do not include packing. A charge for the cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting, beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

CONTENTS

Shrubs and Vines5-156
Herbaceous Material (including Rock and Alpine Plants)157-197
Fruit Garden Material197
Large Specimen Material207
Plants for Special Purposes207-209
Schedule of B&B Charges210
PLANT CLASSIFICATIONS
Coniferous Evergreens198-199
Broad-leaved Evergreens199
Deciduous Shade Trees199-200
Deciduous Small Trees201-202
Deciduous Shrubs202-206
Vines206-207

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

Deciduous and Evergreen Trees Shrubs and Vines

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

		1-4	5-24	25 & up
		Each	Each	Each
Abelia gran	diflora. Glossy Abelia. 3'			
12 t	o 15 in., 3 in. pots	.55	.45	.40
15 t	to 18 in., 3 in. pots	.65	.55	.50
18 t	o 24 in., 4 in. pots	.90	.75	.60
2 t	to 3 ftB&B	1.25	1.00	.90
schuma	nni. 5'			
12 t	to 18 in., 4 in. pots	1.50	1.25	
Abies balsar	nea. Balsam Fir. 50'			
2	ftB&B	3.00	2.50	2.00
3	ftB&B	3.75	3.00	2.50
	ftB&B	4.75	4.00	3.50
	ftB&B	6.00	5.00	
	ftB&B	7.50	6.00	
	ftB&B	10.00		
	r larger sizes to 15 ft., add		per fo	ot.
. 115-1				
concolo	or. White Fir. 70'		11 1	
18	in	2.50	2.00	1.50
	$ft.\dotsB\&B$	3.50	2.50	2.00
	ftB&B	5.00	4.00	3.50
	ftB&B	7.50	6.50	5.00
5	ftB&B	10.00	8.50	7.50
6	ftB&B	12.50	10.00	8.50
7	ftB&B	15.00	12.50	
8	ftB&B	18.00	15.00	
9	ftB&B	20.00	18.00	
	16	_0.00	20.00	

For larger sizes to 25 ft., add \$10.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Abies.	Macii	Each	Laci
concolor violacea. Purplecone Whi	te Fir.	70'	
2 ftB&B	5.00	4.50	4.00
3 ftB&B	6.50	5.50	5.00
4 ftB&B	10.00	7.50	
5 ftB&B	12.50	10.00	
6 ftB&B	15.00	12.50	
firma. Momi Fir. 50'			
2 ftB&B	4.00	3.75	
3 ftB&B	5.50	4.50	
fraseri. Fraser Fir. 50'			
2 ftB&B	4.00	3.75	
3 ftB&B	5.00	4.75	
4 ftB&B	6.50	6.00	
5 ftB&B	7.50	7.00	
6 ftB&B	10.00		
7 ftB&B	12.50		
homolepis. Nikko Fir. 60'			
3 ftB&B	6.00	5.00	
4 ftB&B	7.50	6.50	
5 ftB&B	10.00	8.00	
nobilis glauca. Blueleaf Noble Fir.	. 20'		
15 inB&B	5.00		
18 inB&B	6.00		
nordmanniana. Nordmann Fir. 75	,		
3 ftB&B	5.00		
4 ftB&B	6.00		
pectinata. Silver Fir. 50'			
2 ftB&B	4.00	3.50	
3 ftB&B	5.00	4.50	
4 ftB&B	7.50		
pectinata pyramidalis. Sentinel Fir.	. 10'		
18 inB&B	4.00		
2 ftB&B	5.00		
veitchi. Veitch Fir. 80'			
3 ftB&B	5.00	4.50	3.50
4 ftB&B	6.00	5.50	5.00
5 ftB&B	10.00	8.50	
6 ftB&B	12.50		
12 ftB&B	40.00		
14 ftB&B	60.00		
LARGE SPECIMEN SHRUBS QUOTED	ON REQ	UEST.	

Acanthopanax pentaphyllum. Five-leave	1-4 Each	5-24 Each <i>lia.</i> 10'	25 & up Each
2 to 3 ft	.40	.30	.25
3 to 4 ft	.60	.45	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.65
ricinifolium. Castor Aralia. 25'	1.00	•••	.00
6 to 8 ft	6.50	6.00	
8 to 10 ft	8.00	7.50	
10 to 12 ft	10.00	9.00	
12 to 14 ft	15.00	12.50	
14 to 16 ft	20.00	15.00	
ricinifolium maximowiczi. 25'			
6 ft	10.00		
7 ft	12.50		
8 ft	15.00		
10 ft	18.00		
Acer buergerianum. Trident Maple. 40) '		
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
campestre. Hedge Maple. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.50	5.00	4.50
10 to 12 ft	10.00	8.50	
12 to 14 ft	15.00	12.50	
14 to 16 ft	20.00	15.00	
cappadocicum. Coliseum Maple. 40) '		
12 to 14 ft	15.00		
14 to 16 ft	20.00		
dasycarpum. Silver Maple. 75'			
8 to 10 ft	1.50	1.25	1.10
1 1/4 to 1 1/2 in	2.00	1.60	1.35
1½ to 1¾ in	2.50	1.90	1.65
1 % to 2 in	3.00	2.25	2.00
2 to 2½ in	3.50	2.75	2.50
2½ to 3 in	4.50	3.50	3.00
3 to 3½ in	6.00	5.00	
3½ to 4 in	7.50	6.50	

	1-4	5-24	25 & up
Acer	Each	Each	Each
dasycarpum pyramidale. Pyramidal	Silver	Maple.	75'
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.60	
1 1/4 to 1 1/2 in	2.50	1.90	
1½ to 1¾ in	2.75	2.25	
dasycarpum wieri. Wier Maple. 75'	,		
8 to 10 ft	2.00	1.60	
1 ½ to 1½ in	2.50	1.90	
1½ to 1¾ in	3.00	2.25	
1 ¾ to 2 in	3.50	2.75	
2 to 2½ in	5.00	3.50	
_ 33 _ ,2 3		- • • •	
ginnala. Amur Maple. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
griseum. Paperbark Maple. 25'			
6 to 8 ft	6.00	5.00	
8 to 10 ft	7.50	6.00	
10 to 12 ft		7.50	
japonicum aureum. Goldenmoon Ma		5 '	
2 to 3 ftB&B			
3 to 4 ft	7.50		
mandshuricum. Manchurian Maple.	<i>30</i> ′		
6 to 8 ft		2.75	2.50
8 to 10 ft	4.50	4.00	3.50
10 to 12 ft	7.50	6.00	
1½ to 1¾ in	10.00	8.00	
negundo. Box Elder. 60'			
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50		
1 1/4 to 1 1/2 in	1.75		
1½ to 1¾ in	2.25		
1 % to 2 in	3.00		
nigrum. Black Maple. 80'	4.50	4.00	
8 to 10 ft	4.50	4.00	

	1-4 Each	5-24 Each	25 & up Each
Acor	Dacii	Dacii	Dach
nikoense. 40'			
2 to 3 ft	3.50		
palmatum. Japanese Maple. 15'			
2 to 3 ftB&B	2.25	1.75	1.50
3 to 4 ftB&B	2.50	2.00	1.75
4 to 5 ftB&B	3.50	2.75	2.25
	4.50		
6 to 8 ftB&B	7.50	6.00	
8 to 10 ftB&B	10.00	7.50	
palmatum atropurpureum.			
Bloodleaf Japanese Maple. 10'			
2 to 3 ftB&B	3.50	3.00	2.50
3 to 4 ftB&B	5.00	4.50	4.00
4 to 5 ftB&B	7.50	6.00	5.00
5 to 6 ft., heavyB&B	15.00	12.50	
6 to 8 ft., heavyB&B	20.00	15.00	
8 to 10 ft., heavyB&B	25.00		
palmatum dissectum atropurpureu	m.		
Purple Threadleaf Japanese Maple	. 6'		
18 to 24 inB&B	8.50	7.50	
2 to 3 ftB&B			
3 to 4 ftB&B			
palmatum filicifolium. Fernleaf Mo	aple.	10'	
2 to 3 ftB&B	7.50	6.00	
3 to 4 ftB&B			
4 to 5 ftB&B			
palmatum roseo-marginatum. Pink	kedge I	Maple. 10	•
2 to 3 ftB&B	7.50		
3 to 4 ftB&B			
pennsylvanicum. Striped Maple. 28	<i>5'</i>		
4 to 5 ft	2.25	2.00	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00		

				1-4 Each	5-24 Each	25 & up Each
Acer				230011	2300 011	230071
platanoid	les.	Nor	way Maple. 75'			
6	to	8	ft	1.75	1.60	1.50
8	to	10	ft	2.25	2.00	1.90
1 1/4	to	$1\frac{1}{2}$	in	2.75	2.50	2.25
1 ½	to	1 3/4	in	3.50	2.75	2.50
1 3/4	to	2	in	4.50	3.50	3.00
2	to	$2\frac{1}{2}$	in	5.50	4.25	3.75
2 ½	to	3	in	7.00	5.50	4.50
3	to	3 1/2	in	10.00	7.50	6.00
3 1/2	to	4	in	12.50	10.00	
4	to	5	in. spec	25.00		
		_	sum. Globe Nor		ple.	
2 ye	ear,	, 6 ft.	standards	5.00		
-			dleri. Schwedler		60'	
1 1/4		·	in	3.75	3.00	
1 ½			in	4.50	3.75	
1 3/4			in	6.00	5.00	
2	to		in	10.00	7.50	
2 ½	to	3	in	12.50	10.00	
3	to		in	17.50	15.00	
3 1/2	to	4	in	25.00		
n.ou.donle		- S	Sycamore Maple.	60'		
pseudopi 6	to	8	ft	2.50	2.00	
8	-	10	ft	3.00	2.25	
1 1/4	to		in	3.75	2.75	
	to		in	4.50	3.75	
1%	to	2	in	5.50	4.50	
2	to		in	6.50	5.50	
rubrum.	$R\epsilon$	ed Maj	ple. 75'			
6	to	8	ft	2.25	2.00	1.50
8	to	10	ft	3.00	2.50	2.00
1 1/4	to	1 1/2	in	3.75	3.00	2.50
1 1/2	to	1 3/4	in	4.50	4.00	3.25
1 3/4	to	2	in	6.50	5.50	4.50
2	to	2 1/2	in	9.00	7.50	6.50
2 ½	to	3	in	12.50	10.00	8.50
3	to	3 1/2	in	15.00	12.50	10.00
3 ½	to	4	in	20.00		

	1-4 Each	5-24 Each	25 & up Each
Acer			
saccharum. Sugar Maple. 75'			
8 to 10 ft	2.25	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.25	2.00
1½ to 1¾ in	3.75	3.00	2.50
1% to 2 in	4.50	4.00	3.25
2 to 2½ in	6.50	5.00	4.00
2½ to 3 in	7.50	6.50	5.00
3 to 3½ in	12.50	10.00	7.50
3½ to 4 in	15.00	12.50	
4 to 4½ in	25.00	20.00	
4½ to 5 in	35.00		
5 to 5½ in	45.00		
spicatum. Mountain Maple. 20'			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.25	
tataricum. Tatarian Maple. 20'			
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	3.00	2.50	2.00
10 to 12 ft	5.00	4.50	
Actinidia arguta. Bower Actinidia. 20'			
2 year	.60	.45	.35
2 year	.00	.40	.00
Aesculus carnea. Red Horsechestnut.	10°		
4 to 5 in	60.00		
5 to 6 in			
9 00 9 22200	10.00		
glabra. Ohio Buckeye. 25'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.00	
1¼ to 1½ in	5.00		
1½ to 2 in	6.00		
2 to 2½ in	7.50		
2½ to 3 in	10.00		
3 to 3½ in	15.00		

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

	1-4 Each	5-24 Each	25 & up Each
Assculus			
hippocastanum. Horsechestnut. 70'	,		
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.50	2.75	2.50
1 1/4 to 1 1/2 in	4.00	3.50	3.00
1½ to 1¾ in	4.50	4.00	3.50
1 % to 2 in	5.00	4.50	
2 to 2½ in	6.00	5.00	
2½ to 3 in	9.00	7.50	
3 to 3½ in	15.00	12.50	
3½ to 4 in	18.00		
4 to 5 in	25.00		
hippocastanum baumanni.			
Double White Horsechestnut. 50'			
5 to 6 ft	7.50		
6 to 8 ft	10.00		
8 to 10 ft	12.50		
2 to 2½ in	20.00		
octandra. Yellow Buckeye. 60'			
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.75	2.75	2.50
1½ to 1½ in	4.00	3.50	3.00
1½ to 1¾ in	5.00	4.00	3.50
1 3/4 to 2 in	5.50	4.50	4.00
2 to 2½ in	7.50	6.00	5.00
2½ to 3 in	10.00	7.50	6.00
3 to 3½ in	15.00	12.50	10.00
3 ½ to 4 in	18.00	15.00	
4 to 5 in	25.00	20.00	
navviflora Druf Homashastant 14	•		
parviflora. Dwf. Horsechestnut. 12 2 to 3 ft			
	3.50		
3 to 4 ft	4.50		
turbinata. Japanese Horsechestnut.	30'		
3 to 4 in	25.00		
5 to 6 in			

	1-4 Each	5-24 Each	25 & up Each
Ailanthus glandulosa. Tree of Heaven.	50'		
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.65
10 to 12 ft	2.25	2.00	
1½ to 1¾ in	2.75	2.50	
1 % to 2 in	3.50	2.75	
2 to 2½ in	4.00	3.25	
vilmoriniana. 50'			
10 to 12 ft	2.25	2.00	
1½ to 1¾ in	2.75	2.50	
1 % to 2 in	3.50	3.00	
2 to 2½ in	4.50	3.50	
2 ½ to 3 in	6.00	5.00	
3 to 3½ in	7.50		
Al-1: 11: (Olivering Alatin 15)			
Akebia lobata. Threeleaf Akebia. 15'	P7 P	CO	50
2 year	.75	.60	.50
3 year from pots	1.00	.75	.60
quinata. Fiveleaf Akebia. 15'			
2 year	.45	.35	.25
3 year	.55	.40	.30
Albizzia julibrissin rosea. Silktree. 30	n'		
12 to 18 in. from 4 in. pots		1.00	
2 to 2½ ftB&B		2.00	
	2.00	2.00	
Alnus cordata. Italian Alder. 40'		4 = 0	
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.50	2.00	
1½ to 1¾ in	3.50	3.00	
1 % to 2 in	5.00	4.00	
glutinosa. European Alder. 60'			
6 to 8 ft	1.50	1.25	
8 to 10 ft	1.75	1.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.75	
1½ to 1¾ in	2.75	2.50	
1 % to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
$2\frac{1}{2}$ to 3 in	7.50	6.00	
3 to 3½ in	10.00	7.50	
glutinosa laciniata. Cutleaf Alder.	40'		
8 to 10 ft	5.00		

Alnus	1-4 Each	5-24 Each	25 & up Each
incana, Speckled Alder. 50'			
8 to 10 ft	2.00	1.75	1.50
1¼ to 1½ in	2.50	2.00	1.75
1½ to 1¾ in	3.00	2.50	2.00
1 3/4 to 2 in	3.75	3.50	3.00
2 to 2½ in	5.00	4.50	4.00
2½ to 3 in	7.50	6.00	5.00
3 to 3½ in	10.00		
japonica. Japanese Alder. 50'			
6 to 8 ft	2.25	2.00	
8 to 10 ft	2.75	2.50	
1½ to 1¾ in	3.50	3.00	
2 to 2½ in	5.00	4.00	
2½ to 3 in	7.50	6.00	
pendula. 30'			
2 yr. 4 ft. stems	5.00		
rugosa. Hazel Alder. 10'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	4.00	3.00	
viridis. European Green Alder. 6'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
Althea. (See Hibiscus).			
Amelanchier alnifolia. Saskatoon. 7'			
	1.50		
4 to 5 ft	1.75		
5 to 6 ft	2.50		
asiatica. 35'			
3 to 4 ft	1.25		
4 to 5 ft	1.50		
5 to 6 ft	2.00		
6 to 8 ft	2.50		1

nelanchie	er.				1-4 Each	5-24 Each	25 & up Each
		. :	Dare	ny Shadblow. 30'			
	to			my Shaaoww. 30	.60	.55	.50
	to				.75	.65	.60
•	to				1.25	1.00	.75
_	to				1.75	1.50	1.25
					3.00	2.50	1.20
8					7.50		
10					12.50		
6	to			standards	3.50	3.00	
8	to			standards	5.00	4.00	
laevis.	A	lleai	heni	Serviceberry. 35'			
	to				1.00	.75	.60
	to				1.25	1.00	.75
_	to				1.75	1.50	1.25
6	to				3.00	2.50	2.00
8					3.50	3.00	2.50
	to			standards	3.50	3.00	2.00
	to		ft.	"	5.00	4.00	
· ·		12		66	7.50	2.00	
laevis	ros	ea.	35'				
3	to	4	ft.	standards	2.00	1.75	
	to		ft.	"	2.50	2.00	
5	to	6	ft.	"	3.50	3.00	
6	to	8	ft.	"	5.00	4.00	
8	to	10	ft.		7.50	6.50	
oblong	ifo	lia.	Th	icket Shadblow. 25	5 ′		
2	to	3	ft.		.60	.55	.50
	to				.75	.65	.60
	to				1.25	1.00	.75
					1.75	1.50	1.25
					3.00	2.50	
	to				3.50	3.00	2.50
				clumpsB&B	12.50		
				clumpsB&B	15.00		
				clumpsB&B	20.00		
				•			

	1-4 Each	5-24 Each	25 & up Each
Amelanchier	230011	23001	23000
rotundifolia, syn. vulgaris.			
European Shadblow. 25'			
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	3.50	3.00	2.50
6 to 8 ft. standards	3.50	3.00	
8 to 10 ft. "	5.00	4.00	
8 to 10 ft. clumpsB&B	15.00		
10 to 12 ft. "B&B	20.00		
sanguinea. Roundleaf Shadblow. 8	•		
3 to 4 ft	1.00		
4 to 5 ft	1.25		
5 to 6 ft	2.00		
6 to 8 ft	2.50		
8 to 10 ft	3.50		
stolonifera. Running Shadblow. 4'			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.00
	•••		
Amorpha brachycarpa. 3'	ΠE	co.	50
18 to 24 in	.75	.60	.50
15 to 18 in	.45	.35	.30
18 to 24 in	.50	.40	.35
	.60		
2 to 3 ft	.00	.45	.40
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.60	.50	.40
6 to 8 ft	.75	.60	.40
Ampelopsis aconitifolia. Monkshood Vin		.00	
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
henryana. Silvervein Creeper. 15'			
from 4-inch pots	.75	.60	.50
			.00
LARGE SPECIMEN SHRUBS QUOTED	ON REQ	UEST,	

4.5.	1-4 Each	5-24 Each	25 & up Each
Ampelopsis.			
heterophylla. Porcelain Ampelopsis.	25'		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
heterophylla amurensis. Amur Amp	pelopsis.	25'	
2 year	.75	.60	.50
3 year	1.00	.75	.60
heterophylla elegans, syn. sieboldi	. 15'		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
quinquefolia. Virginia Creeper. 35'			
2 year	.35	.25	.15
3 year	.40	.30	.20
4 year	.50	.40	.30
quinquefolia englemanni. Engleman	n Creep	er. 35	,
2 year	.35	.25	.15
3 year	.40	.30	.20
4 year	.50	.40	.30
quinquefolia murorum. Wall Creepe	r.		
2 year	1.00	.75	
quinquefolia saintpauli. St. Paul Ca	reeper.	35'	
2 year	.35	.25	.20
3 year	.45	.35	.25
tricuspidata veitchi. Boston Ivy. 40) '		
2 year	.40	.30	.20
3 year	.50	.40	.30
2 year from pots	.65	.55	.50
tricuspidata lowi. Geranium Ivy.	8 '		
2 year from pots	.65	.60	.50
3 year from pots heavy	1.00	.90	.75
Amygdalus davidiana. Chinese Wild Peac	ch. 25'		
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
6 to 8 ft	3.50		
8 to 10 ft	4.50		
davidiana alba. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00		
8 to 10 ft	5.00		

	1-4 Each	5-24 Each	25 & up Each
Amygdalus			
nana georgica. Russian Almond. 6		4 00	
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
persica. Double Flowering Peach. 1-	0 '		
3 to 4 ft	.60	.50	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25		
Alboplena—Double Whit			
Clara Meyer—Double Pi			
Rosea Plena—Double Pi			
Rubroplena—Double Rec	1.		
Andromeda. (See Pieris).			
Aralia japonica. Angelica Tree. 25'			
5 to 6 ft	1.40	1.00	.90
6 to 8 ft	2.00	1.75	1.25
pentaphyllum. (See Acanthopanax)			
spinosa. Devil's Walkingstick. 25'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
6 to 8 ft	2.00	1.50	
8 to 10 ft	2.50	2.25	
10 to 12 ft	3.50	3.00	2.50
Arctostaphylos uva-ursi. Bearberry.			
3½ in. pots	.60	.50	.45
Aristolochia sipho. Dutchman's Pipe. 3			• • •
2 year		1.00	.75
tomentosa. 30'	1.20	1.00	.10
2 year	75	60	5 0
2 year	.75	.60	.50
Aronia arbutifolia. Red Chokeberry. 8			
2 to 3 ft	.50	.35	.25
3 to 4 ft	.60	.45	.35
4 to 5 ft	.75	.60	.50
atropurpurea. Purple Chokeberry.	8'		
2 to 3 ft	.50	.35	.25
3 to 4 ft	.60	.45	.35
4 to 5 ft	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Aronia	234011	Mach	120(11
melanocarpa. Black Chokeberry.			
2 to 3 ft	.50	.35	
3 to 4 ft	.60	.45	.35
melanocarpa elata. Glossy Chokebe	_		95
2 to 3 ft	.50	.35	.25 $.35$
		.40	.00
Artemesia abrotanum. Southernwood.			
3 to 4 ft	.35	.25	.20
4 to 5 ft	.45	.35	.25
5 to 6 ft	.60	.45	.35
Asimina triloba. Papaw. 30'			
2 to 3 ft	1.00	.75	
Azalea amoena. Amoena Azalea. 4'			
10 to 12 inB&B	1.25		
12 to 15 inB&B	1.75		
15 to 18 inB&B	2.25		
calendulacea. Flame Azalea. 6'			
2 to 3 ftB&B	3.75	3.00	2.75
canescens. Piedmont Azalea. 6'			
2 to 3 ftB&B	3.50	2.75	2.50
hinodegiri. Carmine Azalea. 3'			
10 to 12 inB&B	1.50		
12 to 15 inB&B	2.00		
kaempferi. Torch Azalea. 5'			
15 to 18 inB&B	2.75	2.50	
18 to 24 inB&B	3.75	3.50	3.00
24 to 30 inB&B	4.50	4.00	3.50
30 to 36 inB&B	6.00	5.00	
ledifolia. Snow Azalea. 6'			
15 to 18 in	3.00		
18 to 24 inB&B	3.50		
lutea. 10'			
18 to 24 inB&B	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	3.00
3 to 4 ftB&B	5.00	4.50	
mollis. Chinese Azalea. 6'			
15 to 18 inB&B	2.50	2.25	2.00
18 to 24 inB&B	3.75	2.75	2.50
24 to 30 inB&B	4.50	3.50	

	1-4 Each	5-24 Each	25 & up Each
Azalea	Each	Each	Dach
mucronulatum. Dahurian Azalea.	6'		
3 to 4 ftB&B	6.00	5.00	
nudiflora. Pinxterbloom. 4'			
2 to 3 ftB&B	3.50	2.75	2.50
3 to 4 ftB&B	4.00	3.50	
poukhanensis. Korean Azalea. 4'			
18 to 24 inB&B	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	3.25
viscosa. Swamp Azalea. 6'			
18 to 24 inB&B	2.75	2.50	
24 to 30 inB&B	3.50	2.75	2.50
yodogawa. Yodogawa Azalea. 4'			
18 to 24 inB&B	3.00		
24 to 30 inB&B	3.50		
3 to 4 ftB&B	5.00		
Baccharis halimifolia. Groundselbush. 1	0'		
2 to 3 ft	.50	.35	.25
3 to 4 ft	.60	.45	.35
4 to 5 ft	.75	.60	.50
*Benzoin aestivale. Spice Bush. 12'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.50	2.00	1.75
8 to 10 ft. clumps B&B	15.00		
Berberis julianae. Wintergreen Barberry	y. 5'		
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 inB&B	2.25	2.00	1.75
24 to 30 inB&B	2.75	2.50	2.25
30 to 36 inB&B	3.50	3.00	
koreana. Korean Barberry. 6'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	
sargentiana. Sargent Barberry. 5'			
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 inB&B	2.25	2.00	1.75
24 to 30 inB&B	2.75	2.50	2.25
CARLO DE LA CALLADA DE LA CALL			

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

	1-4 Each	5-24 Each	25 & up Each
Berberis		23(07)	230011
thunbergi. Japanese Barberry. 4'			
15 to 18 in	.20	.15	.12
18 to 24 in	.25	.18	.14
24 to 30 in	.35	.25	.18
30 to 36 in	.50	.35	.25
2 to $2\frac{1}{2}$ ft. spec	.85	.75	
$2\frac{1}{2}$ to 3 ft. spec	1.25	1.00	
3 to 3½ ft. spec	1.75	1.50	
thunbergi atropurpurea. Redleaf Je	apanese	Barber	ry. 5'
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.40	.30
30 to 36 in	.60	.50	.40
36 to 42 in	1.00	.75	.60
thunbergi minor. Box Barberry. 2'			
12 to 15 in	.35	.25	.20
15 to 18 in	.40	.30	.25
18 to 24 in	.50	.40	.35
24 to 30 in	.60	.50	.45
thunbergi pluriflora. 5'			
18 to 24 in	.35	.25	.20
24 to 30 in	.45	.35	.25
30 to 36 in	.50	.40	.30
.1 1 . 1 . 10	7	7	
thunbergi pluriflora erecta. Truehed	-		~
15 to 18 in		.35	
18 to 24 in	.55		
10 to 24 m	. 9 0	.40	.00
triacanthophora. Threespine Barb	erry. &	5 '	
15 to 18 inB&B	1.35	1.25	1.00
18 to 24 inB&B	1.50	1.35	1.25
verruculosa. Warty Barberry. 3'			
8 to 10 in	1.50		
12 to 15 in	1.75		
Berchemia racemosa. Japanese Suppleja	ck. 3'		
	.60	.50	.40
18 to 24 in		.60	.50

*Pakula alka Eu	nonen Witte Dinel	1-4 Each	5-24 Each	25 & up Each
	ropean White Birch.		1 50	1 05
6 to	8 ft	1.75	1.50	1.25
	11/ in	2.00	1.75	1.50
1 ½ to	1½ in	2.50	2.25	2.00
	1 ¾ in	3.00	2.75	2.50
	2 in	3.50	3.00	2.75
	2 ½ in	5.00	4.00	3.50
2½ to		6.00	5.00	
3 to	3½ in	10.00	7.50	
	ta. Pyramidal White			
	ft	4.00	3.50	
	ft	5.00	4.00	
10 to 12	ft	7.50	6.00	
*alba lacinia	ta. Cutleaf Weeping	Birch.	35'	
6 to	8 ft	2.50	2.25	
8 to 1	0 ft	3.00	2.75	
1 1/4 to	1½ in	3.75	3.50	
1½ to	1¾ in	4.50	4.00	
1 3/4 to	2 in	6.00	5.00	
2 to	2½ in	7.50	6.00	
2½ to	3 in	10.00	7.50	
*fontinalis. V	Vater Birch. 40'			
6 to 8 f	t	3.50		
*lenta. Swee	t Birch. 40'			
6 to	8 ft	1.75	1.50	1.25
8 to 1	0 ft	2.50	2.25	1.75
1 1/4 to	1½ in	3.00	2.75	2.25
1½ to	1¾ in	3.50	3.00	2.75
1 3/4 to	2 in	4.00	3.50	3.00
2 to	2½ in	5.00	4.50	4.00
2 ½ to	3 in	7.50	6.00	5.00
3 to	3½ in	10.00	7.50	
*lutea. Yello	w Birch. 50'			
6 to	8 ft	2.00	1.75	1.50
8 to 1		2.50	2.25	2.00
	1½ in	3.00	2.75	2.50
	1¾ in	3.50	3.00	
1 3/4 to 2		4.00	3.50	
2 to 2	½ in	5.00	4.50	
	3 in	7.50	6.00	
3 to		10.00	7.50	
	4 in	12.50	10.00	

${f E}$	ach Each	25 & up Each
Betula		
*maximowicziana. Monarch Birch.	60 '	
	2.75 2.50	
	3.00	
	.50 4.00	
	5.00	
2 to 2½ in 7	.50 . 6.00	
*nigra. River Birch. 50'		
6 to 8 ft 1	.75 1.50	1.25
8 to 10 ft 2	.50 2.25	2.00
1 1/4 to 1 1/2 in 3	.00 2.75	
6 to 8 ft. clumps B&B 7	.50 7.00	
8 to 10 ft. clumps B&B 10	.00 9.00	
*papyrifera. Canoe Birch. 40'		
6 to 8 ft 2	.00 1.75	1.50
8 to 10 ft 2	.50 2.25	2.00
1 ½ to 1 ½ in 3	.00 2.75	2.50
1½ to 1¾ in 3.	.50 3.25	3.00
1 % to 2 in 4.	.00 3.75	3.25
2 to $2\frac{1}{2}$ in 5	.00 4.50	4.00
· · · · · · · · · · · · · · · · · · ·	.50 6.00	5.00
· · · · · · · · · · · · · · · · · · ·	.00 7.50	
$3\frac{1}{2}$ to 4 in		
6 to 8 ft. clumps B&B 7.		
8 to 10 ft. clumps B&B 10.	00 9.00	
*papyrifera cordifolia. 40'		
1½ to 1¾ in 5.	00	
2 to $2\frac{1}{2}$ in	50	
$2\frac{1}{2}$ to 3 in	00	
*populifolia. Gray Birch. 40'		
6 to 8 ft	75 1.50	1.25
8 to 10 ft 2.	50 2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.	00 2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	50 3.00	2.75
1 3/4 to 2 in 4.0		3.00
2 to 2½ in 5.0		4.00
2½ to 3 in 7.5		5.00
3 to 3½ in 10.0		6.50
4 to 4½ in 15.0		
6 to 8 ft. clumps B&B 7.5		
8 to 10 ft. clumps B&B 10.0	9.00	

Bignonia grandiflora. Chinese Trumpeto	1-4 Each reeper.	5-24 Each 20'	25 & up Each
2 year	.60	.50	.40
3 year	.75	.60	.50
4 year	1.00	.75	.60
grandiflora Mad. Gallen. 20'			
2 year	1.00	.75	.60
radicans. Trumpetcreeper. 30'			
2 year	.30	.20	.15
3 year	.35	.25	.20
speciosa. Painted Trumpetcreeper.		.20	•20
2 year	.75	.60	.50
3 year	1.00	.75	.00
	1.00	.10	
Bischoffia trifoliata. 12'			
3 to 4 ft	2.50		
Broussonetia papyrifera. Paper Mulber	ry. 40'		
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
	,,		
Bruckenthalia spiculifolia. Spikeheath. 1		1.05	1.00
6 in., 3 inch pots		1.25	1.00
Buddleia Charming. Pink Butterfly Bus.	h. 5'		
2 to 3 ft	.60	.50	.40
davidi. Orange-eye Butterfly Bush.	<i>5'</i>		
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
davidi superba. 5'			
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
4 to 5 ft	.50	.35	.30
davidi veitchi. Veitch Butterfly Bus			• • •
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
4 to 5 ft	.50	.35	.30
Dubonnet 5'	•00	.00	.00
18 to 24 in	.50	.40	
farquhari. δ'	• • •	• - 0	
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
4 to 5 ft	.50	.35	.30
5 to 6 ft	.60	.50	.40
Ile de France. 4'	.00	.00	.40
2 to 3 ft	.40	.30	.20
3 to 4 ft	.50	.40	.30
	.00	. 10	.00

D 111 .	1-4 Each	5-24 Each	25 & up Each
Buddleia			
intermedia. Wisteria Butterfly Ba			
2 to 3 ft	30	.20	.15
3 to 4 ft		.30	.20
lindleyana. Lindley Butterfly Busi	h. 5'		
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
paniculata.			
3 to 4 ft	.40	.35	.25
4 to 5 ft	.50	.40	.35
Buxus microphylla.			
12 to 15 inB&B	1.00	.75	.60
15 to 18 inB&B	1.25	1.00	.75
18 to 24 inB&B	1.50	1.25	1.00
microphylla koreana.			~~~
6 to 8 inB&B	.65	.55	.50
12 to 15 inB&B	1.00	.75	.60
15 to 18 inB&B	1.25	1.00	.75
sempervirens handsworthi.			•••
8 to 10 inB&B	1.00	.75	.60
10 to 12 inB&B	1.25	1.00	.75
sempervirens suffruticosa. Dwarf	Bowwoo		.10
12 to 15 inB&B	1.25	1.00	.75
15 to 18 inB&B	1.50	1.25	1.00
Callicarpa americana. American Beauty			1.00
2 to 3 ft	oerry. 6		
giraldiana. 6'	.75	.65	
2 to 3 ft	75	05	20
giraldiana subincanescens. 6'.	.75	.65	.60
3 to 3½ ft	1.50		
japonica. Japanese Beautyberry. 4'	1.00		
18 to 24 in	.40	.30	.20
2 to 3 ft	.45	.35	.25
purpurea. Chinese Beautyberry. 4'	• 10	.00	.20
18 to 24 in	.40	.30	.20
2 to 3 ft	.45	.35	.25
Calluna vulgaris. Heather. 2'		•••	.20
C +0 O : 4 : 1	.75	CO	F 0
12 to 15 in., F. G	1.25	.60	.50
vulgaris alba. White Heather. 2'	1.20	1.00	
	.75	.60	FO
12 to 15 in., F. G	1.25		.50
	1.20	1.00	

	1-4 Each	5-24 Each	25 & up Each
Calluna			
vulgaris alporti. Alport Heather. 2			
4 inch pots	.75	.60	
vulgaris aurea. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris carnea. Flesh Heather. 2'			
6 to 8 in., 4 inch pots	.75	.60	
vulgaris searlei. 2'			
12 to 15 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
Calycanthus floridus. Sweet Shrub. 5'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
occidentalis. California Sweetshrub.	12'		
18 to 24 in	1.00	.75	
2 to 3 ft	1.25		
Caragana arborescens. Siberian Peatree	. 15'		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
boisi. 6'	2.00		
2 to 3 ft	1.00	.75	
3 to 4 ft	1.50	1.25	
frutex. Russian Pea-shrub. 10'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	2,00
5 to 6 ft	2.50	2.00	
Carpinus betulus. European Hornbeam.	<i>60'</i>		
3 to 4 ftB&B	5.00	4.50	4.00
4 to 5 ftB&B	6.00	5.50	5.00
5 to 6 ftB&B	9.00	8.00	7.50
6 to 8 ftB&B	12.00	11.00	10.00
8 to 10 ftB&B	15.00	13.00	12.00
10 to 12 ftB&B	20.00	18.00	15.00
Sheared plants, 4 to 8 ft. quoted	on requ	uest.	

	1-4 Each	5-24 Each	25 & up Each
Carpinus		230011	2200
caroliniana. American Hornbeam.	40'		
2 to 3 ftB&B	1.75	1.50	1.35
3 to 4 ftB&B	2.50	2.25	2.00
4 to 5 ftB&B	3.50	3.00	2.75
	5.00	4.50	4.00
•	7.50	6.00	5.50
8 to 10 ft		8.00	7.50
10 to 12 ftB&B		15.00	12.50
Sheared plants, 4 to 10 ft., quoted	on rec	quest.	
japonica. 40'			
3 to 4 ft., bushyB&B	4.00	3.50	
4 to 5 ft., bushyB&B	5.00	4.50	
5 to 6 ftB&B	6.50	5.50	
	10.00	7.50	
yedoensis. 25'			
2 to 3 ftB&B	3.00	2.50	2.00
3 to 4 ftB&B	4.00	3.50	3.00
4 to 5 ftB&B	6.00	5.00	
5 to 6 ft	7.50	6.50	
6 to 8 ftB&B	10.00	8.00	
Caryopteris incana. Bluebeard. 4'			
15 to 18 in	.45	.35	.30
18 to 24 in	.55	.45	.40
tangutica. 5'			
10 to 12 in., 4 inch pots	1.00	.80	.75
Catalpa bignonioides nana syn. bungei.			
Umbrella Catalpa. 12'			
2 yr. heads,			
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.25	2.00	
kaempferi. Japanese Catalpa. 20'			
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.25	2.00	
speciosa. Western Catalpa. 30'			
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	1.75	1.50	1.25
1 3/4 to 2 in	2.00	1.75	1.50
Ceanothus americanus. Jersey Tea. 3'	.50	.35	.25
18 to 24 in	.60	.45	
2 to 3 ft			.00
LARGE SPECIMEN SHRUBS QUOTED	ON RE	QUEST,	

	1-4	5-24	25 & up
Cedrela sinensis. Chinese Cedrela. 50'	Each	Each	Each
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50	6.00	
Cedrus deodara Deodar. 50'			
2 ftB&B	3.50	3.00	
3 ftB&B	5.00	4.50	
libani. Cedar of Lebanon. 50'			
2 ftB&B	3.50	3.00	
3 ftB&B	5.00	4.50	
9 2000000000000000000000000000000000000		00	
Celastrus gemmata. Chinese Bitterswee	t. 20'		
2 year	1.00	.75	
orbiculatus. Oriental Bittersweet.	20'		
2 year	.40	.30	.20
3 year	.45 $.60$.45	.35
scandens. Native Bittersweet. 25'			
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.45	.40
Celtis occidentalis. Hackberry. 50'			
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	2.75	2.50	2.25
1 1/4 to 1 1/2 in	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.25	3.00
1 3/4 to 2 in	4.00	3.75	
2 to 2½ in	5.00	4.00	
2½ to 3 in	7.50	5.00	
3 to 3½ in	10.00	7.50	
sinensis. Chinese Hackberry. 30'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
Cephalanthus occidentalis. Button Bush	. 6'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft,	.65	.55	.50

	1-4 Each	5-24 Each	25 & up Each
Cercidiphyllum japonicum. Katsura T			Each
4 to 5 ftB&B	3.00	2.75	2.50
5 to 6 ftB&B	4.50	4.00	3.75
6 to 8 ftB&B	6.00	5.00	4.50
8 to 10 ftB&B	8.50	7.50	6.50
10 to 12 ftB&B	12.50	10.00	9.00
8 to 10 ft. specB&B	15.00		
10 to 12 ft. specB&B	20.00		
12 to 14 ft. specB&B	25.00		
14 to 16 ft. specB&B	35.00		
japonicum sinense. Chinese Kats	ura Tree	3. 50°	
2 to 3 ftB&B	4.00		
3 to 4 ftB&B	5.00		
*Cercis canadensis. American Redbud.	<i>15</i> ′		
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	3.00	2.75	2.50
6 to 8 ft. specB&B	7.50		
8 to 10 ft. specB&B	10.00		
10 to 12 ft. specB&B	15.00		
canadensis alba. Whitebud. 15'			
3 to 4 ftB&B	5.00		
*chinensis. Chinese Redbud. 10'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	3.00	2.50	2.00
5 to 6 ft	5.00	4.00	3.50
6 to 8 ft	7.50	6.00	
Chamaecyparis lawsoniana. Lawson Cy	press.	100'	
2 ftB&B	3.00	2.50	
3 ftB&B	4.00	3.50	
4 ftB&B	6.00	5.00	
5 ftB&B	9.00	7.50	
6 ftB&B	12.50	10.00	
lawsoniana alumi. Scarab Cypress	. 40'		
2 ftB&B	5.00		
3 ftB&B	6.00		

			1-4 Each	5-24 Each	25 & up Each
Chamaecyparis					
		e de Boskoop.			
		B&B	4.00	3.50	3.00
4 ft.		B&B	6.00	5.00	4.00
5 ft.		B&B	9.00	7.50	
6 ft	• • • • • • • • •	B&B	12.00		
nootkaten	sis. Nootka	a Cypress. 75'			
2 ft.		B&B	3.00	2.50	2.25
3 ft.		B&B	4.00	3.00	2.75
4 ft.		B&B	5.00	4.50	
5 ft.		B&B	7.50	6.00	
6 ft.		B&B	9.00	7.50	
nootkaten	sis pendula	. Weeping No	ootka C	ypress.	15 '
3 ft.		B&B	7.50	6.00	
4 ft.		B&B	10.00	8.00	
5 ft.		B&B	12.50		
6 ft		B&B	15.00		
obtusa co	mpacta. Co	ompact Hinoki	Cypres	ss. 10'	
		B&B	3.00	2.50	2.25
3 ft.		B&B	4.00	3.50	3.25
4 ft.		B&B	5.50	5.00	4.50
5 ft.		B&B	7.50	6.00	
		B&B	10.00	7.50	
		B&B		10.00	
obtusa cr	rippsi. Yello	ow Hinoki Cyp	ress.	10'	
		B&B	5.00		
		B&B	6.00		
obtusa gr	acilis. Slen	der Hinoki Cy	press.	<i>15'</i>	
2 ft.		B&B	4.00	3.50	
3 ft.		B&B	6.00	5.00	
4 ft.		B&B	7.50	6.00	
		B&B			
		, B&B			
		B&B		12.50	
obtusa nana. Dwarf Hinoki Cypress. 3'					
12 in.		B&B	3.50	3.00	
15 in.		B&B	4.00	3.50	
18 in.		B&B	6.00	5.00	
24 in.		B&B	7.50		
30 in.		B&B	10.00		

			J.,
	Each 1-4	Each 5-24	Each 25 & up
Chamaecyparis			
pisifera. Sawara Cypress. 30'			
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.75	3.00	2.75
4 ft	5.00	4.00	3.75
5 ftB&B	6.50	5.00	4.50
6 ft. specB&B	9.00	7.50	
7 ft. specB&B	12.50	10.00	
8 ft. specB&B	15.00	12.50	
9 ft. specB&B	18.00	15.00	
10 ft. specB&B	20.00	18.00	
For larger sizes to 18 ft., add \$5.0	00 per	foot.	
p. aurea. Golden Sawara Cypress.	<i>90'</i>		
		0.50	0.00
2 ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.00	3.50
5 ftB&B	6.00	5.00	
6 ft. specB&B	10.00		
7 ft. specB&B	12.50		
8 ft. specB&B	15.00		
9 ft. specB&B	17.50		
10 ft. specB&B	20.00		
p. filifera. Thread-branched Japane	se Cyp	ress. 15	·
2 ftB&B	3.50	3.00	2.50
	4.00		3.00
	6.00	5.00	4.00
	12.00	10.00	
	15.00	12.50	
6 ft. specB&B	18.00	15.00	
_	20.00	18.00	
	25.00	22.50	
9 ft. specB&B	35.00		
p. filifera aurea.			
Golden Thread-branched Japanese	Cupre	ss. 10'	
	3.50	2.75	
18 in. spdB&B 24 in. spdB&B			
30 in. spd		5.00	
36x36 in. spec		0.00	
ookoo III. SpecDwD	10.00		

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis p. filifera aurea			
48x48 in. specB&B	15.00		
54x54 in. spec			
60x60 in. specB&B			
zpecitivities			
p. filifera aurea nova.			
Variegated Thread-branched Japa	nese Cy	press.	10'
18 to 24 in. spdB&B	3.00		
-	4.00		
_	5.00		
_	7.50		
42 to 48 in. spdB&B	10.00		
48 to 54 in. spdB&B	15.00		
p. plumosa. Plume Cypress. 30'	0.50	0.00	1 05
2 ft. shearedB&B	2.50	2.00	1.75
3 ft. shearedB&B	3.75	3.00	2.50
4 ft. shearedB&B	5.00	4.00	3.75
5 ft. shearedB&B	6.00	5.00	4.50
6 ft. shearedB&B 7 ft. shearedB&B	8.00	7.00	6.50 8.00
	10.00 15.00	9.00 12.50	0.00
8 ft. shearedB&B 9 ft. shearedB&B	18.00	15.00	
10 ft. shearedB&B	20.00	18.00	
For larger sizes to 18 ft., add \$5			
3 ft. high x 4 ft. spread ex.	.oo per	1000.	
specB&B	7.50		
4 ft. high x 5 ft. spread ex.	1.00		
specB&B	12.50		
5 ft. high x 6 ft. spread ex.			
specB&B	15.00		
p. plumosa aurea. Goldenplume Cy	press.	25'	
2 ft. shearedB&B	2.50	2.00	
3 ft. shearedB&B	3.75		2.50
4 ft. shearedB&B			
5 ft. shearedB&B			
6 ft. shearedB&B			
7 ft. shearedB&B		8.50	
8 ft. shearedB&B			10.00
9 ft. shearedB&B			
10 ft. shearedB&B			
For larger sizes to 20 ft., add \$5	o.uu per	100t.	

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis p. plumosa aurea			
2 ft. high x 3 ft. spread ex.			
specB&B	5.00		
3 ft. high x 4 ft. spread ex.			
specB&B	7.50		
4 ft. high x 5 ft. spread ex.			
specB&B	12.50		
5 ft. high x 6 ft. spread ex.			
spec	15.00		
p. plumosa lutescens. (Globe form). 5'		
18 inB&B	2.50	2.00	1.75
24 inB&B	3.00	2.50	2.00
p. plumosa sulphurea. Sulphurplur	ne Cun	ress. 25	,
4 ftB&B	5.00	4.50	
5 ftB&B	6.50	5.50	
6 ftB&B		7.00	
7 ftB&B		8.50	
8 ftB&B	15.00	12.50	
9 ftB&B	18.00	15.00	
		10.00	
p. squarrosa. Moss Retinospora. 3		0 50	0.00
2 ft. shearedB&B	3.00		2.00
3 ft. shearedB&B		3.50	3.00
4 ft. shearedB&B		4.50	4.00
5 ft. shearedB&B	6.50	5.50	5.00
6 ft. shearedB&B			6.00
7 ft. shearedB&B		9.00	
8 ft. shearedB&B		12.50	
For larger sizes to 15 ft., add \$5.0		100t.	
Chamaedaphne calyculata. Leatherleaf.			
15 to 18 inB&B		2.50	
18 to 24 inB&B		3.00	
24 to 30 inB&B	5.00	4.00	
Chionanthus virginica. White Fringe.	<i>25</i> ′		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.25	1.75	1.50
6 to 8 ft	3.00	2.25	2.00
8 to 10 ft	4.00	3.00	
5 to 6 ft. specB&B	7.50	6.00	
6 to 8 ft. specB&B	10.00	7.50	
8 to 10 ft. specB&B	12.50		

	1-4 Each	5-24 Each	25 & up Each
Cladrastis lutea. Yellow Wood. 30'			
5 to 6 ftB&B	6.00	5.50	5.00
6 to 8 ftB&B	7.50	6.50	6.00
8 to 10 ftB&B	10.00	9.00	8.00
10 to 12 ftB&B	17.50	15.00	12.50
12 to 14 ftB&B	20.00	17.50	
Clematis apiifolia. October Clematis. 26	5 '		
2 year	.50	.40	.30
chrysocoma sericea.			
2 year	1.00	.75	.60
coccinea. (See texensis).			
crispa. Curly Clematis.		٠	
2 year	1.00	.75	
2 year	1.00	•••	
fargesi.			
2 year, 3 in. pots	1.00	.75	
flammula. Plume Clematis. 15'			
	1.00	75	
2 year	1.00	.75	
hybrids. Large Flowering Clematis.			
2 year	.75	.60	
	•		
Jackmanni, Mad. Ed. Andre, He	nryı,		
Duchess of Edinburg.			
ligusticifolia. Western Virgins-bowe	er. 15'		
2 year	.75	.60	.50
•			
montana rubens.	4.00		
3 inch pots	1.00	.75	.65
montana undulata.			
3½ inch pots	1.00		
montana wilsoni.			
3 inch pots	1.00	.75	
paniculata. Sweet Autumn Clematis.	. 25°		
2 year	.35	.25	.20
3 year	.45		
y car	.40	.55	.25
serratifolia. Korean Clematis.			
2 year	1.00	.75	.60

	1-4 Each		25 & up Each
Clematis tangutica. Golden Clematis. 12'			
2 year	60	.50	.40
texensis syn. coccinea. Scarlet Cle			.40
2 year	.60	.50	.40
veitchi. 10'	.00	.00	.40
3 inch pots	1.00	.75	
viorna. Leatherflower.	1.00		
2 year	1.00	.75	
virginiana. Virgins-bower. 25'	_,,,	,,,	
2 year	.35	.25	.20
3 year	.45		.25
vitalba. Travelers-joy. 25'			
2 year	.60	.50	.40
viticella. Italian Clematis. 10'			
2 year	.75	.60	
Clerodendron trichotomum. Harlequin	Florybo	wer. 6'	
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
Clethra alnifolia. Sweet Pepper Bush.	<i>5'</i>		
18 to 24 in	.45		
24 to 30 in	.50	.45	.40
2½ to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.85	.75
barbinervis. Tree Clethra. 5'	0.0		F 0
2 to 3 ft		.55	
3 to 4 ft	.75	.65	.60
paniculata. 5' 18 to 24 in	1.00	.75	.60
2 to 3 ft	1.25	1.00	.75
		1.00	,,,
Colutea arborescens. Bladder Senna. 1		n r	20
3 to 4 ft	.45	.35	
5 to 6 ft	.75	.65	
cilicica. Cilician Bladder Senna. 6'	.10	.00	.00
2 to 3 ft	1.50		
media. 10'	1.00		
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	

Comptonia asplenifolia. Sweetfern.	1-4 Each	5-24 Each	25 & up Each
18 to 24 in		.45	.40
2 to 3 ft		.50	.40
		.00	
Cornus alba. Tatarian Dogwood. 10		o r	.20
2 to 3 ft		.25	
3 to 4 ft		.35	.25
4 to 5 ft		.45	.35
5 to 6 ft		.60	.50
6 to 8 ft		.75	
alba elegantissima. Silverblotch			= 0
2 to 3 ft		.55	.50
3 to 4 ft		.65	.60
4 to 5 ft		.80	.70
5 to 6 ft	. 1.00	.90	
alba sibirica. Coral Dogwood. 1			
2 to 3 ft		.25	.20
3 to 4 ft	45	.35	.25
4 to 5 ft		.45	.35
5 to 6 ft		.60	.50
6 to 8 ft	. 1.00	.90	
alba spaethi. Golden variegated	Dogwood.	8'	
2 to 3 ft	65	.55	.50
3 to 4 ft	75	.65	.60
4 to 5 ft	. 1.00	.75	
alternifolia. Pagoda Dogwood.	20'		
2 to 3 ft	60	.45	.40
3 to 4 ft	75	.55	.50
4 to 5 ft	. 1.00	.80	.75
5 to 6 ft	. 1.25	1.10	1.00
6 to 8 ft	. 1.75	1.50	
amomum syn. sericea. Silky Dog		,	
2 to 3 ft		.25	.20
3 to 4 ft		.35	.25
4 to 5 ft		.45	.35
5 to 6 ft		.60	.50
6 to 8 ft		.85	.75
8 to 10 ft	. 1.25	1.00	.90
baileyi. Bailey Dogwood. 10'			
2 to 3 ft		.35	.30
3 to 4 ft		.45	.40
4 to 5 ft		.60	.50
5 to 6 ft		.75	.60
6 to 8 ft	1.25	1.00	

	1-4 Each	5-24 Each	25 & up Each
Cornus	Each	Each	Each
florida. White Flowering Dogwood	d. 25'		
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
5 to 6 ftB&B	4.00	3.50	3.25
6 to 8 ftB&B	6.00	5.50	5.00
8 to 10 ftB&B	9.00	8.00	7.50
5 to 14 ft., heavy spec.,			
B&B at \$1.50 per foot.			
florida plena. Dbl. White Flg. Do.	gwood.	25'	
3 to 4 ftB&B	4.50	4.00	3.50
4 to 5 ftB&B	6.00	5.00	4.50
5 to 6 ft. specB&B	12.50	10.00	
6 to 8 ft. specB&B	15.00		
8 to 10 ft. specB&B	20.00		
florida rubra. Red Flowering Dog	wood.	20'	
3 to 4 ftB&B	3.75	3.00	2.50
4 to 5 ftB&B	5.50	4.50	3.75
5 to 6 ftB&B	7.50	6.50	5.00
6 to 8 ftB&B	10.00	8.50	7.50
8 to 10 ft	12.50	10.00	9.00
5 ft., heavy specB&B	12.50		
6 ft., heavy specB&B	15.00		
For larger sizes to 12 ft., add \$5.0	0 per i	foot.	
florida welchi. Variegated-leaved	Dogwe	ood. 25'	
2 to 3 ftB&B	3.50		
3 to 4 ftB&B	4.50		
4 to 5 ftB&B	6.00		
kousa. Kousa Dogwood. 20'			
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ft. heavyB&B	5.00	4.50	
5 to 6 ft. heavyB&B	7.50	6.50	
6 to 8 ft. heavyB&B	10.00	8.50	
8 to 10 ft. heavyB&B	12.50	10.00	
kousa chinensis. Chinese Dogwood.	25'		
2 ftB&B	5.00		
mas. Cornelian Cherry. 20'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.15	1.00
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	4.50	4.25	4.00
10 to 12 ft	7.50	6.50	6.00

Officinalis. Japanese Cornelian Cherry. 15' 3 to 4 ft. 2.00 paniculata. Gray Dogwood. 15' 2 to 3 ft		1-4 Each	5-24 Each	25 & up Each
3 to 4 ft. 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 pubescens. 16' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .5 to 6 ft. 1.25 1.00 rugosa. Roundleaf Dogwood. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .75 .60 .60 sanguinea viridissima. Greentwig Dogwood. 10' 2 to 3 ft. .50 .40 4 to 5 ft. .75 .60 .55 5 to 6 ft. .75 .60 .55 5 to 6 ft. .85 .25 .20 </td <td>Cornus</td> <td>Each</td> <td>Each</td> <td>Each</td>	Cornus	Each	Each	Each
3 to 4 ft. 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 pubescens. 16' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .5 to 6 ft. 1.25 1.00 rugosa. Roundleaf Dogwood. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .75 .60 .60 sanguinea viridissima. Greentwig Dogwood. 10' 2 to 3 ft. .50 .40 4 to 5 ft. .75 .60 .55 5 to 6 ft. .75 .60 .55 5 to 6 ft. .85 .25 .20 </td <td>officinalis. Javanese Cornelian Cher</td> <td>rru. 15'</td> <td>•</td> <td></td>	officinalis. Javanese Cornelian Cher	rru. 15'	•	
paniculata. Gray Dogwood. 16' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 pubescens. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 5 5 to 6 ft. 1.25 1.00 .75 rugosa. Roundleaf Dogwood. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .45 .35 .25 4 to 5 ft. .76 .60 .45 .35 5 to 6 ft. .76 .60 .50 .60 .40 .30 .30 .30 .40 .30 .30 .30 .40 .30 .30 .30 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40 <td></td> <td></td> <td></td> <td></td>				
2 to 3 ft		2.00		
3 to 4 ft	paniculata. Gray Dogwood. 15'			
## ## ## ## ## ## ## ## ## ## ## ## ##				
pubescens. 15' 3 to 4 ft			• • •	
pubescens. 15' 3 to 4 ft. .75 .60 4 to 5 ft. 1.00 .75 5 to 6 ft. 1.25 1.00 rugosa. Roundleaf Dogwood. 10' 4 to 5 ft. 1.25 sanguinea. Bloodtwig Dogwood. 10' 2 to 3 ft. .45 .35 .25 4 to 5 ft. .45 .35 .25 4 to 5 ft. .75 .60 .50 6 to 8 ft. 1.00 .75 .60 sanguinea viridissima. Greentwig Dogwood. 10' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .55 5 to 6 ft. 1.00 .75 .65 stolonifera. Red Osier Dogwood. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chines				
3 to 4 ft	5 to 6 ft	1.00	.85	.75
## ## ## ## ## ## ## ## ## ## ## ## ##	pubescens. 15'			
4 to 5 ft. 1.00 .75 5 to 6 ft. 1.25 1.00 rugosa. Roundleaf Dogwood. 10' 4 to 5 ft. 1.25 sanguinea. Bloodtwig Dogwood. 10' 2 to 3 ft. .45 .35 .25 .20 3 to 4 ft. .45 .35 .25 .20 3 to 6 ft. .45 .35 .25 .20 3 to 6 ft. .45 .35 .25 .20 3 to 8 ft. .45 .35 .25 .20 5 to 8 ft. .75 .60 .50 5 to 6 ft. .50 .40 .30 3 to 4 ft. .60 .50 .55 5 to 6 ft. .75 .60 .55 5 to 6 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .50 .35 .30 3 to 6 ft. .50	3 to 4 ft	.75	.60	.50
5 to 6 ft. 1.25 1.00 rugosa. Roundleaf Dogwood. 10' 4 to 5 ft. 1.25 sanguinea. Bloodtwig Dogwood. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .75 .60 sanguinea viridissima. Greentwig Dogwood. 10' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .55 5 to 6 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 <td></td> <td>1.00</td> <td>.75</td> <td></td>		1.00	.75	
4 to 5 ft. 1.25 sanguinea. Bloodtwig Dogwood. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .75 .60 sanguinea viridissima. Greentwig Dogwood. 10' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .55 5 to 6 ft. 1.00 .75 .65 stolonifera. Red Osier Dogwood. 8' 2 to 3 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 <td></td> <td>1.25</td> <td>1.00</td> <td></td>		1.25	1.00	
4 to 5 ft. 1.25 sanguinea. Bloodtwig Dogwood. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .75 .60 sanguinea viridissima. Greentwig Dogwood. 10' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .55 5 to 6 ft. 1.00 .75 .65 stolonifera. Red Osier Dogwood. 8' 2 to 3 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 <td>rugosa Roundleaf Dogwood, 10</td> <td>,</td> <td></td> <td></td>	rugosa Roundleaf Dogwood, 10	,		
sanguinea. Bloodtwig Dogwood. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .75 .60 sanguinea viridissima. Greentwig Dogwood. 10' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .55 5 to 6 ft. .100 .75 .65 stolonifera. Red Osier Dogwood. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40				
2 to 3 ft				
3 to 4 ft			٥.	0.0
4 to 5 ft				
5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .75 .60 sanguinea viridissima. Greentwig Dogwood. 10' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .55 5 to 6 ft. 1.00 .75 .65 stolonifera. Red Osier Dogwood. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8' Corylopsis sinensis. Chinese Winterhazel. 8'				
6 to 8 ft. 1.00 .75 .60 sanguinea viridissima. Greentwig Dogwood. 10' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .55 5 to 6 ft. 1.00 .75 .65 stolonifera. Red Osier Dogwood. 8' 2 to 3 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8'				
sanguinea viridissima. Greentwig Dogwood. 10' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .55 5 to 6 ft. 1.00 .75 .65 stolonifera. Red Osier Dogwood. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8'				
2 to 3 ft	6 to 8 ft	1.00	.75	.60
3 to 4 ft	sanguinea viridissima. Greentwig	Dogwoo	d. 10'	
4 to 5 ft. .75 .60 .55 5 to 6 ft. 1.00 .75 .65 stolonifera. Red Osier Dogwood. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8'	2 to 3 ft	.50	.40	.30
5 to 6 ft. 1.00 .75 .65 stolonifera. Red Osier Dogwood. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8'	3 to 4 ft	.60	.50	.40
stolonifera. Red Osier Dogwood. 8' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8'	4 to 5 ft	.75	.60	.55
2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8'	5 to 6 ft	1.00	.75	.65
2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8'	stolonifera. Red Osier Dogwood.	8 '		
3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8'			.25	.20
4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8'				
5 to 6 ft .75 .60 .50 stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft .50 .35 .30 3 to 4 ft .60 .45 .40 4 to 5 ft .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8'				• • • • • • • • • • • • • • • • • • • •
stolonifera flaviramea. Goldentwig Dogwood. 8' 2 to 3 ft. .50 .35 .30 3 to 4 ft. .60 .45 .40 4 to 5 ft. .75 .60 Corylopsis sinensis. Chinese Winterhazel. 8'			·	
2 to 3 ft				
3 to 4 ft				
4 to 5 ft			•	
Corylopsis sinensis. Chinese Winterhazel. 8'				.40
	4 to 5 ft	.75	.60	
	Corylopsis sinensis. Chinese Winterhan	el. 8'		
			4.50	

		1-4 Each	5-24 Each	25 & up Each
Corylus americ	ana. American Hazelnut	. 10'		
2 to	3 ft	.50	.40	.35
3 to	4 ft	.60	.50	.45
4 to	5 ft	.75	.60	.55
5 to	6 ft	1.00	.80	.75
6 to	8 ft	1.50	1.25	1.00
avellana.	Filbert. 15'			
2 to	3 ft	.55	.45	.40
3 to	4 ft	.65	.55	.50
4 to	5 ft	.90	.75	.65
5 to	6 ft	1.10	.90	.85
6 to	8 ft	1.75	1.50	1.25
avellana a	tropurpurea. Purple Fi	lbert.	15 '	
2 to	3 ft	4.00	3.50	
3 to	4 ft	4.50	4.00	
4 to	5 ft	6.00	5.00	
5 to	6 ft	7.50	6.00	
6 to	8 ft	10.00	7.50	
8 to	10 ft	12.50	10.00	
avellana a	urea. Golden Filbert.	<i>15</i> ′		
5 to	6 ft	5.00		
0 0 0	2000			
	lla setchuenensis. Chin		zelnut.	12'
heterophy			zelnut.	12'
heterophy	lla setchuenensis. Chin	ese Ha	zelnut.	12'
heterophy 2 to	lla setchuenensis. Chin 3 ft	ese Ha	zelnut.	.60
heterophy 2 to rostrata.	lla setchuenensis. Chin 3 ft Beaked Hazelnut. 6'	ese Ha 2.50		
heterophy 2 to rostrata. 2 to	lla setchuenensis. Chin 3 ft Beaked Hazelnut. 6' 3 ft	ese Ha 2.50 1.00	.75	.60 .75
heterophy 2 to rostrata. 2 to 3 to 4 to	Ila setchuenensis. Chin 3 ft Beaked Hazelnut. 6' 3 ft 4 ft 5 ft 5	ese Ha 2.50 1.00 1.25 1.50	.75 1.00 1.25	.60 .75
heterophy 2 to rostrata. 2 to 3 to 4 to	lla setchuenensis. Chin 3 ft Beaked Hazelnut. 6' 3 ft 4 ft 5 ft recutifolia. Peking Coton	ese Ha 2.50 1.00 1.25 1.50 easter.	.75 1.00 1.25	.60 .75 1.00
heterophy 2 to rostrata. 2 to 3 to 4 to *Cotoneaster a 2 to	lla setchuenensis. Chin 3 ft	ese Ha 2.50 1.00 1.25 1.50 easter50	.75 1.00 1.25 12'	.60 .75 1.00
heterophy 2 to rostrata. 2 to 3 to 4 to *Cotoneaster a 2 to 3 to	Ila setchuenensis. Chin 3 ft	ese Ha 2.50 1.00 1.25 1.50 easter50 .60	.75 1.00 1.25 12' .40 .50	.60 .75 1.00
heterophy 2 to rostrata. 2 to 3 to 4 to *Cotoneaster a 2 to 3 to 4 to	Ila setchuenensis. Chin 3 ft	ese Ha 2.50 1.00 1.25 1.50 easter50 .60 .75	.75 1.00 1.25 12' .40 .50 .65	.60 .75 1.00
heterophy 2 to rostrata. 2 to 3 to 4 to *Cotoneaster a 2 to 3 to 4 to 5 to	Ila setchuenensis. Chin 3 ft	ese Ha 2.50 1.00 1.25 1.50 easter50 .60	.75 1.00 1.25 12' .40 .50	.60 .75 1.00
heterophy 2 to rostrata. 2 to 3 to 4 to *Cotoneaster a 2 to 3 to 4 to 5 to *acutifolia	Ila setchuenensis. Chin 3 ft	ese Ha 2.50 1.00 1.25 1.50 easter50 .60 .75 1.00	.75 1.00 1.25 12' .40 .50 .65 .80	.60 .75 1.00 .35 .45 .60 .75
heterophy 2 to rostrata. 2 to 3 to 4 to *Cotoneaster a 2 to 3 to 4 to 5 to *acutifolia 2 to	Ila setchuenensis. Chin 3 ft	ese Ha 2.50 1.00 1.25 1.50 easter50 .60 .75 1.00	.75 1.00 1.25 12' .40 .50 .65 .80	.60 .75 1.00 .35 .45 .60 .75
heterophy 2 to rostrata. 2 to 3 to 4 to *Cotoneaster a 2 to 3 to 4 to 5 to *acutifolia 2 to 3 to	lla setchuenensis. Chin 3 ft. Beaked Hazelnut. 6' 3 ft. 4 ft. 5 ft. 4 ft. 5 ft. 6 ft. 4 ft. 4 ft. 4 ft. 4 ft. 4 ft. 4 ft.	ese Ha 2.50 1.00 1.25 1.50 easter50 .60 .75 1.00	.75 1.00 1.25 12' .40 .50 .65 .80	.60 .75 1.00 .35 .45 .60 .75
*Cotoneaster a 2 to 3 to 4 to 5 to *acutifolia 2 to 3 to 4 to 4 to 5 to 4 to 6 to 6 to 6 to 6 to 7 to 7 to 7 to 7	lla setchuenensis. Chin 3 ft. Beaked Hazelnut. 6' 3 ft. 4 ft. 5 ft. 6 ft. 4 ft. 5 ft.	ese Ha 2.50 1.00 1.25 1.50 easter50 .60 .75 1.00 .55 .65 .75	.75 1.00 1.25 12' .40 .50 .65 .80 .45 .55	.60 .75 1.00 .35 .45 .60 .75
*Cotoneaster a 2 to 3 to 4 to 5 to 4 to 5 to 5 to 5 to 5 to 5	Ila setchuenensis. Chin 3 ft. Beaked Hazelnut. 6' 3 ft. 4 ft. 5 ft. 4 ft. 5 ft. 4 ft. 5 ft. 6 ft. 6 ft. 6 ft.	ese Ha 2.50 1.00 1.25 1.50 easter50 .60 .75 1.00	.75 1.00 1.25 12' .40 .50 .65 .80 .45 .55 .65 .80	.60 .75 1.00 .35 .45 .60 .75
*Cotoneaster a 2 to 3 to 4 to 5 to 4 to 5 to 6 to 6 to	Setchuenensis. Chin 3 ft	ese Ha 2.50 1.00 1.25 1.50 easter50 .60 .75 1.00 .55 .65 .75 1.00 1.25	.75 1.00 1.25 12' .40 .50 .65 .80 .45 .55	.60 .75 1.00 .35 .45 .60 .75
*Cotoneaster a 2 to 3 to 4 to 5 to 4 to 5 to 6 to 6 to	lla setchuenensis. Chin 3 ft Beaked Hazelnut. 6' 3 ft 4 ft 5 ft 4 ft 5 ft 6 ft 4 ft 5 ft 6 ft 5 ft 6 ft 7 Treeping Cotoneaster. 2	ese Ha 2.50 1.00 1.25 1.50 easter50 .60 .75 1.00 .55 .65 .75	.75 1.00 1.25 12' .40 .50 .65 .80 .45 .55 .65 .80 1.00	.60 .75 1.00 .35 .45 .60 .75

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
ambigua. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
18 to 24 in., 4 in. pots	1.25	1.00	.75
apiculata. 6'			
9 to 12 in. from pots	1.50	1.25	1.00
dammeri. 2'			
6 to 8 in, from pots	1.75	1.50	
dielsiana. Diels Cotoneaster. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
18 to 24 in., 4 in. pots	1.25	1.00	.75
divaricata. Spreading Cotoneaster.	<i>6'</i>		
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
12 to 18 in., 4 in. pots	1.25	1.00	.75
foveolata. 10'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
5 to 6 ftB&B	3.50	3.00	
francheti. Franchet Cotoneaster.	10'		
18 to 24 inB&B	1.75	1.50	
2 to 3 ftB&B	2.00	1.75	
12 to 18 in., 4 in. pots	1.25	1.00	.75
himalaicus. 6'			
8 to 10 in., 4 in. pots	1.25	1.00	.75
horizontalis. Rock Cotoneaster. 3'			
12 to 15 in. spd. from pots	1.50	1.25	1.00
15 to 18 in. spd. from pots	1.75	1.50	1.25
18 to 24 in. spdB&B	2.50	2.00	1.75
horizontalis perpusilla. 3'			
10 to 12 in., from pots	1.50	1.25	1.00
12 to 15 in., from pots	2.00	1.50	1.25
hupehensis. Hupen Cotoneaster. 5	,		
2 to 3 ftB&B	2.00	1.75	
3 to 4 ftB&B	2.50	2.25	
15 to 18 in., 3 in. pots	1.25	1.00	

	,	1-4 Each	5-24 Each	25 & up Each
Cotoneaster				
integerrima. European	Cotoneaste	r. 6'		
2 to 3 ft	B&B	2.00	1.75	
3 to 4 ft	B&B	2.50	2.25	
*lucida. <i>12'</i>	•			
2 to 3 ft		.75	.60	.50
3 to 4 ft		.85	.70	.60
4 to 5 ft		1.00	.85	.75
5 to 6 ft		1.25	1.00	.90
melanocarpa. 6'				
2 to 3 ft	B&B	2.00	1.75	
3 to 4 ft			2.00	
microphylla. Rockspray.	6 '			
10 to 12 in., 4 in. p		1.50	1.25	1.00
moupinensis. Mupin Co	toneaster.	10'		
15 to 18 in., 4 in. p	ots	1.50	1.25	1.00
multiflora. 6'				
2 to 3 ft	B&B	2.00	1.75	1.50
3 to 4 ft		2.25	2.00	1.75
4 to 5 ft	B&B	3.00	2.50	2.25
2 to 3 ft., 4 in. p	ots	1.50	1.25	1.00
nitens. 6'				
$\frac{1}{2}$ to 3 ft	B&B	1.75	1.50	1.25
3 to 4 ft		2.00	1.75	
18 to 24 in., 4 in. po				
obscura. 10'				
2 to 3 ft	R&R	1.75	1.50	1.25
3 to 4 ft		2.00		
4 to 5 ft				
18 to 24 in., 4 in. p		1.25	1.00	
10 to 24 m., 4 m. p	0005	1,20	1.00	.10
racemiflora soongarica.		0.50	9.00	1 85
2 to 3 ft			2.00	
3 to 4 ft	В&В	3.00	2.50	2.25
rotundifolia. Roundleaf	Cotoneaste	er. 2'		
10 to 12 in. from p	ots	1.50	1.25	1.00
12 to 15 in. from po	ts	1.75	1.50	1,25

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster	Lach	Each	Each
rosea. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
5 to 6 ftB&B	3.50	3.00	
salicifolia. Willowleaf Cotoneaster.	10'		
2 to 3 ftB&B	2.50	2.00	
salicifolia floccosa. 6'			
15 to 18 in. from pots	1.75	1.50	1.25
18 to 24 in. from pots	2.00	1.75	
simonsi. Simons Cotoneaster. 8'			
2 to 3 ftB&B	2.25	2.00	
3 to 4 ftB&B	2.50	2.25	
12 to 18 in., 4 in. pots	1.25	1.00	.75
tenuipes. 6'			
8 to 12 in. from pots	1.25	1.00	.75
12 to 15 in. from pots	1.50	1.25	1.00
wilsoni. Wilson Cotoneaster. 5'	_,,,		_,,,
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	1.50
15 to 18 in., 4 in. pots	1.25	1.00	.75
· · · · · ·	1,20	1.00	•••
zabeli. 6' 15 to 18 in., from pots	1 50	1.25	1.00
15 to 18 m., from pots	1.50	1.20	1.00
*Crataegus aprica. 20'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
*arkansana. Arkansas Hawthorn.	<i>30'</i>		
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.75	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
arnoldiana. Arnold Hawthorn. 20)		
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50

FAINESVILLE, OITIO			75
	1-4 Each	5-24 Each	25 & up Each
*Crataegus.		124011	Zacii
*carrierei. Carriere Hawthorn. 20	,		
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
6 to 8 ft. standards, quoted	on reg	uest.	
*coccinea. Thicket Hawthorn. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
*coccinioides. 20'	3,00	2,00	3,00
	2.00	1 75	1.50
	$\frac{2.00}{2.75}$	1.75 2.25	$\frac{1.50}{2.00}$
3 33 3 233 3 3 3 3 3 3 3 3 3 3 3 3 3 3		3.00	2.00
	3.50	5.00	
	20'	4 5 5	4 20
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft	7.50	6.00	5.00
*crusgalli. Cockspur Thorn. 30'	0.00		4 50
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	3.50
8 to 10 ft	6.00	5.00	4.50
*	18.00	15.00	
*cuneata. Nippon Hawthorn. 20'	0.50	0.55	0.50
5 to 6 ft	3.50	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
*hupehensis. 20'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.25	2.75	
5 to 6 ft	3.75.		
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
*macracantha. Spike Hawthorn. 2			
3 to 4 ft	2.50		

Crataegus			1-4	5-24	25 & up
*mollis.	Do	wny Hawthorn. 20'	Each	Each	Each
3 to		ft	1.75	1.50	1.25
4 to		ft	2.00	1.75	1.50
5 to		ft	2.75	2.25	2.00
6 to		ft	3.50	3.00	2.50
		ft	5.00	4.00	3.50
		English Hawthorn. 2			
5 to		ft	3.00	2.50	2.00
6 to		ft	3.50	3.00	2.50
		ft	5.00	4.00	
*nitida.		ssy Hawthorn. 15'			
3 to		ft	2.00	1.75	
4 to		ft	2.50	2.25	
5 to		ft	3.00	2.50	
6 to		ft	4.00	3.00	
		ft	6.00	5.00	
		English Hawthorn.		0.00	
5 to		ft	2.50	2.00	
6 to		ft	3.50	3.00	
•		ft	4.50	4.00	
		ft	7.50	6.00	
8 to		ft. specB&B		0.00	
		plena. Dbl. White T		<i>15</i> ′	
•		ft	3.00	2.75	2.50
6 to		ft	3.50	3.25	3.00
8 to		ft	5.00	4.50	
		ft	7.50		
*oxyacan	tha	pauli. Paul's Scarlet	Thorn.	<i>15</i> ′	
5 to		ft	3.00	2.75	2.50
6 to		ft	3.50	3.25	3.00
8 to		ft	5.00	4.50	
		ft	7.50		
*oxyacan	tha	punicea. Sgl. Red Ti	horn. 1	5'	
5 to	6	ft	3.00	2.75	2.50
6 to	8	ft	3.50	3.25	3.00
8 to	10	ft	5.00	4.50	
10 to	12	ft	7.50		
*peregrin	a.	Persian Hawthorn. 18	5'		
3 to	4	ft	2.50	2.00	
4 to	5	ft	3.00	2.50	
5 to		ft	3.50	3.00	
6 to		ft	5.00	4.00	
8 to	10	ft	7.50	6.00	

	1-4 Each	5-24 Each	25 & up Each
Crataegus.			
*persistens. 15'			
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	
*pinnatifida major. Peking Hawth	orn. 2	0'	
3 to 4 ft	2.50	2.00	
4 to 5 ft	2.75	2.50	
5 to 6 ft	3.00	2.75	
6 to 8 ft	4.00	3.75	
*pruinosa. Frosted Hawthorn. 18'			
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
8 to 10 ft	6.00	5.00	
*prunifolia. Plumleaf Hawthorn.	25'		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
*			
*punctata. Dotted Hawthorn. 25'	1 5 5	1 50	4.05
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75		
6 to 8 ft	3.50		
8 to 10 ft	5.00	4.00	3.50
pyracantha coccinea. Scarlet Fire	thorn.	10 '	
12 to 15 in., 4 in. pots	1.25	1.00	
pyracantha lalandi. Laland Firetho	rn. 10)*	
18 to 24 in. bushy B&B	3.50	3.00	2.75
2 to 3 ft. bushy B&B	4.00	3.50	3.25
3 to 3½ ftB&B	5.50	4.50	
3½ to 4 ftB&B	6.50	5.50	
4 to 5 ftB&B	10.00		
5 to 6 ftB&B	15.00		
12 to 15 in. 4 in. pots	1.25	1.00	.75
pyracantha yunnanensis. 10'			
12 to 18 in., 4 in. pots	1.25	1.00	.75

	1-4 Each	5-24 Each	25 & up Each
Crataegus	23001		
*succulenta. Fleshy Hawthorn. 2	0'		
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
8 to 10 ft	6.00	5.00	
*tomentosa. Pear Hawthorn. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	
*viridis. 35'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
8 to 10 ft	5.00	4.00	
Cryptomeria japonica lobbi. Lobb Cryp	otomeric	a. 20'	
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.00
	10.00	7.50	6.50
	12.50	10.00	7.50
8 ftB&B			
For larger sizes to 18 ft., add \$5.0			
Cydonia cathayensis. 8'	4 50		
3 to 4 ft	1.50		
4 to 5 ft	2.50		
japonica. Flowering Quince. 5'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.60	.45	
japonica alba. White Flg. Quince. 5	<i>5</i> ′		
15 to 18 in	1.50	1.25	
18 to 24 in	1.75		
japonica alpina. Salmon Flg. Quine	ce. 4'		
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
japonica Columbia. Deep Rose Fl	lg. Quir	ice. 5'	
18 to 24 in	1.75		

	1-4	5-24	25 & up
Cydonia	Each	Each	Each
japonica Falconet Charlet. White	Flg. Qi	ince. 6'	
2 to 3 ft	2.00		
3 to 4 ft	2.50		
4 to 5 ft	3.50		
japonica pygmaea. Dwarf Jap. Qu	uince. 3	3'	
18 to 24 in	.45	.35	.30
2 to 3 ft	.50	.45	.40
japonica rosea grandiflora. Pink	Fla. Qu	ince. 6'	
	1.50	1.25	
18 to 24 in	1.75		
japonica rosea plena. Dbl. Pink F	lowering	g Quinc	e. 5'
	2.00		
3 to 4 ft	2.50		
japonica rubra. Red Flowering Qu	iince. 6	3′	
18 to 24 in			
japonica umbilicata. Navel Flower	ina Qui	nce 8'	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	
4 to 5 ft	1.00	.75	.60
A 1 P 01 1 TO 0	7.50		
japonica Vermilion. Red Flg. Qui	nce. 6'		
18 to 24 in		1.50	
kermesiana semi-plena. Rose Pink	k Flg. Q	uince.	4"
2 to 3 ft		1.75	
maulei. Lesser Flowering Quince.	<i>5</i> ′		
18 to 24 in	.45	.35	.30
2 to 3 ft			
3 to 4 ft	.75	.60	.50
Cartiana himantus 2'			
Cytisus hirsutus. 2'. 10 to 12 in., 4 in. pots	.60	.50	
	•00	•00	
nigricans. Spike Broom. 4' 12 to 15 in	.60	.50	
	.00	.50	
scoparius. Scotch Broom. 10'	CO	FO	4 5
18 to 24 in	.60	.50	.45
scoparius andreanus. Paradise Br			
18 to 24 in	.60	.50	.45
supinus. 3'			•
10 to 12 in., 4 in. pots	.60	.50	

	1-4 Each	5-24 Each	25 & up Each
Daphne cneorum. Garland Flower. 1'			
8 to 10 in. spd	.65	.55	.50
10 to 12 in. spdB&B	.75	.65	.60
12 to 15 in. spdB&B	1.00	.85	.75
mezereum. February Daphne. 4'			
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 inB&B	2.00	1.75	1.50
2 to 2½ ftB&B	2.25	2.00	1.75
2½ to 3 ftB&B	2.75	2.50	2.25
mezereum alba. White February I	Paphne.	4'	
18 to 24 inB&B	2.25	2.00	1.75
24 to 30 inB&B	2.50	2.25	2.00
2½ to 3 ftB&B	3.00	2.75	
Davidia involucrata. Dovetree. 40'	0.00		
6 to 10 in. from pots	6.00		
Decumaria barbara.			
	50	.45	.40
3 yr. from pots	.50	.40	.40
Desmodium. (See Lespedeza).			
Deutzia gracilis. Slender Deutzia. 3'			
15 to 18 in	.40	.30	.25
18 to 24 in	.50	.35	.30
24 to 30 in	.60	.45	.40
30 to 36 in	.75	.60	.50
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.35	.30
$2\frac{1}{2}$ to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
		4.0	0.5
_	.50	.40	.35
2½ to 3 ft	.60	.50	.40
lemoine compacta. δ'		0.5	0.0
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
myriantha Boule Rose. Dbl. Pink			
	.50	.40	.30
2 to 3 ft	.60	.50	.40
ningpoense. δ'			
4 to 4½ ft	2.00	1.50	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 Each	25 & up Each
Deutzia			
parviflora. Mongolian Deutzia. 5'	40	9.0	0.5
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.50	.30
rosea. Rose-paniele Deutzia. 5'			
18 to 24 in	.50	.35	.30
24 to 30 in	.60	.45	.40
2½ to 3 ft	.75	.60	.50
rosea campanulata. Bellflower Dev	ıtzia.	5 '	
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea carminea. Carmine Deutzia.	4'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
rosea eximea. Pink Choice Deutzia.	5 ′		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea venusta. White-panicle Deutz	ia. 5'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
scabra. Fuzzy Deutzia. 12'	• • •	,	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	
scabra candidissima. Snowflake Dei	ıtzia.	12 '	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
scabra Pride of Rochester. 12'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
scabra rosea plena. 12'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
scabra watereri. Waterer's Deutzia.	12'		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25

	1-4 Each	5-24 Each	25 & up Each
Deutzia			
scabra wellsi. Wells Deutzia. 12'			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
schneideriana laxiflora. 6'.			
4 to 4½ ft	2.00	1.50	
vilmorinae. Vilmorin Deutzia. 10'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
Diervilla sessilifolia. Southern Bush Ho	neysuck	cle. 5'	
2½ to 3 ft	.45	.35	.30
3 to 4 ft	.55	.40	.35
4 to 5 ft	.65	.50	.40
trifida. Dwarf Bush Honeysuckle.	4'		
2 to 3 ft	.55	.45	.35
3 to 4 ft	.65	.50	.40
(See also Weigela)			• • •
	4.5	.,	
Diospyros virginiana. Common Persimm			
6 to 8 ft		2.50	
8 to 10 ft	$\frac{4.00}{6.00}$	3.50 5.00	
10 to 12 ft	0.00	3.00	
Dirca palustris. Leatherwood. 6'			
18 to 24 in	2.00		
Elaeagnus angustifolia. Russian Olive.	20'		
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	3.50	3.00	
argentea. Silverberry. 12'			
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
longipes. Cherry Elaeagnus. 6'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Elaeagnus			
parvifolia. Chinese Elaeagnus. 15'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
umbellata. Autumn Elaeagnus. 19	2'		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.50	.45
4 to 5 ft	.75	.65	
5 to 6 ft	1.00	.85	
6 to 8 ft	1.50	1.25	
Elsholtzia stauntoni. 4'			
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	
Enkianthus campanulatus. Redvein En	kianthus	. 15'	
12 to 18 in	1.50	1.25	
perulatus. White Enkianthus. 6'	1.50	1.25	
12 to 18 m	1.50	1.20	
Erica carnea. Spring Heath. 1'			
6 to 8 in., 4 in. pots	1.00	.75	.60
de de la comita d'			
darleyensis. 2'	1.00	75	60
6 to 8 in., 4 in. pots	1.00	.75	.60
vagans. Cornish Heath. 1'	4 00	===	0.0
6 to 8 in., 4 in. pots	1.00	.75	.60
Eucommia ulmoides. 60'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
Euonymus alatus. Winged Euonymus.	10'		
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	3.50
6 to 8 ft. heavyB&B	7.50		
8 to 10 ft. heavyB&B	10.00		
alatus compacta. Dwarf Winged E	luonumu	s. 6'	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
0 00 1 100 1 100 100 100 100 100 100 10	1	1.00	

•	1-4 Each	5-24 Each	25 & up Each
Euonymus	Lach	Each	Each
americanus. Brook Euonymus. 8'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
Notice Wakes 15	,		
atropurpureus. Native Wahoo. 15'	.50	.40	.35
2 to 3 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
0 00 0 10	1.20	1.10	1.00
bungeanus. Winterberry Euonymu			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
europaeus. European Burning Bus	sh. 15'		
2 to 3 ft		.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
europaeus fructu-coccineus. 15'			. ~
2 to 3 ft	.50	_	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.65	.60
latifolius. Broadleaf Burning Bush.	10'		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	75
5 to 6 ft	1.25	1.00	
maacki. 10'			
2 to 3 ft	.55		.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00		
5 to 6 ft	1.25		
	2.20	2,10	1.00
nanus. Dwarf Burning Bush. 3'			
12 to 15 in	1.00		.60
15 to 18 in	1.25	1.00	

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
obovatus. Running Euonymus. 1'			
8 to 10 in	.40	.30	.25
oxyphyllus 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
patens syn. sieboldianus. 8'			
18 to 24 in	.65	.55	.50
2 to 3 ft	.90	.80	.75
3 to 4 ft	1.25	1.00	.90
radicans. Wintercreeper. 15'			
8 to 12 in	.40	.30	.25
12 to 15 in	.50	.35	.30
15 to 18 in	.60	.45	.40
18 to 24 in	.75	.60	.50
radicans acutus. Sharpleaf Winterc	reeper.	1'	
12 to 15 in	.50	.40	.35
15 to 18 in	.65	.50	.45
radicans argenteo-marginatus.			
Silveredge Wintercreeper. 1'			
8 to 12 in	.40	.30	.25
12 to 15 in	.50	.35	.30
15 to 18 in	.60	.45	.40
			.40
radicans carrieri. Glossy Wintercree	-		0 =
12 to 15 in	.50	.40	.35
15 to 18 in	.60	.50	.45
18 to 24 in	.75	.65	.55
radicans colorata. 10'			
	.40		.25
15 to 18 in	.55	• -	.35
18 to 24 in	.65		.45
radicans kewensis. Prostrate Baby			0.0
8 to 12 in. from pots	.45	.35	.30
radicans minima. Baby Wintercreep	per. 1'		
8 to 12 in. from pots	.45	.35	.30
12 to 15 in. from pots	.55	.45	.40
radicans vegetus. Bigleaf Wintercre	000.00	1.7	
12 to 15 in	.55	.45	.40
15 to 18 in		.45	.50
18 to 24 in		.70	
24 to 30 in		1.25	.00
WI (O OU III	1.00	1.40	

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
sieboldianus (see patens)			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Euptelea polyandra. 20'			
18 to 24 in	2.00	1.75	
2 to 3 ft	2.50	2.00	
Evodia hupehensis. 25'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
Exochorda grandiflora. Pearl Bush. 10) "		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.65	.55	.45
5 to 6 ft	.75	.65	.55
6 to 8 ft	1.00	.75	.65
8 to 10 ft	1.25	1.00	
6 to 8 ft. specB&B	10.00		
8 to 10 ft. specB&B	12.50		
giraldi wilsoni. Wilson Pearlbush.	<i>15</i> ′		
2 to 3 ft	2.00		
3 to 4 ft	2.50		
4 to 5 ft	3.00		
Fagus americana. American Beech. 60	,		
3 to 4 ftB&B	4.50	4.00	3.75
4 to 5 ftB&B	6.00	5.00	4.75
5 to 6 ftB&B	8.50	7.50	6.50
	12.50	10.00	8.50
8 to 10 ftB&B	15.00	12.50	
sylvatica. European Becch. 75'	0 - 0		0 = 0
3 to 4 ftB&B	3.50	3.00	2.50
4 to 5 ftB&B	4.50	4.00	3.50
5 to 6 ftB&B	6.50	5.50	5.00
6 to 8 ftB&B	9.00	8.00	7.50
	12.50	10.00	9.00
10 to 12 ftB&B	20.00	15.00	12.50
12 to 14 ftB&B	25.00	20.00	
14 to 16 ftB&B	35.00	30.00	

Fagus	1-4 Each	5-24 Each	25 & up Each
sylvatica fastigiata. Pyramidal Bee			220011
10 to 12 ftB&B	30.00		
sylvatica heterophylla. Fernleaf H	Beech. 2	5'	
4 to 5 ftB&B			
5 to 6 ftB&B	12.50		
6 to 8 ftB&B	15.00		
sylvatica pendula. Weeping Beech	. 50'		
8 to 10 ftB&B	20.00		
10 to 12 ftB&B	25.00		
12 to 14 ftB&B	35.00		
Larger sizes quoted on requ	est.		
sylvatica purpurea. Purple Beech.	75 '	•	
3 to 4 ftB&B	6.00	5.0 0	
4 to 5 ftB&B	7.50	6.50	
5 to 6 ftB&B	10.00	7.50	
6 to 8 ftB&B	12.50	10.00	
8 to 10 ftB&B	15.00		
10 to 12 ftB&B	20.00		
sylvatica riversi. River's Beech. 7	75 '		
5 to 6 ftB&B	12.50		
6 to 8 ftB&B	15.00		
8 to 10 ftB&B	20.00		
10 to 12 ft., 1½ inB&B	25.00		
Larger sizes quoted on reque	est.		
Fontanesia fortunei. Fortune Fontanesia	a. 15'		
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
Forsythia europea. Albanian Forsythia.	6 '		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.6 0
4 to 5 ft	1.25	1.00	
intermedia. Border Forsythia. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.65	.55	.45
6 to 8 ft	.90	.75	.60
intermedia primulina. Primrose F			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	

Forsythia	1-4 Each	5-24 Each	25 & up Each
intermedia spectabilis. Showy Bord	er Fors	ythia.	8'
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.65	.55	.45
6 to 8 ft	.90	.75	.60
ovata. 8'			
2 to 3 ft	.75	.50	.40
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	
suspensa. Weeping Forsythia. 6'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
suspensa atrocaulis. Purple Stem F	orsythic	a. 6'	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.90	.75
suspensa fortunei. Golden Bell. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.65	.55	.45
6 to 8 ft	.90	.75	.60
suspensa sieboldi. Siebold Forsythia	. 8'		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.65	.55	.45
6 to 8 ft	.90	.75	.60
viridissima. Greenstem Forsythia. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
Fothergilla gardeni. Dwarf Fothergilla.	3'		
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.50	3.00	
Franklinia (see Gordonia)			

	1-4 Each	5-24 Each	25 & up Each
Fraxinus americana. White Ash. 80'			
8 to 10 ft	1.75	1.50	1.25
1¼ to 1½ in	2.25	2.00	1.75
1½ to 1¾ in	2.75	2.50	2.25
1 % to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	
2 ½ to 3 in	6.50	5.50	
excelsior. European Ash. 100'			
8 to 10 ft	1.75	1.50	1.25
1¼ to 1½ in	2.25	2.00	1.75
1½ to 1¾ in	2.75	2.50	2.25
1 3/4 to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	4.00
2 ½ to 3 in	7.50	6.00	
lanceolata. Green Ash. 60'			
8 to 10 ft	1.75	1.50	1.25
1½ to 1½ in	2.25	2.00	1.75
1½ to 1¾ in	2.75	2.50	2.25
1 % to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	4.00
2 ½ to 3 in	6.50	5.50	
mandshurica. Manchurian Ash. 80			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
nigra. Black Ash. 80'	0 = 0	2.00	
8 to 10 ft	2.50	2.00	
pennsylvanica. Red Ash. 60'			
8 to 10 ft	2.50	2.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00	
1½ to 1¾ in	4.50	4.00	
1 % to 2 in	6.00	5.00	
Gaylussacia baccata. Black Huckleberr			
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.00	2.50	
Genista juncea. 2'	0.0	F 0	4.0
15 to 18 in. from pots	.60	.50	.40
pilosa. Silky Leaf Broom. 1'	2.0	= 0	4.0
4 to 6 in	.60	.50	.40
sagittalis. Arrowhead Broom. 9"	~ ×	0.0	F-0
4 to 6 in	.75	.60	.50
scoparia. (See Cytisus).			
SEE PAGE 157 FOR A COMPLETE LIST OF H	ERBACE	ous sto	CK.

Genista tinctoria. Woadwaxen. 3' 18 to 24 in. .40 .30 .25 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 Ginkgo biloba. Maidenhair-tree. 60' 6 to 8 ft. 3.25 2.50 2.25 8 to 10 ft. 3.75 3.25 2.75 1½ to 1½ in. 4.50 4.00 3.75 1½ to 1¾ in. 6.00 5.00 4.50 1¾ to 2 in. 7.50 6.00 5.50 2 to 2½ in. 10.00 8.50 7.50 2½ to 3 in. 15.00 12.50 10.00 3 to 3½ in. 25.00 20.00 3½ to 4 in. 30.00 25.00 Gleditsia elegantissima. 20' 3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50 japonica. Japanese Honeylocust. 40' 3 to 6 ft. 3.50 3.00
18 to 24 in
2 to 3 ft
3 to 4 ft. .60 .50 .40 Ginkgo biloba. Maidenhair-tree. 60' 6 to 8 ft. 3.25 2.50 2.25 8 to 10 ft. 3.75 3.25 2.75 1½ to 1½ in. 4.50 4.00 3.75 1½ to 1¾ in. 6.00 5.00 4.50 1¾ to 2 in. 7.50 6.00 5.50 2 to 2½ in. 10.00 8.50 7.50 2½ to 3 in. 15.00 12.50 10.00 3 to 3½ in. 25.00 20.00 3½ to 4 in. 30.00 25.00 Gleditsia elegantissima. 20' 3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50 japonica. Japanese Honeylocust. 40' 3 to 4 ft. 2.50 2.00 1.75 4 to 5 ft. 3.00 2.50 2.50
Ginkgo biloba. Maidenhair-tree. 60' 6 to 8 ft. 3.25 2.50 2.25 8 to 10 ft. 3.75 3.25 2.75 1½ to 1½ in. 4.50 4.00 3.75 1½ to 1¾ in. 6.00 5.00 4.50 1¾ to 2 in. 7.50 6.00 5.50 2 to 2½ in. 10.00 8.50 7.50 2½ to 3 in. 15.00 12.50 10.00 3 to 3½ in. 25.00 20.00 3½ to 4 in. 30.00 25.00 Gleditsia elegantissima. 20' 3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50 3 to 4 ft. 2.50 2.00 3 to 5 ft. 3.00 2.50
6 to 8 ft 3.25 2.50 2.25 8 to 10 ft 3.75 3.25 2.75 1½ to 1½ in 4.50 4.00 3.75 1½ to 1¾ in 6.00 5.00 4.50 1¾ to 2 in 7.50 6.00 5.50 2 to 2½ in 10.00 8.50 7.50 2½ to 3 in 15.00 12.50 10.00 3 to 3½ in 25.00 20.00 3½ to 4 in 30.00 25.00 Gleditsia elegantissima. 20' 3 to 4 ft 2.50 2.00 4 to 5 ft 3.00 2.50 japonica. Japanese Honeylocust. 40' 3 to 4 ft 2.50 2.00 1.75 4 to 5 ft 3.00 2.50 2.25
8 to 10 ft. 3.75 3.25 2.75 1 1/4 to 1 1/2 in. 4.50 4.00 3.75 1 1/2 to 1 3/4 in. 6.00 5.00 4.50 1 3/4 to 2 in. 7.50 6.00 5.50 2 to 2 1/2 in. 10.00 8.50 7.50 2 1/2 to 3 in. 15.00 12.50 10.00 3 to 3 1/2 in. 25.00 20.00 3 1/2 to 4 in. 30.00 25.00 Gleditsia elegantissima. 20' 3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50 japonica. Japanese Honeylocust. 40' 3 to 4 ft. 2.50 2.00 1.75 4 to 5 ft. 3.00 2.50 2.25
1 ¼ to 1 ½ in. 4.50 4.00 3.75 1 ½ to 1 ¾ in. 6.00 5.00 4.50 1 ¾ to 2 in. 7.50 6.00 5.50 2 to 2 ½ in. 10.00 8.50 7.50 2 ½ to 3 in. 15.00 12.50 10.00 3 to 3 ½ in. 25.00 20.00 3 ½ to 4 in. 30.00 25.00 Gleditsia elegantissima. 20' 3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50 japonica. Japanese Honeylocust. 40' 3 to 4 ft. 2.50 2.00 1.75 4 to 5 ft. 3.00 2.50 2.25
1½ to 1¾ in 6.00 5.00 4.50 1¾ to 2 in 7.50 6.00 5.50 2 to 2½ in 10.00 8.50 7.50 2½ to 3 in 15.00 12.50 10.00 3 to 3½ in 25.00 20.00 3½ to 4 in 30.00 25.00 Gleditsia elegantissima. 20' 3 to 4 ft 2.50 2.00 4 to 5 ft 3.00 2.50 japonica. Japanese Honeylocust. 40' 3 to 4 ft 2.50 2.00 1.75 4 to 5 ft 3.00 2.50 2.25
1 ¾ to 2 in 7.50 6.00 5.50 2 to 2½ in 10.00 8.50 7.50 2½ to 3 in 15.00 12.50 10.00 3 to 3½ in 25.00 20.00 20.00 3½ to 4 in 30.00 25.00 Gleditsia elegantissima. 20' 3 to 4 ft 2.50 2.00 4.00 4 to 5 ft 3.00 2.50 japonica. Japanese Honeylocust. 40' 40' 3 to 4 ft 2.50 2.00 1.75 4 to 5 ft 3.00 2.50 2.25
2 to 2½ in 10.00 8.50 7.50 2½ to 3 in 15.00 12.50 10.00 3 to 3½ in 25.00 20.00 3½ to 4 in 30.00 25.00 Gleditsia elegantissima. 20' 3 to 4 ft 2.50 2.00 4 to 5 ft 3.00 2.50 japonica. Japanese Honeylocust. 40' 3 to 4 ft 2.50 2.00 1.75 4 to 5 ft 3.00 2.50 2.25
2½ to 3 in 15.00 12.50 10.00 3 to 3½ in 25.00 20.00 3½ to 4 in 30.00 25.00 Gleditsia elegantissima. 20' 3 to 4 ft 2.50 2.00 4 to 5 ft 3.00 2.50 japonica. Japanese Honeylocust. 40' 3 to 4 ft 2.50 2.00 1.75 4 to 5 ft 3.00 2.50 2.50
3 to 3½ in
3½ to 4 in
Gleditsia elegantissima. 20' 3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50 japonica. Japanese Honeylocust. 40' 3 to 4 ft. 2.50 2.00 1.75 4 to 5 ft. 3.00 2.50 2.25
3 to 4 ft
4 to 5 ft
japonica. Japanese Honeylocust. 40' 3 to 4 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft 3.50 3.00
6 to 8 ft 5.00 4.00
sinensis. Chinese Honeylocust. 40'
3 to 4 ft 1.75 1.50 1.25
4 to 5 ft
triacanthos. Honey Locust. 60'
5 to 6 ft 1.25 1.10 1.00
6 to 8 ft
8 to 10 ft 2.50 2.25 2.00
1¼ to 1½ in 3.50 3.00
1½ to 1¾ in 4.50 3.50
1 3/4 to 2 in 6.50 5.00
2 to $2\frac{1}{2}$ in 9.00 7.50
2½ to 3 in 12.50 10.00
triacanthos inermis. Thornless Honeylocust. 50'
6 to 8 ft
8 to 10 ft
1 3/4 to 2 in 6.50 5.00
2 to 2½ in 9.00 7.50
Glyptostrobus pensilis. Chinese Baldcypress. 15'
5 to 6 ftB&B 10.00
6 to 8 ftB&B 12.50
8 to 10 ftB&B 15.00

	1-4	5-24	25 & up
Gordonia alatamaha. 20'	Each	Each	Each
3 to 4 ftB&B	7.50		
4 to 5 ftB&B			
5 to 6 ftB&B			
Gymnocladus dioica. Kentucky Coffeetre	ee. 40'		
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	6.50	5.00	0.00
2 to 3 in	15.00	0.00	
Halesia tetraptera. Great Silverbell. 18		CE	co.
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85 1.25	.75
6 to 8 ft	1.50		1.00
8 to 10 ft	2.50	2.00	
10 to 12 ft	3.50	3.00	
8 to 10 ft. specB&B			
Hamamelis japonica. Japanese Witchh			4 00
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.25	2.00	1.75
japonica rubra. 20'	4 50	105	1 00
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.75	1.50
4 to 5 ftvernalis. Vernal Witch Hazel. 6'	2.25	2.00	1.75
3 to 4 ft	1.75	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	$\frac{2.00}{2.25}$	2.00	1.75
6 to 8 ft	3.00	2.50	2.25
vernalis tomentella. 6'	0.00	2.00	2.20
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.25	2.00	1.75
6 to 8 ft	3.00	2.50	2.25
virginiana. Witch Hazel. 15'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50

Hedera helix. English Ivy. 20'	1-4	5-24	25 & up
	Each	Each .30	Each .25
2 year, 4 in. pots			
3 year, 4 in. pots helix Albany. Albany Ivy.	.50	.40	.35
2 yr., 3 in. pots	.75	.60	.50
helix baltica. 16'			
2 year, 3 in. pots	.75	.60	.50
helix conglomerata. 10'			
2 year, 3 in. pots	1.00	.75	
helix gracilis. Small-leaved English			
2 year, 3 in. pots	.40	.30	.25
3 year, 3 in. pots	.50	.40	.35
helix Hahn's			
2 year, 3 in. pots	.60	.50	.40
3 year, 3 in. pots	.75	.60	.50
Helwingia japonica. 5'			
12 to 15 in., 3 in. pots	1.00	.75	
Hibiscus syriacus. Shrub Althea. 12'	1.00	•••	
double varieties.			
2 to 3 ft	.40	.30	.20
3 to 4 ft	.50	.35	.25
	.60	.45	.35
	.75	.60	.50
6 to 8 ft	1.00	.85	.75
· · · · · · · · · · · · · · · · · · ·	10.00		
Ardens—Purple.			
Banner—Blush.			
Jeanne d'Arc—White.			
Lady Stanley—White, shaded	rose.		
Rubra Plena—Red.			
Speciosa Plena—Pink.			
single varieties.			
2 to 3 ft	.40	.30	.20
3 to 4 ft	.50	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
Coelestis—Blue.			
Rosea—White, crimson eye.			
Rubis—Red.			
Totus albus—White.			
variegatus. Variegated leaved Althe	a. 8'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.55	.50
5 to 6 ft	1.00	.75	.60
			.00

	1-4 Each	5-24 Each	25 & up Each
Hibiscus	•	4747	0.1
variegatus meehani. Meehan's Var			
2 to 3 ft	.55		
3 to 4 ft	.75	.60	.50
Hicoria ovata. Shagbark Hickory. 75'			
3 to 4 ft	1.50		
4 to 5 ft	2.00		
Hippophae rhamnoides. Sea-buckthorn.	12'		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
10 to 12 ft	5.00		
Holodiscus discolor ariaefolius. 4'	3.00		
2 to 3 ft	1.50		
	1.00		
*Hovenia dulcis. Raisintree. 6'			
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.50	2.50	2.00
Hydrangea arborescens. Smooth Hydro	ingea.	6'	
2 to 3 ft		.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
arborescens grandiflora. Snowhill	Hydran	ngea. 6	,
2 to 3 ft	.45	.35	.25
3 to 4 ft	.55	.40	.30
4 to 5 ft	.65	.50	.40
cineria sterilis. Ashy Hydrangea.	6'		
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.50	
opuloides Otaksa. 5'			
4 year	.75	.60	.50
opuloides Thos. Hogg. 3'		.00	.00
4 year	.75	.60	.50
		.00	
paniculata. Panicle Hydrangea. 10		.35	.30
2 to 3 ft	.45		.40
3 to 4 ft	.55	.45	
4 to 5 ft	.65	.55	.50

	1-4 Each	5-24 Each	25 & up Each
Hydrangea			
paniculata grandiflora. Peegee Hy			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
3 to 4 ft., tree form	1.25	1.00	
4 to 5 ft., tree form	1.50	1.25	
paniculata praecox. 10'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
petiolaris. Climbing Hydrangea.			
4 inch pots	1.00	.85	.75
quercifolia. Oakleaf Hydrangea.			
2 to 3 ft	1.00	.85	
3 to 4 ft	1.25		
radiata. Silverleaf Hydrangea. 6'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
Hypericum arnoldianum. b'			
18 to 24 in	.75	.60	
2 to 3 ft	.90	.75	
aureum. Golden St. Johnswort. 4	•		
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
bucklei. Mountain St. Johnswort.	1'		
6 inches	.75	.60	.50
densiflorum. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
kalmianum. 4'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
lobocarpum. 6'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
	.00	.50	.40
moserianum. Goldflower. 2'	-		
15 to 18 in	.50	.40	.35
18 to 24 in	.60	.50	.40

	1-4 Each	5-24 Each	25 & up Each
Hypericum			
patulum. Japanese Hypericum. 3'		-	
18 to 24 in	.60	.50	.40
patulum henryi. Henry Hypericum	. 4'		
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.40
prolificum. Shrubby St. Johnswort.	<i>5'</i>		
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
Idesia polycarpa. 40'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
Ilex cornuta. Chinese Holly. 10'			
18 to 24 inB&B	2.00		
crenata. Japanese Holly. 10'			
15 inB&B	2.50	2.00	1.50
18 inB&B	3.00	2.50	2.00
24 inB&B	3.50	3.00	2.50
30 inB&B	5.00	4.00	
crenata bullata. 10'			
12 to 15 inB&B	2.50	2.00	1.50
15 to 18 inB&B	3.00	2.50	
crenata latifolia. 10'			
18 to 24 inB&B	3.00	2.50	٠
24 to 30 inB&B	4.00	3.50	
crenata microphylla. Little Leaf Jo	ananaea	Holly	10 '
15 inB&B	2.50	2.25	2.00
18 inB&B			
24 inB&B			2.00
	0.00	2.00	
geniculata. 5' 3 to 4 ft	1.50	1.25	
	1.50	1,40	
glabra. Inkberry. 8'	4		4 0 =
12 to 15 inB&B	1.75	1.50	1.35
15 to 18 inB&B	2.25	2.00	1.75
18 to 24 in	2.75	2.50	
24 to 30 in	3.50	3.00	2.75
30 to 36 in	5.00	4.00	
36 to 42 inB&B	6.00	5.00	

llex	1-4 Each	5-24 Each	25 & up Each
laevigata. Smooth Winterberry. 6'			_
2 to 3 ft	.75	.60	.50
monticola. Mountain Winterberry.	10'		
3 to 4 ft	1.25	1.00	
opaca. American Holly. 40'			
2 ftB&B	3.00	2.50	2.25
3 ftB&B	4.50	3.75	3.25
4 ftB&B	6.50	5.00	4.50
5 ftB&B	10.00	7.50	6.00
6 ftB&B	12.50	10.00	7.50
7 ftB&B	15.00	12.50	
8 ftB&B	20.00		
serrata. syn. sieboldi. Finetooth E	Iolly.	12'	
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
verticillata. Common Winterberry.	<i>6'</i>		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.85	.70	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
verticillata chrysocarpa. Yellow-fra	uited V	Vinterber	ry. 6'
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	
Indigofera amblyantha. Pink Indigo.	3 '		
2 to 3 ft	1.25	1.00	.75
kirilowi. Kirilow Indigo. 4'			
2 ft	2.00		
potanini. Potanin Indigo. 5'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
Itea virginica. Sweetspire. 3'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.85	.75
Jasminum nudiflorum. Winter Jasmine.	3'		
15 to 18 in	.50	.40	.30
18 to 24 in	.60	.50	.40
12 to 15 in. 2½ in. pots	.60	.50	.40
stephanense. 3'			
2 ft., 4 in. pots	1.25	1.00	.75

	1-4 Each	5-24 Each	25 & up Each
Juglans cinerea. Butternut. 75'	2.00		
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
nigra. Black Walnut. 80'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	
1½ to 1¾ in	3.50	3.00	
1 % to 2 in	4.50	4.00	
regia. English or Persian Walnut.	<i>50'</i>		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
sieboldiana. Japanese Walnut. 50'			
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
Juniperus chinensis. Chinese Juniper.	20'		
2 ftB&B	3.00	2.50	2.00
3 ftB&B	4.00	3.50	3.25
4 ftB&B	5.50	5.00	4.50
5 ftB&B	7.50	7.00	6.50
6 ftB&B	10.00	8.50	7.50
7 ftB&B	12.50	10.00	9.00
8 ftB&B	15.00	12.50	
For larger sizes to 16 ft., add \$5.00	per f	oot.	
chinensis albovariegata. Whiteleaf	Chinese	Junipe	r. 20'
3 ftB&B	7.50	6.00	5.00
4 ftB&B	8.50	7.50	
5 ftB&B	10.00		
6 ftB&B	12.50		
chinensis columnaris. Columnar C	hinese J	Tuniper.	20'
4 ftB&B	6.00	5.00	4.00
5 ftB&B	7.50	6.50	5.50
6 ftB&B	10.00	8.00	7.00
7 ftB&B			
8 ftB&B	15.00	12.50	
chinensis globosa. Globe Chinese Je	uniper.	5'	
18 inB&B	4.00	3.50	3.00
24 inB&B	4.50	4.00	3.50
36 inB&B		5.00	

	1-4 Each	5-24 Each	25 & up Each
Juniperus	Laci	Laci	230011
chinensis mas. 10'			
2 ftB&B	3.50	3.00	2.50
2 ½ ftB&B	4.00	3.50	
3 ftB&B			
	7.50	6.00	2.00
4 ftB&B		7.50	
chinensis neaboriensis. Conical Ch			10'
3 ftB&B		4.00	•
4 ftB&B			
5 ftB&B			
6 ftB&B			
7 ftB&B	12.50		
8 ftB&B	15.00		
9 ftB&B	18.00		
chinensis oblonga. 8'			
3	10.00		
6 ftB&B			
7 ftB&B			
8 ftB&B	15.00		
chinensis pfitzeriana. Pfitzer's Jun	iper.	3 '	
18 to 24 in. spdB&B	2.50	2.25	2.00
2 to 2½ ft. spdB&B	3.00	2.75	2.50
2½ to 3 ft. spdB&B	4.00	3.50	3.25
3 to 3½ ft. spdB&B			
3½ to 4 ft. spdB&B			5.00
4 to 4½ ft. spdB&B			
4½ to 5 ft. spdB&B			
5 to 6 ft. spdB&B			
6 to 7 ft. spdB&B			
7 to 8 ft. spdB&B			12.00
8 to 9 ft. spdB&B			
(Upright form can be furnish			' to 6')
chinensis sargenti. Sargent Junipe	r. 2'		
		0.55	
18 inB&B			
24 inB&B			
30 inB&B	6.00	5.00	
chinensis smithi. Smith Chinese Ju	ıniper.	8'	
18 inB&B		2.00	
2 ftB&B			
<u> </u>	0.00	0.00	

	1-4 Each	5-24 Each	25 & up Each
Juniperus			
communis. Common Juniper. 25'			
3 ftB&B	3.75	3.00	2.50
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	6.00	5.50	5.00
7 ftB&B	7.50	6.50	
8 ftB&B	9.00	8.00	7.50
communis dayi 25'	~ ~ ~		
4 ftB&B	5.00	4.00	
5 ftB&B	6.00	5.00	
6 ftB&B	7.50	6.50	
communis depressa Prostrate Jun	niper. 3	!	
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spdB&B	3.00	2.75	2.50
$2\frac{1}{2}$ to 3 ft. spdB&B		3.50	3.00
3 to 4 ft. spdB&B		4.50	4.00
4 to 5 ft. spdB&B	7.50	6.00	5.00
communis depressa aurea. Golden H	Prostrate	e Junip	er. 3'
18 to 24 in. spdB&B	3.00	2.50	
24 to 30 in. spdB&B	3.50	3.00	
2½ to 3 ft. spdB&B	4.50	4.00	
3 to 3½ ft. spdB&B	6.00	5.00	
3 ½ to 4 ft. spdB&B	7.50	6.00	
4 to 5 ft. spdB&B	10.00	7.50	
communis depressa plumosa.			
Purple Spreading Juniper. 3'			
	2.75	2.25	1.75
24 to 30 inB&B	3.50	3.00	
2½ to 3 ftB&B			3.00
3 to 3½ ftB&B	6.00	5.00	
	7.50	6.50	
	10.00		
. 1.1	- P.		
communis hibernica. Irish Juniper.	15'	0.00	4 77 17
2 ftB&B	2.50	2.00	1.75
3 ftB&B		2.50	
4 ftB&B		3.50	
5 ftB&B		4.50	
6 ftB&B		6.00	5.50
	10.00	7.50	
	12.50	10.00	
9 ftB&B	15.00		

	1-4	5-24	25 & up
Juniperus communis kraccovica. Polish Junip	Each <i>per. 10'</i>	Each	Each
2 ftB&B	2.50		
3 ftB&B	3.00		
communis suecica. Swedish Junipe			
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.50	3.25	
4 ftB&B	5.00	4.50	
5 ftB&B	7.50	6.00	
communis suecica nana. Dwarf Sv	vedish J	uniper.	6 '
2 ftB&B	3.50	3.00	
3 ftB&B	4.50	4.00	
4 ftB&B	6.00	5.00	
conferta. Shore Juniper. 5'			
18 inB&B	4.00	3.50	
2 ftB&B	5.00	4.50	
2½ ftB&B	6.50	5.50	
excelsa. Greek Juniper. 50'			
3 ftB&B	3.50	3.00	
4 ftB&B	4.50	4.00	
5 ftB&B	6.00	5.50	
6 ftB&B	7.50	6.50	
7 ftB&B	8.50	7.50	
8 ftB&B	12.50	10.00	
9 ftB&B	15.00	12.50	
10 ftB&B	18.00	15.00	
excelsa stricta. Spiny Greek Junip	er. 8'		
18 inB&B	2.50	2.00	1.75
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	4.00	3.50
3 ½ ftB&B	7.00	6.00	5.00
4 ftB&B	8.50	7.50	6.50
4 ½ ftB&B	10.00	9.00	8.00
5 ftB&B	12.50	10.00	9.00
5½ ftB&B	15.00	12.50	
6 ftB&B	17.50	15.00	
7 ftB&B	20.00		
8 ftB&B			
horizontalis. Creeping Juniper. 1'			
18 to 24 in. spdB&B		2.25	
24 to 30 in. spdB&B			
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B	4.50	4.00	3.50

	1-4 Each	5-24 Each	25 & up
Juniperus	Each	Each	Each
horizontalis glauca. Blue Creeping	Junipe	r. 1'	
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spdB&B	3.00	2.75	2.50
$2\frac{1}{2}$ to 3 ft. spdB&B	4.00	3.75	3.50
3 to 3½ ft. spdB&B	5.00	4.50	
japonica. Japanese Juniper. 8'			
18 inB&B	2.50	2.25	2.00
2 ftB&B	3.50	2.75	2.50
3 ftB&B	5.00	4.00	3.50
4 ftB&B	7.50	6.00	
5 ftB&B	10.00		
japonica aurea. Golden Japanese J	uniper.	8'	
18 inB&B	3.50	3.00	
2 ftB&B	4.50	4.00	
3 ftB&B	6.00		
recurva. Himalayan Juniper. 30'			
2 ftB&B	3.50		
3 ftB&B	5.00		
rigida. Needle Juniper. 30'			
2 ftB&B	4.00	3.00	
3 ftB&B	5.00	4.00	
sabina. Savin Juniper. 6'			
18 to 24 in. spdB&B	2.50	2.25	2.00
2 to 2½ ft. spdB&B			
2 ½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B	5.00	4.00	3.50
$3\frac{1}{2}$ to 4 ft. spdB&B	6.50	5.50	4.50
4 to 4½ ft. spdB&B	9.00	7.50	6.00
$4\frac{1}{2}$ to 5 ft. spdB&B	12.50	10.00	
sabina tamariscifolia. Tamarix San	vin. 2'		
18 to 24 in. spdB&B	2.75	2.50	2.25
24 to 30 in. spdB&B			
$2\frac{1}{2}$ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B	7.50	6.00	5.50
sabina Von Ehron. 10'			
24 to 30 in. spdB&B			
30 to 36 in. spdB&B			
36 to 42 in. spdB&B	7.50	6.00	

	1-4 Each	5-24 Each	25 & up Each
Juniperus	2340		
scopulorum. Colorado Juniper. 40'	•		
3 ftB&B	4.00	3.50	3.25
4 ftB&B	6.00	5.00	4.50
5 ftB&B	7.50	6.50	6.00
6 ftB&B	10.00	8.50	7.50
7 ftB&B	12.50	10.00	9.00
8 ftB&B	15.00	12.50	10.00
For larger sizes to 16 ft., add	\$5.00	per foo	t.
sphaerica.			
2 ftB&B	3.50	3.00	
3 ftB&B	4.50	4.00	
4 ftB&B	6.50	5.00	
squamata. Japanese Trailing Junipe	er. 3'		
2 to $2\frac{1}{2}$ ft. spdB&B	5.00		
squamata meyeri. Meyer Juniper.	4'		
18 to 24 inB&B	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	3.00
2½ to 3 ftB&B	5.00	4.50	4.00
virginiana. Red Cedar. 40'			
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	7.00	6.50
7 ftB&B	10.00	9.00	8.00
8 ftB&B	15.00	12.50	10.00
9 ftB&B	18.00	15.00	12.50
10 ftB&B			15.00
For larger sizes to 20 ft., add \$	5.00 p	er foot.	
virginiana burki. Syn. virginiana v	en.usta	ı.	
virginiana cannarti. Cannart Red	Cedar.	<i>15</i> ′	
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.00	5.50	5.00
5 ftB&B	8.00	7.00	6.50
6 ftB&B	11.00	9.00	8.00
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
9 ftB&B	22.50	18.00	15.00
10 ftB&B	27.50	22.50	18.00
For larger sizes to 18 ft., add	\$5.00	per fo	ot.

	1-4 Each	5-24 Each	25 & up Each
Juniperus	Each	Each	macn
virginiana elegantissima. Goldtip	Red Ce	dar. 15	,
2 ftB&B	4.50	4.00	3.50
3 ftB&B	5.00	4.50	4.00
4 ft		5.50	
5 ftB&B			
6 ftB&B	10.00		
For larger sizes to 12 ft., add 3	\$5.00 p	er foot	•
virginiana glauca. Silver Red Ced	ar. 25'		
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.50	5.50	5.00
5 ftB&B		7.50	6.50
6 ftB&B		10.00	
7 ftB&B	15.00	12.50	
8 ftB&B	18.00	15.00	
9 ftB&B	22.50		
For larger sizes to 18 ft., add	d \$5.00	per fo	ot.
virginiana globosa. Globe Red Ced	lar. 4'		
18 to 24 inB&B	4.00	3.50	3.00
24 to 30 inB&B	5.00	4.50	4.00
3 to 3½ ftB&B	6.00	5.50	5.00
3½ to 4 ftB&B		6.50	
virginiana keteleeri. 15'			
2 ftB&B	3.50	3.25	3.00
3 ftB&B			
4 ftB&B			
5 ftB&B			
6 ftB&B			
7 ftB&B			
virginiana kosteri. Koster Red Ce			2.75
2 to 2½ ft. spdB&B 2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B			
-			4.00
3½ to 4 ft. spdB&B			
4 to 4½ ft. spdB&B			
4½ to 5 ft. spdB&B 5 to 6 ft. spdB&B		10.00	
virginiana pendula. Weeping Red		15'	
6 ftB&B			
7 ftB&B	15.00		
LARGE SPECIMEN SHRUBS QUOTED	ON REQ	UEST.	

	1-4 Each	5-24 Each	25 & up Each
Juniperus	Pacif	Hach	Dacii
virginiana schotti. Schott Red Ce	dar. 18	5 '	
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.00	5.50	5.00
5 ftB&B	8.50	7.50	6.50
6 ftB&B	12.50	10.00	8.00
7 ftB&B		12.50	10.00
For larger sizes to 18 ft., add 3			•
virginiana tripartita. Fountain Re			
	4.50	4.00	
2½ ftB&B		5.00	
3 ftB&B			
3 ½ ftB&B			
4 ftB&B	12.50	10.00	
virginiana venusta. 15'			
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.00	5.50	5.00
5 ftB&B	8.50	7.50	
6 ftB&B	12.50	10.00	
7 ftB&B	15.00	12.50	
8 ftB&B	18.00	15.00	
Kalmia latifolia. Mountain Laurel. 6'			
18 to 24 inB&B	3.00	2.50	2.25
2 to 3 ftB&B	3.50	3.00	
3 to 4 ftB&B	5.00	4.00	3.75
		-,,	3,,,
Kerria japonica. Kerria. 4' 18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
		.00	.40
japonica florepleno. Double Kerri			
18 to 24 in	1.00	.75	
Koelreuteria paniculata. Goldenrain Tr	ree. 25	,	
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.50	
Kolkwitzia amabilis. Beauty Bush. 8'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.25	

				1-4 Each	5-24 Each	25 & up Each
*Laburnum	al	pin	um. Scotch Laburnum		130011	234611
4	to	5	ft	3.50		
5	to	6	ft	5.00		
6	to	8	ft. heavy B&B	15.00		
8	to	10	ft. heavy B&B	20.00		
vossi,	20	,				
8	to	10	ftB&B	20.00		
10	to	12	ftB&B	25.00		
*vulga	re.	G	oldenchain. 20'			
4	to	5	ft	2.50	2.00	
5	to	6	ft	3.50	3.00	
6	to	8	ft. heavyB&B	12.50		
8	to	10	ft. heavyB&B	15.00		
10	to	12	ft. heavyB&B	20.00		
Lagerstroe	mia	inc	lica rubra. Red Crap	emyrtle.	12'	
_			in. from pots		1.00	
			_			
Larix europ	pea	. E	uropean Larch. 60'			
5	to	6	ftB&B	6.00	5.00	
6	to	8	ftB&B	7.50	6.00	
8	to	10	ftB&B	10.00	7.50	*
laricin	a.	An	nerican Larch. 50'			
6	to	8	ftB&B	10.00		
8	to	10	ftB&B	12.50		
10	to	12	ftB&B	15.00		
leptole	pis	. 4/	Japanese Larch. 50'			
4	to	5	ftB&B	5.00	4.00	
5	to	6	ftB&B	6.00	5.00	
6	to	8	ftB&B	7.50	6.00	
8	to	10	ftB&B	10.00	7.50	
				15.00	12.50	
12	to	14	ftB&B	20.00		
Lauroceras	us	offi	cinalis schipkaensis.	10'		
12	to	15	in.,4 in. pots	1.00	.75	
18	to	24	inB&B	1.50	1.25	1.00
24	to	30	inB&B	2.00	1.50	
Leiophyllu	m k	uxi	folium prostratum.			
			Sandmyrtle. 2'			
	-	_	inB&B	2.50	2.00	

	1-4 Each	5-24 Each	25 & up Each
Lespedeza bicolor. Shrub Bushclover.	<i>6'</i>		
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
formosa syn. penduliflorum. Pur	ple Bush	clover.	4'
2 year	.50	.40	.30
3 year	.60	.50	.40
formosa albiflora. Japanese Bush	clover.	5 '	
2 year	.60	.50	.40
Leucothoe catesbaei. Drooping Leucot	Ť		
15 to 18 inB&B		1.75	1.50
18 to 24 inB&B	2.50	2.00	1.75
24 to 30 inB&B	3.50		
Libocedrus decurrens. Incense Cedar	r. 100'		
18 to 24 inB&B	2.25	2.00	
24 to 30 inB&B	3.00	2.50	
3 to 3½ ftB&E	3 4.50	3.50	
Ligustrum acuminatum. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
acuminatum macrocarpum. Bigbe	rra Pri	net 10'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
amurense. Amur Privet. 15'	,00	• • • •	•••
18 to 24 in	.25	.18	.15
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.75
ibolium. Ibolium Privet. 8'			
18 to 24 in	.25	.18	.12
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.25
4 to 5 ft		.45	.40
ibota. Ibota Privet. 10'			. 10
2 to 3 ft	.30	.20	.15
3 to 4 ft	.35	.25	.20
4 to 5 ft	.50	.40	.35
	•00	.10	.00

	1-4 Each	5-24 Each	25 & up Each
Ligustrum Duimet Cl			
ibota nanum. Pygmy Privet. 6'	25	or.	0.0
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.45	.40
ibota regelianum. Regel Privet.		0.0	05
18 to 24 in. spd	.40	.30	.25
24 to 30 in. spd	.50	.40	.35
2 ½ to 3 ft. spd	.75	.60	.50
3 to 4 ft. spd	1.25	1.00	.75
4 to 5 ft. spd	1.75	1.50	
lodense. Dwarf Privet. 3'	0 =	2 -	2.0
12 to 15 in	.35	.25	.20
15 to 18 in	.45	.35	.30
18 to 24 in	.55	.45	.40
24 to 30 in	.65	.55	.50
ovalifolium. California Privet. 10			
18 to 24 in	.20	.10	.06
24 to 30 in	.25	.12	.07
ovalifolium variegatum. Golden P	rivet. 1	0'	
15 to 18 in	.40	.30	.25
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.40	.35
3 to 4 ft	.60	.50	.40
vulgare. European Privet. 12'			
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.65	.55	.50
6 to 8 ft	1.00	.80	.75
vulgare foliosum. 10'			
2 to 3 ft	.45	.35	.30
vulgare leucocarpum. Yellowberry	Privet.	12'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.40	.35
4 to 5 ft	.65	.50	.40
5 to 6 ft	.75	.60	.50
Lindera benzoin. (See Benzoin aestivale	.).		
*Liquidambar formosana Formosa Swe	eetgum.	60'	
6 to 8 ft			
8 to 10 ft	10.00		

1-4 Each	5-24 Each	25 & up Each
Liquidambar		
*styraciflua. Sweetgum. 60'		
6 to 8 ft 3.00	2.75	2.50
8 to 10 ft 3.75	3.25	3.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00	3.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 5.00	4.50	4.00
1 3/4 to 2 in 6.00	5.50	5.00
2 to $2\frac{1}{2}$ in	6.50	6.00
2½ to 3 in	10.00	7.50
3 to 3½ in 20.00	15.00	
4 to 5 in	30.00	
5 to 6 in 50.00		
*styraciflua aurea. Golden Sweetgum.	50'	
4 to 5 ft 4.00		
5 to 6 ft 5.00		
*Liriodendron chinense. Chinese Tulip Tree.	70'	
5 to 6 ft		
6 to 8 ft		
*tulipifera. Tuliptree. 80'	1 55	1 50
6 to 8 ft	1.75	1.50
8 to 10 ft 2.50	2.25	2.00
1 ½ to 1½ in 3.50	3.00	2.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75	3.50
1 % to 2 in 5.00 2 to 2 ½ in 7.50	4.50	4.00
2 to 2½ in 7.50 2½ to 3 in 12.50	6.00	5.00
3 to 3½ in	10.00 15.00	7.50
$3\frac{1}{2}$ to 4 in	18.00	
4 to 5 in	10.00	
*tulipifera pyramidale. Pyramid Tuliptre	26. 70'	
6 to 8 ft 7.50		
8 to 10 ft 10.00		
1½ to 1¾ in		
2 to 2½ in 15.00		
2½ to 3 in		
3 to 3½ in 30.00		
Lonicera alseuosmoides.		
2 year	.60	.50
bella albida. White Belle Honeysuckle.	10'	
2 to 3 ft	.25	.20
3 to 4 ft	.30	.25
4 to 5 ft	.40	.35
5 to 6 ft	.60	.50
6 to 8 ft 1.00	.85	.75

Lonicera bella rosea. Belle Honeysuckle. 10' 2 to 3 ft
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft
billardi. 8'
3 to 4 ft
4 to 5 ft
5 to 6 ft
browni plantierensis. Orange Honeysuckle. 4'
2 year
3 year
caprifolium. Sweet Honeysuckle. 10'
2 year
chrysantha. Coralline Honeysuckle. 10'
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft
6 to 8 ft
conjugialis. 8'
3 to 4 ft
4 to 5 ft
dioica. Limber Honeysuckle. 10'
2 to 3 ft
3 to 4 ft
fragrantissima. Winter Honeysuckle. 8'
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft
fuchsioides.
2 year
gracilipes. Spangled Honeysuckle. 6'
2 to 3 ft
3 to 4 ft
heckrotti. Everblooming Honeysuckle. 15'
2 year
henryi. Henry Honeysuckle. 15'
2 year

T .	1-4 Each	5-24 Each	25 & up Each
Lonicera			
hirsuta. Hairy Honeysuckle. 15'	E 0	40	
2 year	.50	.40	
3 year	.60	.50	
japonica. Japanese Honeysuckle. 1	<i>'5'</i>		
2 year	.25	.20	.15
3 year	.35	.25	.18
japonica halleana. Hall Japanese	Honey	suckle.	20'
2 year	.25		.15
3 year	.35	.25	
Ť	.00	.20	•10
japonica reticulata aurea.			
Yellow Japanese Honeysuckle. 15			
2 year	.45	.35	.25
kesselringi. Black fruited Honeys	uckle.	10'	
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.50	
koehneana. 12'			
	c o	50	4.0
18 to 24 in	.60		.40
2 to 3 ft	.75	.60	.50
korolkowi floribunda. Broad Bluele	eaf Ho	neysuckl	le. 10'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	
ledebouri. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.75	.50	
maacki. Amur Honeysuckle. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
maacki podocarpa. Late Honeysuc	kle. 8'	,	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
morrowi. Morrow Honeysuckle. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
U U U I U	.10	.00	.50

	1-4 Each	5-24 Each	25 & up Each
conicera			
morrowi. (Yellow Fruited). 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	
muendeniensis. Muenden Honeysuc	kle. 8'	•	
5 to 6 ft	.65	.55	.50
6 to 8 ft	.75	.65	.60
nitida. 3'			
6 to 12 in	.50	.40	.30
periclymenum belgica. Dutch Woo	dbine.	<i>15'</i>	
2 year	.40	.30	.25
3 year			.35
pileata. Privet Honeysuckle. 2'			,00
6 to 12 in	60	.50	.40
prolifera syn. sullivanti. Grape H			.40
3 year		.45	.35
quinquelocularis. Mistletoe Honeys		10'	.00
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft		.75	
ruprechtiana. Manchurian Honeysi			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	
saccata, 6'	.10	.00	.00
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
sempervirens. Trumpet Honeysuckl		.00	.40
2 year	.40	.30	.25
3 year	.50	.40	.30
spinosa alberti. Thorn Honeysuckl		.40	.00
12 to 15 in	.45	.35	.30
15 to 18 in	.55	.45	.40
18 to 24 in	.75	.60	.55
standishi. δ'	.10	.00	.00
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.00
	1.00	.10	

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
syringantha. Lilac Honeysuckle. 4			
15 to 18 in., 4 inch pots	1.00	.75	
2 to 3 ft., field grown	1.50	1.25	1.00
syringantha wolfi. Wolf Honeysuc	kle. 6'		
15 to 18 in., 4 in. pots	1.00	.75	
2 to 3 ft., field grown	1.50	1.25	
tatarica. Red Tatarian Honeysuckl	e. 10'		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	
tatarica alba. White Tatarian Hon	eysuckle	. 10'	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
tatarica grandiflora. Pink Tatarian	n Honey	suckle.	10'
2 to 3 ft	The state of the s	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60		.35
	.75	.60	.50
6 to 8 ft	1.00	.75	
tatarica lutea. Yellow Tartarian H			
3 to 4 ft	_	. 10	
tatarica siberica. Siberian Honeysu			
	.35	.25	.20
3 to 4 ft	.45		.25
	.60		
	.75		
6 to 8 ft	1.00	.75	.65
tellmanniana.			
2 year	1.00	.90	
thibetica. Tibetan Honeysuckle. 4'			
2 year	1.25	1.00	
verna. δ'			
2 year	.50	.35	.30

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
virginalis alba. Maiden Honeysuc	kle. 10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
xylosteum. Fly Honeysuckle. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.50	.40
Lycium chinense. Chinese Matrimony	Vine. 5	,	
2 to 3 ft	.25	.20	.15
3 to 4 ft	.35	.25	.20
halimifolium. Common Matrimony	Vine.	6'	
2 to 3 ft	.25	.20	.15
3 to 4 ft	.35 -	.25	.20
Lyonia ligustrina. He-Huckleberry. 1.	2.		
15 to 18 in	1.25	1.00	
18 to 24 in	1.50	1.25	
Maackia amurensis. Amur Maackia. 40	,		
2 to 3 ft	1.50		
3 to 4 ft	2.00		
Maclura pomifera. Osage-orange. 30'			
4 to 5 ft	.75	.50	
5 to 6 ft	1.00	.75	
6 to 8 ft	1.25	1.00	
Magnolia acuminata. Cucumber Tree.	70'		
4 to 5 ftB&B	3.00	2.50	
5 to 6 ftB&B	5.00	4.00	
6 to 8 ftB&B	7.50	6.00	
8 to 10 ftB&B		7.50	
10 to 12 ftB&B	12.50	10.00	
conspicua. Yulan. 80'			
4 to 5 ft	10.00		
5 to 6 ftB&B	12.50		
6 to 8 ftB&B			
8 to 10 ftB&B	20.00		
fraseri. Fraser Magnolia. 50'			
5 to 6 ftB&B			
6 to 8 ftB&B	12.50		

	1-4	5-24	25 & up
N/1:-	Each	Each	Each
Magnolia			
glauca. Sweetbay. 25' 2 to 3 ftB&B	3.00	2.50	2.00
3 to 4 ftB&B		3.50	3.00
4 to 5 ftB&B		4.50	4.00
5 to 6 ftB&B		6.00	5.50
6 to 8 ft		8.00	7.00
8 to 10 ft		10.00	9.00
10 to 12 ftB&B	17.50	15.00	12.50
hypoleuca. Silver Magnolia. 50'			
4 to 5 ftB&B	10.00	7.50	
5 to 6 ftB&B		10.00	
6 to 8 ftB&B		12.50	
8 to 10 ftB&B		17.50	
10 to 12 ftB&B		20.00	
kobus. 30'			
4 to 5 ftB&B	5.00	4.00	3.50
5 to 6 ftB&B		6.50	6.00
6 to 8 ft		9.00	8.50
8 to 10 ftB&B		11.00	10.00
8 to 10 ft. specB&B			
Larger sizes quoted on reques			
lennei. Lenne Magnolia. 20'			
2 to 3 ftB&B	4.00		
3 to 4 ftB&B			
4 to 5 ftB&B			
5 to 6 ftB&B	10.00		
6 to 8 ftB&B	15.00		
macrophylla. Large-leaved Cucum	ber-tree	. 50'	
8 to 10 ftB&B			
10 to 12 ftB&B	25.00		
parviflora. Oyama Magnolia. 30'			
3 to 4 ftB&B	10.00	7.50	
4 to 5 ftB&B	12.50	10.00	
5 to 6 ftB&B	15.00		
soulangeana. Saucer Magnolia. 2	0'		
3 to 4 ftB&B	5.00	4.00	
4 to 5 ftB&B	6.50	5.00	
5 to 6 ftB&B		7.50	
6 to 8 ftB&B	12.50		
soulangeana nigra. 20'			
5 to 6 ftB&B	15.00		

		1-4 Each	5-24 Each	25 & up Each
Magnolia				
stellata. Star	Magnolia. 8'			
2 to 3 ft	В&В	6.00	5.00	
3 to 4 ft	B&B	7.50	6.50	
4 to 5 ft	B&B	10.00		
stellata rosea.	Pinkstar Magnolia.	15'		
2 to 3 ft	B&B	7.50		
3 to 4 ft		10.00		
4 to 5 ft	B&B	12.50		
5 to 6 ft	B&B	15.00		
tripetala. Un	abrella Magnolia. 30'			
5 to 6 f	tB&B	6.00	5.00	
6 to 8 f	tB&B	7.50	6.00	
8 to 10 f	tB&B	10.00	7.50	
10 to 12 f	tB&B	12.50	10.00	
Mahania aquifalius	m. Oregon Hollygrap	e. 5'		
	n	2.00	1.75	1.50
	nB&B	2.50	2.00	1.75
	nB&B	3.00	2.75	2.50
			2,,,	2000
	. Southern Crab. 25		1.05	
	it	1.50	1.25	
	t	2.00	1.75	
	t	$\frac{2.50}{3.50}$	$\frac{2.25}{3.00}$	
	£	5.00	4.00	
	Arnold Crab. 12'	0.00	2.00	
		1.50	1.25	1.00
		2.00	1.75	1.50
		2.50	2.25	2.00
		3.50	3.00	2.50
baccata, Sibe	erian Crab. 30'			
	't	1.50	1.25	1.00
	t	1.75	1.50	1.25
	.t	2.00	1.75	1.50
6 to 8 f	t	3.00	2.50	2.00
8 to 10 f	t	5.00	4.00	3.50
10 to 12 f	t	10.00	7.50	
baccata mand	shurica. Manchurian	Crab.	30'	
		1.75	1.50	1.25
	• • • • • • • • • • • • • • • • • • • •	2.00	1.75	1.50
		3.00	2.50	2.00
6 to 8 ft.		4.00	3.50	3.00

	1-4 Each	5-24 Each	25 & up Each
Malus	Matter	Diecii	134(6)1
brevipes. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
coronaria. Wild Sweet Crab. 30'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	
coronaria Charlotte. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
dolga. 15'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	1.75	
6 to 8 ft	3.00	2.50	
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
Elisa Rathke. Weeping Flg. Apple 3 to 4 ft. spread	. 8' 3.00		
4 to 5 ft. spread	4.00		
5 to 6 ft. spread	5.00		
6 to 8 ft. spread	6.00		
	0.00		
florentina. Florentine Crab. 20'	4 5 5	1 50	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	2.00	
5 to 6 ft	2.75	2.50	
floribunda. Japanese Flowering Cr		1 05	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	1.75	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	

	1-4	15-24	26 %, up
Malue		au.	
floribunda strosanguines. Cormin		2.11	1 /1/1
3 to 4 ft	1.50	1.25	1,00
4 to 5 ft	1.75	1.50	1.25
To te, & ft	2.50	1.75	1.50
6 to 8 ft	3.50	3,00	2,50
% to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	
8 to 10 ft. specB&B	12.50		
Heribunds lemeinei. 16'			
% to 4 ft	1.75	1.50	1.25
4 to 5 ft	2,00	1.75	1,50
5. 10 6. 11	2.50	2.00	1.75
6 to 4 th	3.50	3.00	2.50
2 to 10 th	5,00	4.50	
fuces, Oregon Orab. 20'			
4 to 6 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to % ft	3,50	3,00	
8 to 10 ft	5,00	4.00	
	*******	,.,	
glaucescens. Dunhar Grah, 12'	1 50	4 4 1 2	1.00
3 to 4 ft	1.50	1.25	1.00
4 10 5 11	2.00	1.75	1.50
5 10 6 11	2.50	2.25	2.00
6 to 8 ft	3.50	3,00	2.50
hallians, Hull Crub, 16'			
S W H	6,00	5.00	
% to 10 ft	7.50		
hallians parkmani, Parkman Crah	. 15		
% 1/1 4 ft	1.75	1.50	1,25
4 1/1 15 11	2.25	2,00	1.75
5 to 6 ft	3,50	3,00	2,50
6 to 8 ft	4,50	4,00	2.50
8 to 10 ft	6,00	5,00	
10 to 12 ft	10,00	7,50	
hops. Red Plowering Crub, 12'		1.00	
4 to 6 ft	1,75	1,50	1.25
5 to 6 ft	2,80	2.00	1,75
G W H H	3.50	3,00	2,50
% to 10 ft	6,00	5,00	
		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
hupeheneie, 16'	5.00		
5 to 6 th	5.00		

	1-4 Each	5-24 Each	25 & up Each
Malus	Lacii	Bacii	Dacii
ioensis. Prairie Crab. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
ioensis bechteli. Bechtel Crab. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
micromalus. Midget Crab. 10'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
niedzwetzkyana. Redvein Crab. 20) '		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
Oekonemurat Echtermeyer. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	5.00	4.00	3.50
purpurea. Purple Crab. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
purpurea aldenhamensis. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00

Malus
Purpurea eleyi. Eley Flowering Crab. 15' 3 to 4 ft
4 to 5 ft. 2.00 1.75 1.50 5 to 6 ft. 2.50 2.25 2.00 6 to 8 ft. 3.50 3.00 8 to 10 ft. 5.00 4.00 prunifolia rinki. Chinese Apple. 16' 4 to 5 ft. 1.75 1.50 1.25 5 to 6 ft. 2.50 2.00 1.75 6 to 8 ft. 3.50 3.00 2.50 8 to 10 ft. 5.00 4.00 3.50 10 to 12 ft. 10.00 7.50 robusta. Cherry Crab. 16' 3 to 4 ft. 1.75 1.50 1.25 5 to 6 ft. 3.00 2.50 6 to 8 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 16' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50
4 to 5 ft. 2.00 1.75 1.50 5 to 6 ft. 2.50 2.25 2.00 6 to 8 ft. 3.50 3.00 8 to 10 ft. 5.00 4.00 prunifolia rinki. Chinese Apple. 15' 4 to 5 ft. 1.75 1.50 1.25 5 to 6 ft. 2.50 2.00 1.75 6 to 8 ft. 3.50 3.00 2.50 8 to 10 ft. 5.00 4.00 3.50 10 to 12 ft. 10.00 7.50 robusta. Cherry Crab. 15' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.75 5 to 6 ft. 3.00 2.75
5 to 6 ft. 2.50 2.25 2.00 6 to 8 ft. 3.50 3.00 8 to 10 ft. 5.00 4.00 prunifolia rinki. Chinese Apple. 15' 4 to 5 ft. 1.75 1.50 1.25 5 to 6 ft. 2.50 2.00 1.75 6 to 8 ft. 3.50 3.00 2.50 8 to 10 ft. 5.00 4.00 3.50 10 to 12 ft. 10.00 7.50 robusta. Cherry Crab. 15' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 <
8 to 10 ft. 5.00 4.00 prunifolia rinki. Chinese Apple. 15' 4 to 5 ft. 1.75 1.50 1.25 5 to 6 ft. 2.50 2.00 1.75 6 to 8 ft. 3.50 3.00 2.50 8 to 10 ft. 5.00 4.00 3.50 10 to 12 ft. 10.00 7.50 robusta. Cherry Crab. 15' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 <
prunifolia rinki. Chinese Apple. 15' 4 to 5 ft. 1.75 1.50 1.25 5 to 6 ft. 2.50 2.00 1.75 6 to 8 ft. 3.50 3.00 2.50 8 to 10 ft. 5.00 4.00 3.50 10 to 12 ft. 10.00 7.50 robusta. Cherry Crab. 15' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargent Crab. 6' <td< td=""></td<>
4 to 5 ft. 1.75 1.50 1.25 5 to 6 ft. 2.50 2.00 1.75 6 to 8 ft. 3.50 3.00 2.50 8 to 10 ft. 5.00 4.00 3.50 10 to 12 ft. 10.00 7.50 robusta. Cherry Crab. 15' 3 to 4 ft. 2.00 1.75 1.50 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 5 ft. 3.00 2.50 8 to 10 ft. 5.00 4.50
5 to 6 ft. 2.50 2.00 1.75 6 to 8 ft. 3.50 3.00 2.50 8 to 10 ft. 5.00 4.00 3.50 10 to 12 ft. 10.00 7.50 robusta. Cherry Crab. 15' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargent. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75
6 to 8 ft. 3.50 3.00 2.50 8 to 10 ft. 5.00 4.00 3.50 10 to 12 ft. 10.00 7.50 robusta. Cherry Crab. 15' 3 to 4 ft. 2.00 1.75 1.50 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50
8 to 10 ft
10 to 12 ft. 10.00 7.50 robusta. Cherry Crab. 15' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 16' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50
robusta. Cherry Crab. 15' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50
3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargent. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50
4 to 5 ft 2.00 1.75 1.50 5 to 6 ft 3.00 2.50 6 to 8 ft 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft 1.75 1.50 4 to 5 ft 2.00 1.75 5 to 6 ft 3.00 2.50 6 to 8 ft 4.00 3.50 8 to 10 ft 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft 2.00 1.75 5 to 6 ft 3.00 2.50 6 to 8 ft 4.00 3.50 8 to 10 ft 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft 2.00 1.75 1.50 4 to 5 ft 2.00 1.75 5 to 6 ft 3.00 2.50
5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 4 to 5 ft. 3.00 2.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 5 to 6 ft. 3.00 2.75 5 to 6 ft. 3.00 2.75
6 to 8 ft 4.00 3.50 robusta fastigiata. 15' 3 to 4 ft 1.75 1.50 4 to 5 ft 2.00 1.75 5 to 6 ft 3.00 2.50 6 to 8 ft 4.00 3.50 8 to 10 ft 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft 2.00 1.75 5 to 6 ft 3.00 2.50 6 to 8 ft 4.00 3.50 8 to 10 ft 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft 2.00 1.75 5 to 6 ft 2.50 2.00 1.75 5 to 6 ft 3.00 2.75 2.50
robusta fastigiata. 15' 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargent. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50
3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50
4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50
5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 robusta persicifolia. 12' 4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50
6 to 8 ft
8 to 10 ft
robusta persicifolia. 12' 4 to 5 ft 2.00 1.75 5 to 6 ft 3.00 2.50 6 to 8 ft 4.00 3.50 8 to 10 ft 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft 2.00 1.75 1.50 4 to 5 ft 2.50 2.00 1.75 5 to 6 ft 3.00 2.75 2.50
4 to 5 ft. 2.00 1.75 5 to 6 ft. 3.00 2.50 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50
5 to 6 ft 3.00 2.50 6 to 8 ft 4.00 3.50 8 to 10 ft 5.00 4.50 sargenti. Sargent Crab. 6' 3 to 4 ft 2.00 1.75 1.50 4 to 5 ft 2.50 2.00 1.75 5 to 6 ft 3.00 2.75 2.50
6 to 8 ft
8 to 10 ft
sargenti. Sargent Crab. 6' 3 to 4 ft. 2.00 1.75 1.50 4 to 5 ft. 2.50 2.00 1.75 5 to 6 ft. 3.00 2.75 2.50
3 to 4 ft
4 to 5 ft
5 to 6 ft 3.00 2.75 2.50
6 to 8 ft 4.00 3.50
scheideckeri. Scheidecker Crab. 20'
3 to 4 ft 1.75 1.50
4 to 5 ft 2.00 1.75
5 to 6 ft 2.50 2.25
6 to 8 ft 4.00 3.50
sieboldi. Toringo Crab. 15'
3 to 4 ft 1.50 1.25 1.00
4 to 5 ft 1.75 1.50 1.25
5 to 6 ft 2.00 1.75 1.60
6 to 8 ft 3.00 2.75 2.50
8 to 10 ft 5.00 4.00
10 to 12 ft

	1-4 Each	5-24 Each	25 & up Each
Malus	. 151		
spectabilis. Chinese Flowering Crab	1.50	1.25	
	1.75	1.50	
4 to 5 ft	$\frac{1.75}{2.50}$	2.00	
6 to 8 ft	$\frac{2.50}{3.50}$	3.00	
			1 = 1
spectabilis alba plena. Dbl. White	1.75	1.50	$1\bar{o}'$
4 to 5 ft	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$	
5 to 6 ft	$\frac{2.20}{3.00}$	$\frac{2.00}{2.50}$	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	0.00	
	12'		
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
theifera. Tea Crab. 20'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.75	2.25	
6 to 8 ft	4.00	3.50	
theifera rosea. 20'			
4 to 5 ft	2.25	2.00	1.75
5 to 6 ft	2.75	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
toringoides. Cutleaf Crab. 15'	0.00		
4 to 5 ft	2.00		
5 to 6 ft	2.50		
6 to 8 ft	3.50		
8 to 10 ft	5.00		
	1 75	1 50	1.05
3 to 4 ft	$\begin{array}{c} 1.75 \\ 2.00 \end{array}$	1.50 1.75	$\frac{1.25}{1.50}$
5 to 6 ft	3.00	$\frac{1.75}{2.50}$	$\frac{1.50}{2.25}$
6 to 8 ft	4.00	$\frac{2.50}{3.50}$	3.00
8 to 10 ft	5.00	4.50	4.00
yunnanensis veitchi. 25'	0.00	1.00	4.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	

	1 4	5 24	25 K. U.D
Malus	1:111:11	V.ach	1.151;11
zumi, Zumi Crab. 12'			
4 to 5 ft	1.75	1.50	1,25
5 to 6 ft	2.50	2,00	1.50
G to H ft	3,50	3.00	2.50
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
rumi coleearps. 16'			
4 to 5 ft	1,75	1,50	1.25
5 to 6 ft	2,50	2.00	1,50
6 to % ft	3.50	3,00	2.50
8 to 10 ft	5.00	4.50	
Morus alha pendula, Weeping Mulherr	y. 10'		
3 yr. heads, 5 to 7 ft. stems	3.00		
alka tatarica, Russian Mulberry.	60'		
6 to 6 ft	.75	,60	.50
6 to 8 ft	1,00	.85	.75
% to 10 ft	1.50	1.25	1.00
1 1/2 1/1 1 1 1/4 in	2.00	1,75	1.50
1 % to 2 in	2.50	2.25	2.00
2 10 21/2 111	3.50	3,00	
Myrica carolinensis. Northern Bayberr	y. 6'		
1% to 24 in	.75	.60	.50
24 to 30 in	1,00	.75	,60
3 to 4 ft	1,25	1,00	.75
eerifers. Houthern Woxayrtle, 6'			
1% to 24 in	.75	,60	,50
2 to 3 ft	1,00	.75	.60
3 10 A fl	1.25	1.00	.75
4 to 5 ft	1,50	1.25	1.00
gale. Bureelyale. 1/	63 (1)(1)	1 5/1	
18 to 24 inB&B	2.00	1.50	
2 to 3 ftB&B	2.50	2.00	
Mandina demestica. Nundina. E'		* * * * * * * * * * * * * * * * * * * *	
1% to 24 in	2.50	2.00	
Neillia longeracemora, 10'			
2 to 3 ft	.75	.60	.50
8 to 4 ft	1.00	.75	,60
4 to 15 ft	1,25	1,00	.75
A to 5 ft			
4 to 5 ft	.75	,60	.50
A to 5 ft			

			0 = 0
	1-4 Each	5-24 Each	25 & up Each
Nemopanthus mucronatus. Mountain H			
3 to 4 ft	1.50		
4 to 5 ft	2.00		
Neviusia alabamensis. Snow-wreath. 6'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
*Nyssa aquatica. Big Tupelo. 40'			
2 to 3 ft	2.00		
*sylvatica. Tupelo. 40'			
3 to 4 ft	2.00	1.75	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.50	
8 to 10 ft	7.50	6.50	
10 to 12 ft	12.50	10.00	
Osmanthus aquifolium. Holly Osmanth	na 15'	•	
12 to 18 in., 4" pots			
Ostrya virginiana. American Hophorni			
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.50	3.00	
10 to 12 ft	5.00	4.50	
*Oxydendrum arboreum. Sourwood.	40 '		
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	3.50	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.50	5.50	4.50
10 to 12 ft	10.00	7.50	
Pachistima canbyi. Canby Pachistima.	1'		
3 inch pots	.75	.60	.50
Paeonia suffruticosa. Tree Peony. 6'			
8 to 10 in., 3 year	3.00	2.50	
Paulownia tomentosa. Royal Paulowni	a. 30'		
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50	2.00	
Periploca graeca. Silk Vine. 30'			
2 year	.50	.40	.30
3 year	.60	.50	.40
Jean	•00	.00	•40

	1-4 Each	5-24 Each	25 & up Each
Periploca			
sepium. Chinese Silkvine. 25'			
2 year	1.25		
Perowskia atriplicifolia. 4'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	1.25
Phellodendron amurense. Amur Corkto	ree. 50'		
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.25	
1½ to 1¾ in	3.00	2.75	
1 3/4 to 2 in	4.00	3.50	
2 to 2½ in	5.50	4.50	
chinense. Chinese Corktree. 30'			
8 to 10 ft	3.00	2.50	
lavallei. 30'			
8 to 10 ft	4.00		
sachalinense. Sakhalin Corktree.	50'		
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
1½ to 1¾ in	4.50	4.00	
Philadelphus Albatre. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	
Argentine. 5'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
Avalanche. 5'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	
Banniere. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
Bouquet Blanc. 5'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.40	.35
coronarius. Sweet Mockorange. 1	0'		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75

	1-4 Each	5-24 Each	25 & up Each
Philadelphus	Dacii	134041	2300
coronarius aureus. Golden Mocko	range.	4'	
18 to 24 in	.50	.45	.40
24 to 30 in	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
coronarius nanus. 4'	2.0	= 0	
12 to 15 in	.60	.50	
15 to 18 in	.75	.60	
coronarius multiflorus plenus. 6'	F 0	4.0	9.0
2 to 3 ft	.50	.40	.30
Dame Blanche. 6'	4.0	20	or
2 to 3 ft	.40	.30	.25
dianthiflorus plenus. 4'	9.5	O.F	20
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
falconeri. Star Mockorange. 8' 3 to 4 ft	50	40	20
	.50	.40	.30
4 to 5 ft	.75	.60	
Favorite. 10'	.10	.00	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
Gerbe de Neige. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
Glacier. 5'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.75	.60	
gordonianus. Gordon Mockorange.	12'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
grandiflorus. Big Scentless Mocko		8'	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
incanus. Gray Mockorange. 10'			
18 to 24 in	1.00	.75	
lemoinei erectus. 5'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
lewisi. Lewis Mockorange. 10'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
Magdalene. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	
nepalensis. Nepal Mockorange. 10'	•		
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
nivalis. Snowbank Mockorange. 10	"		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
Norma. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
Ophelia. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
Pavillon Blanc. 8'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
pyramidale. 6'			
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	
5 to 6 ft	,90	.75	

		1-4 Each	5-24 Each	25 & up Each
Philadelphus		134011	220011	230011
sericanthus.	Silk Mockorange. 12'			
3 to 4	ft	1.50	1.25	
Sybille. 5'				
2 to 3	ft	.50	.40	.30
virginal. 8'				
2 to 3	ft	.50	.40	.30
3 to 4	ft	.60	.50	.40
	ft	.75	.60	.50
5 to 6	ft	1.00	.85	.75
Voie Lactee.		F 0	4.0	9.0
	ft	.50	.40	.30
	ft	.60	.50	.40
4 to 5	ft	.75	.60	.50
zeyheri. Ze	yher Mockorange. 10'			
3 to 4	ft	.50	.40	.30
4 to 5	ft	.60	.50	.40
5 to 6	ft	.75	.60	.50
6 to 8	ft	1.00	.85	.75
Photinia villosa.	8'			
3 to 4	ft	.75	.60	.50
4 to 5	ft	1.25	1.00	.75
5 to 6	ft	1.50	1.25	1.00
6 to 8	ft	2.50	2.00	1.50
8 to 10	ft	3.50	3.00	2.50
villosa laevis	. 15'			
4 to 5	ft	1.50	1.25	1.00
	ft	2.00	1.50	1.25
	ft	3.00	2.50	2.00
Physocarnus inte	rmedius parvifolius.	Drearf	Ninaharl	;. 4'
	ft			
	ft		.40	
F 00 G	10	.00	.00	.45
opulifolius.	Ninebark. 10'			
	ft	.35	.25	.20
3 to 4	ft	.45	.35	.25
	ft	.60	.45	.35
	ft	.75	.60	.50
6 to 8	ft	1.00	.85	.75

	1-4 Each	5-24 Each	25 & up Each
Physocarpus			
opulifolius luteus. Goldleaf Ninebo		,	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
opulifolius nanus. b'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
Picea alba. White Spruce. 50'			
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B		8.50	7.50
8 ftB&B	15.00	12.50	10.00
9 ftB&B	18.50	15.00	
10 ftB&B	25.00	20.00	
For larger sizes to 20 ft., add	\$5.00	per 100) T.
alba gloriosa. 30'			
2 ftB&B			
3 ftB&B			
4 ftB&B			
5 ftB&B	15.00		
alcockiana. Alcock Spruce. 75'	1000		
3 ftB&B			
4 ftB&B		non fo	at:
For larger sizes to 15 ft., add		per 10	Ot.
canadensis. Black Hills Spruce. 60		0.00	1 7 5
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	2.75	2.25
4 ftB&B 5 ft			
200111111111111111111111111111111111111		5.50 7.50	5.00
0 2011111111111111111111111111111111111	9.00 12.50	10.00	
7 ftB&B 8 ftB&B			
9 ftB&B		15.00	
10 ftB&B			
For larger sizes to 18 ft., add			t.
101 101 Bot 101 10 101 aud	40.00	F-02 200	

1-4 5-24 25 & up Each Each Each

Picea

engelmanni. Engelmann.	Spruce.	5		
10 ft	B&B	35.00		
For larger sizes to 1	6 it add	i \$5.00	per ioo	t.
excelsa. Normay Spruce.	75"			
2 11	B&B	2.00	1.50	1.25
3 it	B&B	3.00	2.50	2.00
\$ 11			3.75	3.25
5 it				4.50
ò ft	B&B	7.50	6.50	5.50
1 1				
8 11				
9 it				
10 ft				
For larger sizes to 25			per foot	•
			-4	
excelsa aurea. Golden No				
3 12				
4 ft				
5 14			12.50	
6 ft				
ī II				
For larger sizes to 1	2 it. ad	ld \$5.0	O per ic	oot.
excelsa clanbrasiliana.	•			
15 in	B&B	5.00		
18 in	E&E	6.50		
2 ft	B&B	8.00		
excelsa maxwelli. Morre	ill Surmer	8		
18 to 24 in				
24 to 30 in				
30 to 36 in			10.00	
36 to 42 in				
50 to 42 m	D&D	15.00	12.50	
excelsa nana compacta.	Dwarf Sp	ruce	2	
18 to 24 in	B&B	7.50	6.00	5.00
24 to 30 in	B&B	10.00	7.50	6.00
30 to 36 in	B&B	12.50	10.00	8.00
36 to 42 in	B&B	15.00	12.50	10.00
42 to 48 in				
excelsa nana pyramidalis.	Perami	del Dec	Spruce	-
18 in			· opiace	. 7
2 it				
		1.00		

(11231122 0110			
	1-4 Each	5-24 Each	25 & up Each
Picea			
excelsa pendula. Weeping Spruce.	20'		
3 ftB&B			
4 ftB&B			
5 ftB&B			
6 ftB&B			
For larger sizes to 10 ft., ad	d \$5.00) per f	t.
excelsa pygmea. Pygmy Norway S	Spruce.	20'	
18 to 24 inB&B	6.00	5.50	
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B			
36 to 42 inB&B	15.00		
excelsa remonti. Remont Spruce.	6'		
18 to 24 inB&B	6.50	5.50	5.00
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B	10.00		
36 to 42 inB&B	12.50		
glauca conica. Dwarf Alberta Spi	ruce. 6	,	
2 ftB&B		5.00	
2 ½ ftB&B		6.00	
3 ftB&B			
mariana. Black Spruce. 30'			
4 ftB&B	5.00	4.00	
5 ftB&B	6.00	5.00	
6 ftB&B	7.50	6.00	
7 ftB&B	10.00	7.50	
8 ftB&B	12.50	10.00	
mariana doumeti. Doumet Spruce	. 25'		
2 ftB&B	5.00	4.00	
3 ftB&B	6.00	5.00	
4 ftB&B	7.50		
5 ftB&B	10.00		
omorika. Serbian Spruce. 50'			
3 ftB&B	12.50		
4 ftB&B	15.00		
5 ftB&B	20.00		
6 ftB&B	25.00		
orientalis. Oriental Spruce. 75'			
2 ftB&B	4.00		
3 ftB&B	5.00		
10 ftB&B	30.00		
11 ftB&B	40.00		

	4 4	F 04	05 0
	1-4 Each	5-24 Each	25 & up Each
Picea			
polita. Tigertail Spruce. 75'			
2 ftB&B	4.00		
9 ftB&B	20.00		
10 ftB&B	25.00		
For larger sizes to 16 ft., add	\$5.00	per fo	ot.
pungens. Colorado Spruce. 60'	0.50	2.00	0.50
3 ftB&B		3.00	
4 ftB&B			
	7.50	6.00	
6 ftB&B			
	12.50	10.00	7.50
	15.00	12.50	
For larger sizes to 18 ft., add	1 \$5.00	per fo	ot.
pungens glauca. Blue Colorado Si	ruce.	60 '	
2 ftB&B		3.50	3.00
3 ftB&B		4.50	4.00
4 ftB&B		6.50	6.00
5 ftB&B		9.00	8.00
6 ftB&B		12.50	10.00
7 ftB&B		15.00	12.50
8 ftB&B		20.00	17.50
9 ftB&B		30.00	
For larger sizes to 20 ft., ad			ot.
		_	
pungens kosteri. Koster Blue Spr			4.00
2 ftB&B		4.50	
2 ½ ftB&B			
3 ftB&B			
3 ½ ftB&B			
4 ftB&B		11.00	
4 ½ ftB&B			
5 ftB&B		15.00	
5 ½ ftB&B			
6 ftB&B			
7 ftB&B			
8 ft			
For larger sizes to 25 ft., ad	α \$10.0	o per	1001.
pungens moerheimi. 40'			
2 ½ ftB&B		6.50	
3 ftB&B		8.00	
3 ½ ftB&B			
4 ftB&B	15.00	12.50	

	1-4 Each	5-24 Each	25 & up Each
Picea	Bach	Lacii	Hach
rubra. Red Spruce. 60'			
5 ftB&B	6.00	5.00	4.50
6 ftB&B	7.50	6.50	5.50
7 ftB&B	10.00	7.50	6.50
8 ftB&B	12.50	10.00	7.50
9 ftB&B	15.00	12.50	10.00
10 ftB&B	20.00	15.00	
Pieris floribunda. Mountain Andromeda	. 4'		
18 to 24 inB&B	4.00	3.50	3.00
24 to 30 inB&B	5.50		
japonica. Japanese Andromeda. 10'			
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.00	2.50	
24 to 30 inB&B	5.00		
mariana. Staggerbush. 4'			
24 to 30 inB&B	3.00	2.50	
30 to 36 inB&B	4.00	3.50	
Pinus banksiana. Jack Pine. 60'			
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ftB&B	15.00	12.50	10.00
9 ftB&B	18.00	15.00	12.50
10 ftB&B	22.50	18.00	15.00
11 ftB&B		22.50	
For larger sizes to 18 ft., add	1 \$5.00	per fo	ot.
bungeana. Lacebark Pine. 60'			
2 ftB&B	5.00	4.50	
densiflora. Japanese Red Pine. 6	0'		
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B		4.50	4.00
6 ftB&B	6.50	5.50	5.00
7 ftB&B	9.00	7.50	6.50
8 ftB&B	12.50	10.00	9.00
9 ftB&B	15.00	12.50	
For larger sizes to 17 ft., add	\$5.00	per fo	ot.

Pinus	1-4		25 & up
flexilis. Limber Pine. 30'	Each	Each	Each
4 ftB&B	7.50		
5 ftB&B			
6 ftB&B			
7 ftB&B			
For larger sizes to 16 ft., add		per foo	t.
montana. Swiss Mountain Pine. 10		Poz	
18 inB&B	3.00	2.75	2.50
2 ftB&B			
2½ ftB&B			
3 ftB&B		5.50	
3 ½ ftB&B			
	15.00	12.50	
	20.00	15.00	
	25.00		
	35.00		
montana mughus. Dwarf Mountai	n Pine.	4'	
15 to 18 in. spdB&B		•	2.00
18 to 24 in. spdB&B			
2 to 2½ ft. spdB&B		3.50	3.25
2½ to 3 ft. spdB&B			4.00
3 to 3½ ft. spdB&B			
3 ½ to 4 ft. spd B&B			7.50
4 to 5 ft. spdB&B	15.00	12.50	10.00
5 to 6 ft. spdB&B			
6 to 7 ft. spdB&B			
nigra. Austrian Pine. 50'			
2 ftB&B	3.00	2.50	2.00
3 ftB&B	5.00	4.00	3.25
, 4 ftB&B	6.00	5.00	4.25
5 ftB&B	7.50	6.50	5.75
6 ftB&B	10.00	8.50	7.50
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
9 ftB&B	22.50	18.00	15.00
	27.50	22.50	18.00
For larger sizes to 16 ft., add	\$5.00	per fo	ot.
	60'		
3 ftB&B	4.00	3.75	
	6.00	5.00	4.50
	7.50	6.50	
6 ftB&B			
For larger sizes to 18 ft., add	\$5.00	per foo	t.

	1-4	5-24	25 & up
Pinus	Each	Each	Each
parviflora. Japanese White Pine.			
2 ftB&B	5.00		
resinosa. Red Pine. 50'			
3 ftB&B	5.00	4.00	3.25
4 ftB&B	6.00	5.00	
	7.50	6.50	
6 ftB&B	10.00	8.50	7.50
	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
	22.50	18.00	15.00
For larger sizes to 18 ft., add	\$5.00	per 100	t.
strobus. White Pine. 75'	0.00	0 = 0	2.00
2 ftB&B	3.00	2.50	2.00
3 ftB&B	5.00	4.00	3.25
4 ftB&B	6.00	5.00	4.25
5 ftB&B	7.50	6.50	
6 ftB&B	10.00	8.50	7.50
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
For larger sizes to 16 ft., add	\$5.00	per 100	t.
sylvestris. Scotch Pine. 50'			
3 ftB&B		3.00	2.75
4 ftB&B	4.50	4.00	3.50
	6.00	5.50	5.00
	7.50	6.50	
7 ftB&B		8.50	
8 ftB&B		12.50	
9 ftB&B			
10 ftB&B			
11 ftB&B			
For larger sizes to 18 ft., add	\$5.00	per 10	ot.
thunbergi. Japanese Black Pine.	<i>60'</i>		
3 ftB&B		4.00	
4 ftB&B	7.50	6.00	
5 ftB&B			
6 ftB&B	12.50		
Platanus occidentalis. American Planes	tree. 7	5 '	
8 to 10 ft	2.00	1.75	1.50
1½ to 1½ in	3.00	2.50	
1½ to 1¾ in	3.50	3.00	
1 3/4 to 2 in	5.00	4.00	
2 to $2\frac{1}{2}$ in	6.50		

	1-4 Each	5-24 Each	25 & up Each
Platanus			
orientalis. European Planetree. 80'	,		
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.50	2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	2.50
1 % to 2 in	4.00	3.75	3.25
2 to $2\frac{1}{2}$ in	6.00	5.00	4.50
Polygonum auberti. China Fleecevine.	25'		
2 year	.50	.35	.30
Populus alba. White Poplar. 60'			
10 to 12 ft	1.75	1.50	
1¾ to 2 in	3.00	2.50	
2 to 2½ in	3.50	3.00	
alba nivea. Silver Poplar. 90'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.25	2.00	
berolinensis. Volga Poplar. 40'			
8 to 10 ft	2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.75	2,50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.25	3.00
1 3/4 to 2 in	5.00	4.00	3.50
bolleana. Bolleana Poplar. 50'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.00	1.75
	3.50	3.00	
1 3/4 to 2 in	4.50	3.50	
2 to $2\frac{1}{2}$ in	6.50	5.50	
2½ to 3 in	10.00	7.50	
certinensis. Certinensis Poplar. 40) <i>'</i>		
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft	3.00	2.50	
1 3/4 to 2 in	4.00	3.50	
maximowiczi. Japanese Poplar.	40'		
8 to 10 ft	3.00	2.50	
10 to 12 ft	3.50	3.00	
1½ to 1¾ in	4.00	3.50	
2 to 2½ in		5.00	

	1-4 Each	5-24 Each	25 & up Each
Populus			
nigra betulifolia. 60'			
8 to 10 ft	2.50	2.25	2.00
nigra italica. Lombardy Poplar. 6	<i>30'</i>		
6 to 8 ft	1.00	.75	.60
8 to 10 ft	1.25	1.00	.75
10 to 12 ft	1.50	1.25	1.00
1½ to 1¾ in	2.00	1.60	1.35
1 3/4 to 2 in	3.00	2.50	2.00
2 to 2½ in	4.00	3.00	
2½ to 3 in	5.00	4.00	
simoni. Simon Poplar. 35'			
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
1 1/4 to 1 1/2 in	1.75	1.50	
1½ to 1¾ in	2.00	1.75	
1 3/4 to 2 in	2.25	2.00	
2 to 2½ in	3.50	2.50	
suaveolens przewalski. 40'	,		
1½ to 1¾ in	3.50		
tremuloides. Quaking Aspen. 50'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.75	2.25	
10 to 12 ft	3.50	3.00	
1 3/4 to 2 in	4.00	3.50	
	5.00	4.50	
2½ to 3 in	6.00		
72 23307 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	7.50		
trichocarpa. Black Cottonwood. 40		1 75	1 50
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	2.75	2.25	1.75
1½ to 1¾ in	$\frac{3.00}{3.50}$	$\frac{2.50}{3.00}$	
$1 \frac{3}{4}$ to 2 in	4.00	3.50	
		0.00	
Potentilla fruticosa. Shrubby Cinquefoil		0.0	0.5
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
Prinsepia sinensis. Cherry Prinsepia. 6'	1 05	1.00	
9 to 12 in., from pots	1.25	1.00	
Prunus americana. American Plum. 20		CO	50
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00 1.25	.75
8 to 10 ft	1.50	1.20	1.00

707			
	1-4 Each	5-24 Each	25 & up Each
Prunus	134011		
americana Newport. Purple-leaved	! Americ	ran Plui	m. 20'
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.65	1.50
armeniaca sibirica. Siberian Apric	ot. 12'		
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
*avium plena. Double White Flow	erina Cl	herry.	30'
6 to 8 ft		3.00	2.25
8 to 10 ft	5.00	4.00	2,20
10 to 12 ft	6.00	5.00	
3 to 4 in. specimens		0.00	
	20.00		
besseyi. Bessey Cherry. 8'	E 0	4.0	20
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
cerasifera pissardi. Purpleleaf Plu			
4 to 5 ft	.85	.75	
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.65	1.50
8 to 10 ft	2.50	2.00	
cistena. Purpleleaf Sand Cherry.	20'		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	.90
demissa. Western Chokecherry. 30) '		
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
dunbari. Dunbar Plum. 6'			
2 to 3 ft	.85	.70	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.25	
glandulosa. Flowering Almond. 10)'		
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50

	1-3	5 25	26 8. 00 8.89.11
France			
glandulesa alhiplana.			
Double Whitestowering Almond.			
% to 3 ft	,95	.50	.45
3 10 4 1t	.75	.85	.60
2 to 3 st. oun roots	1.50		
glandulosa sinensis. Double Plakfl		Almon	
2 to % ft	.85	.50	,45
3 to 4 fr	.75	.95	.60
2 to 2 ft. onn roots	1.50		
3 to 4 ft. oun roots	2.00		
herry whom by Hartriden Plan. 30'			
4 1/1 5 11	1.25	1.00	
5 th 6 ft	1.50	1.25	
in the france in the second	2,00	1,50	
% 10, 10 ft	2.50	2.00	
Inches, Monne Cherry, 16'			
4 10 5 11	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3,59	3.00	2,50
Japanies, Chinese Bush Cherry, 12	<i>'</i>		
2 to 3 ft	1.50	1.25	
2 to 4 ft	1.75	1.50	
"lannerland, Hilloye Cherry, 30"			
5 to 6 ft	3,00	2.50	
6 to 8 ft	4,00	3.50	
"lannesland Amayadori, 30'			
5 1/2 8 ft	3,00	2.50	
6 W & ft	4,00	3,50	
"lannesana dontos. 26'			
4 1/1 5 11	2,50		
"lannesiana sirotae, Mt. Rull Che			
5 1/2 6 11	3,00	2.50	
6, 1/1 % 11	4,00	3.50	
monels. Amur Cherry. 12'			
4 1/1 5 ft	.75	.30	.50
5 t/) 6 ft	1,00	.75	.30
6 to 8 ft	1.25	1.00	.75
muritimu, Beach I bum. 12'			
7. 1/1 2. 94	,60	.50	,40
3 1/1 /3 12	.75	,6,0	,50
4 10 5 15	,4,85	.75	,60
1) W 6 ft	1,00	.25	.75

	1-4 Each	5-24 Each	25 & up Each
Prunus			
moseri fl. pl. 12'			
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.50	2.00	
mume. Japanese Apricot. 15'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
padus. European Bird Cherry. 30'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.35	1.10	1.00
8 to 10 ft	1.50	1.35	1.25
pennsylvanica. Pin Cherry. 25'			
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	3.00	2.50	2.25
persica. (See Amygdalus).			
pumila. Sand Cherry. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
serotina. Wild Black Cherry. 60'			
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
10 to 12 ft	2.50	2.00	
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	
*serrulata Higantakura. Dbl. Whi	te Flg.	Cherry.	<i>30</i> ′
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
*serrulata Hisakura. Dbl. Pink Flg	g. Cher	ry. 30'	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Prunus	Dach	Lacii	Dacii
*serrulata James H. Veitch. syn.	Fugenzo	. 30'	
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	
*serrulata sachalinensis. syn. Sarg	enti.		
Yama Cherry. 50'			
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
*sieboldi. syn. Naden. Siebold Che	erry. 40'		
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
spinosa. Blackthorn. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
* 11: 11 Gline hime	n. 20'		
*subhirtella ascendens. Shiro-higa	3.00	2.50	
4 to 5 ft	$\frac{3.00}{4.00}$	$\frac{2.50}{3.50}$	
5 to 6 ft	5.00	4.50	
0 10 8 11	5.00	4.00	
*subhirtella autumnalis.			
Autumn Flowering Higan Cherry.	<i>30'</i>		
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	5.00	
8 to 10 ft			
10 to 12 ft., specB&B	35.00		
*subhirtella pendula. Weeping Hig	an Cherr	ry. 15	,
2 yr. hds., 4 to 6 ft. stem	5.00	4.00	

	1-4 Each	5-24 Each	25 & up Each
Prunus	234011	24011	
tomentosa. Nanking Cherry. 8'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	
triloba. Single Flowering Plum.	10'		
4 to 5 ft	2.50		
5 to 6 ft	3.50		
triloba plena. Double Flowering I	Plum.	10'	
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.25	1.00	.85
virginiana. Chokecherry. 30'			
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
*yedoensis. Yoshino Cherry. 35'			
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
*yedoensis taizanfukun.			
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft., specB&B	30.00		
12 to 14 ft. specB&B	35.00		

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.50, \$3.00 and \$4.00 each, respectively.

Amanogawa—semi-double pale pink
Gioiko—semi-double pale yellow
Hata-zakura—semi-double white
Horaisan—double pink
Hosokawanioi—semi-double flesh
Kuramayami—double pink

1-4 5-24 25 & up Each Each Each

Prunus

Kwanzan—syn. Sekiyama—double deep pink Miyako—double pink Shirofugen—double light pink Shogetsu—double soft pink Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsuga douglasi. Douglas Fir. 70'			
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.00	2.75	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.00	4.50
6 ftB&B	8.50	7.50	6.00
7 ftB&B 1	10.00	8.50	7.50
8 ftB&B	15.00	12.50	10.00
9 ftB&B 1	18.50	15.00	12.50
10 ftB&B 2	22.50	18.50	15.00
For larger sizes to 25 ft., add	\$5.00	per foot	•
Pseudolarix kaempferi. Golden Larch.	50 2		
9 ftB&B			
10 ftB&B 5			
10 10	50.00		
Ptelea trifoliata. Hoptree. 20'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
Phonone standard Chinese Wingout	101		
Pterocarya stenoptera. Chinese Wingnut	-	2.00	
3 to 4 ft		3.00	
4 to 5 ft	5.00		
Pterostyrax corymbosa. Little Epaulette	e-tree.	20'	
2 to 3 ft	2.50	2.00	
3 to 4 ft			
Pueraria thunbergiana. Kudzu-bean. 40		0.0	0.0
2 year	.45	.30	.20
Pyracantha (See Crataegus).			

	1-4		
Pyrus calleryana. Callery Pear. 20'	Each	Each	Each
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
salicifolia. Willowleaf Pear. 30'			
4 to 5 ft	2.00	1.50	
5 to 6 ft		2.00	
	2.00	2.00	
serrulata. 20'	0.50	2.00	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
Quercus alba. White Oak. 75'			
6 to 8 ft	4.50	4.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in		5.00	
1½ to 1¾ in		6.00	
1 % to 2 in		7.50	
2 to $2\frac{1}{2}$ in		10.00	
$2\frac{1}{2}$ to 3 in	15.00	12.50	
3 to $3\frac{1}{2}$ in		15.00	
$3\frac{1}{2}$ to 4 in	25.00	20.00	
bicolor. Swamp White Oak. 60'			
6 to 8 ft	4.50	4.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.50	5.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.50	6.00	
1 % to 2 in	8.50	7.50	
2 to $2\frac{1}{2}$ in	12.50	10.00	
2½ to 3 in	15.00	12.50	
3 to $3\frac{1}{2}$ in	20.00		
coccinea. Scarlet Oak. 75'			
6 to 8 ft		3.50	3.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in		4.50	4.00
1½ to 1¾ in		5.50	5.00
1 % to 2 in		7.50	6.00
2 to $2\frac{1}{2}$ in		10.00	
$2\frac{1}{2}$ to 3 in		12.50	
3 to $3\frac{1}{2}$ in	20.00	15.00	
$3\frac{1}{2}$ to 4 in	25.00		
4 to $4\frac{1}{2}$ in	35.00		
lyrata. Overcup Oak. 75'			
1 3/4 to 2 in	12.50		
2 to 2½ in	15.00		
2½ to 3 in	17.50		
3 to 3½ in	20.00		

Macrocarpa Mossycup Oak 75'		1-4 Each	5-24 Each	25 & up
1½ to 1¾ in 6.00 5.50 5.00 1¾ to 2 in 7.50 6.50 6.00 2 to 2½ in 12.50 10.00 7.50 2½ to 3 in 15.00 12.50 10.00 3 to 3½ in 20.00 15.00 12.50 3½ to 4 in 25.00 20.00 4 to 4½ in 35.00 palustris. Pin Oak. 75′ 6 to 8 ft 2.50 2.25 2.00 1¼ to 1½ in 3.00 2.75 2.50 1¼ to 1½ in 3.00 2.75 2.50 1½ to 1¾ in 3.75 3.25 3.00 1¾ to 2 in 5.50 5.00 4.50 2 to 2½ in 8.50 7.50 6.00 2 ½ to 3 in 12.50 10.00 8.00 3 ½ to 4 in 20.00 15.00 12.50 3 ½ to 4 in 20.00 15.00 12.50 b to 6 in 30.00 25.00 phellos. Willow Oak. 40′ 5 to 6 ft 7.50 6.00 6 to 8 ft 10.00 7.50 4 to 5 in 40.00 phellos. Willow Oak. 40′ 5 to 6 in 50.00 prinus. Chestnut Oak. 50′ 6 to 8 ft 4.50 4.00 3.50 1¼ to 1½ in 5.50 5.00 4.50 1½ to 1¾ in 7.50 6.00 5 to 6 in 50.00 prinus. Chestnut Oak. 50′ 6 to 8 ft 4.50 4.00 3.50 1¼ to 1½ in 5.50 5.00 4.50 2½ to 3 in 12.50 10.00 2½ to 3 in 12.50 10.00 2½ to 3 in 5.50 5.00 4.50 1¼ to 1½ in 5.50 5.00 5.50 1¼ to 1½ in 5.50 5.00 4.50 1½ to 1¾ in 7.50 6.00 5.50 1¼ to 2 in 12.50 10.00 2½ to 3 in 12.50 10.00 2½ to 3 in 5.00 4.50 robur. English Oak. 80′ 6 to 8 ft 4.50 4.00 3.50 1¼ to 1½ in 5.00 4.50 4.00 1½ to 1¾ in 5.00 4.50 4.00 1½ to 1½ in 5.00 4.50 4.00 1½ to 1¾ in 5.00 4.50 5.50 5.00 2 to 2½ in 12.50 10.00 7.50 2 to 2½ in 12.50 10.00 7.50	Quercus	Each	Each	Each
1 ¾ to 2 in. 7.50 6.50 6.00 2 to 2 ½ in. 12.50 10.00 7.50 2 ½ to 3 in. 15.00 12.50 10.00 3 to 3 ½ in. 20.00 15.00 12.50 3 ½ to 4 in. 25.00 20.00 4 to 4 ½ in. 35.00 palustris. Pin Oak. 75' 6 to 8 ft. 2.50 2.25 2.00 1 ¼ to 1 ½ in. 3.00 2.75 2.50 1 ½ to 1 ¾ in. 3.75 3.25 3.00 1 ¾ to 2 in. 5.50 5.00 4.50 2 ½ in. 8.50 7.50 6.00 2 ½ to 3 in. 12.50 10.00 8.00 3 ½ to 4 in. 20.00 15.00 12.50 4 to 5 in. 30.00 25.00 5 to 6 in. 40.00 phellos. Willow Oak. 40' 5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 40.00 phellos. Willow Oak. 40' 6 to 8 ft. 10.00 7.50 4 to 5 in. 5.00 1 ½ to 1 ¼ in. 7.50 6.00 5 to 6 in. 40.00 prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1 ¼ to 1 ½ in. 5.50 5.00 4.50 1 ½ to 1 ½ in. 7.50 6.00 5 to 6 in. 40.00 prinus. Chestnut Oak. 50' 6 to 8 ft. 10.00 7.50 2 to 2 ½ in. 12.50 10.00 2 ½ to 3 in. 15.00 12.50 3 to 3 ½ in. 20.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1 ¼ to 1 ½ in. 5.00 4.50 4.00 1 ½ to 1 ¾ in. 5.00 4.50 4.00 1 ½ to 1 ¼ in. 5.00 4.50 4.00 1 ½ to 1 ¼ in. 5.00 4.50 4.00 1 ½ to 1 ¼ in. 5.00 4.50 5.50 2 to 2 ½ in. 12.50 10.00 7.50	macrocarpa. Mossycup Oak. 75'			
2 to 2½ in. 12.50 10.00 7.50 2½ to 3 in. 15.00 12.50 10.00 3 to 3½ in. 20.00 15.00 12.50 3½ to 4 in. 25.00 20.00 4 to 4½ in. 35.00 palustris. Pin Oak. 75' 6 to 8 ft. 2.50 2.25 2.00 1¼ to 1½ in. 3.00 2.75 2.50 1½ to 1¾ in. 3.75 3.25 3.00 1¾ to 2 in. 5.50 5.00 4.50 2½ to 3 in. 12.50 10.00 8.00 3½ to 4 in. 20.00 15.00 12.50 1½ to 1¾ in. 3.00 2.75 2.50 1½ to 1¾ in. 3.75 3.25 3.00 1¾ to 2 in. 5.50 5.00 4.50 2½ to 3 in. 12.50 10.00 8.00 3½ to 4 in. 20.00 15.00 12.50 10.00 3½ to 4 in. 20.00 15.00 12.50 4 to 5 in. 30.00 25.00 5 to 6 in. 40.00 phellos. Willow Oak. 40' 5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 40.00 5 to 6 in. 40.00 prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.50 5.00 4.50 1½ to 1¾ in. 7.50 6.00 5.50 1¾ to 2 in. 10.00 7.50 2 to 2½ in. 12.50 10.00 2½ to 3 in. 15.00 12.50 3 to 3½ in. 20.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.00 4.50 1½ to 1¾ in. 7.50 6.00 5.50 1¼ to 1½ in. 5.00 4.50 4.50 4.00 4.50 1½ to 1½ in. 5.00 4.50 4.50 4.00 4.50 1½ to 1½ in. 5.00 4.50 4.50 4.00 4.50 1½ to 3 in. 15.00 12.50 3 to 3½ in. 20.00 15.00		6.00	5.50	5.00
2 ½ to 3 in. 15.00 12.50 10.00 3 to 3½ in. 20.00 15.00 12.50 3½ to 4 in. 25.00 20.00 4 to 4½ in. 35.00 palustris. Pin Oak. 75′ 6 to 8 ft. 2.50 2.25 2.00 1¼ to 1½ in. 3.00 2.75 2.50 1½ to 1¾ in. 3.75 3.25 3.00 1¾ to 2 in. 5.50 5.00 4.50 2 to 2½ in. 8.50 7.50 6.00 2 ½ to 3 in. 12.50 10.00 8.00 3 to 3½ in. 15.00 12.50 10.00 3½ to 4 in. 20.00 15.00 12.50 4 to 5 in. 30.00 25.00 5 to 6 in. 40.00 phellos. Willow Oak. 40′ 5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 40.00 5 to 6 in. 50.00 prinus. Chestnut Oak. 50′ 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.50 5.00 4.50 1½ to 1¾ in. 7.50 6.00 5 to 6 in. 50.00 prinus. Chestnut Oak. 50′ 6 to 8 ft. 10.00 7.50 2 to 2½ in. 12.50 10.00 2½ to 3 in. 10.00 7.50 2 to 2½ in. 10.00 7.50		7.50	6.50	6.00
3 to 3½ in 20.00 15.00 12.50 3½ to 4 in 25.00 20.00 4 to 4½ in 35.00 palustris. Pin Oak. 75′ 6 to 8 ft 2.50 2.25 2.00 1¼ to 1½ in 3.00 2.75 2.50 1½ to 1¾ in 3.75 3.25 3.00 1¾ to 2 in 5.50 5.00 4.50 2 to 2½ in 8.50 7.50 6.00 2½ to 3 in 12.50 10.00 8.00 3 to 3½ in 15.00 12.50 10.00 3½ to 4 in 20.00 15.00 12.50 4 to 5 in 30.00 25.00 phellos. Willow Oak. 40′ 5 to 6 ft 7.50 6.00 6 to 8 ft 10.00 7.50 4 to 5 in 40.00 phellos. Chestnut Oak. 50′ 6 to 8 ft 10.00 7.50 1¼ to 1½ in 5.50 5.00 4.50 1½ to 1¾ in 7.50 6.00 5 to 6 in 50.00 prinus. Chestnut Oak. 50′ 6 to 8 ft 10.00 7.50 1½ to 1¾ in 7.50 6.00 5.50 1¾ to 2 in 10.00 7.50 2 to 2½ in 12.50 10.00 2½ to 3 in 15.00 12.50 3 to 3½ in 5.00 4.50 1½ to 1¾ in 5.50 5.00 4.50 1½ to 1¾ in 5.50 5.00 4.50 1½ to 1¾ in 5.50 5.00 12.50 3 to 3½ in 15.00 12.50 3 to 3½ in 5.00 4.50 4.00 1½ to 1¾ in 5.00 4.50 4.00	2 to 2½ in	12.50	10.00	7.50
3 ½ to 4 in 25.00 20.00 4 to 4½ in 35.00 palustris. Pin Oak. 75′ 6 to 8 ft 2.50 2.25 2.00 1¼ to 1½ in 3.00 2.75 2.50 1½ to 1¾ in 3.75 3.25 3.00 1¾ to 2 in 5.50 5.00 4.50 2 to 2½ in 8.50 7.50 6.00 2½ to 3 in 12.50 10.00 8.00 3 to 3½ in 15.00 12.50 10.00 3½ to 4 in 20.00 15.00 12.50 4 to 5 in 30.00 25.00 5 to 6 ft 7.50 6.00 6 to 8 ft 10.00 7.50 4 to 5 in 40.00 5 to 6 in 50.00 prinus. Chestnut Oak. 50' 6 6 to 8 ft 10.00 7.50 4 to 1½ in 5.50 5.00 4.50 1½ to 1¾ in 7.50 6.00 5.50 1¼ to 1½ in 12.50 10.00 5.50 1¼ to 2½ in	2½ to 3 in	15.00	12.50	10.00
4 to 4½ in 35.00 palustris. Pin Oak. 75' 6 to 8 ft 2.50 2.25 2.00 1½ to 1½ in 3.00 2.75 2.50 1½ to 1¾ in 3.75 3.25 3.00 1¾ to 2 in 5.50 5.00 4.50 2 to 2½ in 8.50 7.50 6.00 2½ to 3 in 12.50 10.00 8.00 3 to 3½ in 15.00 12.50 10.00 3½ to 4 in 20.00 15.00 12.50 4 to 5 in 30.00 25.00 5 to 6 ft 7.50 6.00 6 to 8 ft 10.00 7.50 4 to 5 in 40.00 5 to 6 ft 7.50 6.00 6 to 8 ft 40.00 5 to 6 in 50.00 9rinus. Chestnut Oak. 50' 6 to 8 ft 4.50 4.00 3.50 1¼ to 1½ in 5.50 5.00 4.50 1¼ to 1½ in 10.00 7.50 2 to 2½ in 12.50 10.00 2½ to 3 in 12.50 10.00 2½ to 3 in 12.50 10.00 2½ to 3 in 15.00 12.50 3 to 3½ in 20.00 15.00 1½ to 1¾ in 5.00 4.50 4.00	3 to 3½ in	20.00	15.00	12.50
palustris. Pin Oak. 75' 6 to 8 ft. 2.50 2.25 2.00 1½ to 1½ in. 3.00 2.75 2.50 1½ to 1¾ in. 3.75 3.25 3.00 1¾ to 2 in. 5.50 5.00 4.50 2 to 2½ in. 8.50 7.50 6.00 2½ to 3 in. 12.50 10.00 8.00 3 to 3½ in. 15.00 12.50 10.00 3½ to 4 in. 20.00 15.00 12.50 4 to 5 in. 30.00 25.00 5 to 6 in. 40.00 phellos. Willow Oak. 40' 5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 40.00 5 to 6 in. 50.00 prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.50 5.00 4.50 1½ to 1¾ in. 7.50 6.00 5.50 1½ to 3 in. 15.00 12.50 3 to 3½ in. 20.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.00 4.50 4.00 1½ to 1¾ in. 6.50 5.50 5.00 2 to 2½ in. 12.50 10.00 7.50 2½ to 3 in.	3½ to 4 in	25.00	20.00	
6 to 8 ft. 2.50 2.25 2.00 1 ½ to 1 ½ in. 3.00 2.75 2.50 1 ½ to 1 ¾ in. 3.75 3.25 3.00 1 ¾ to 2 in. 5.50 5.00 4.50 2 to 2 ½ in. 8.50 7.50 6.00 2 ½ to 3 in. 12.50 10.00 8.00 3 ½ to 4 in. 20.00 15.00 12.50 4 to 5 in. 30.00 25.00 5 to 6 in. 40.00 phellos. Willow Oak. 40' 5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 50.00 prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1 ½ to 1 ¾ in. 7.50 6.00 5 ½ to 2 ½ in. 10.00 7.50 2 to 2 ½ in. 12.50 10.00 prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1 ½ to 1 ¾ in. 7.50 6.00 2 ½ to 3 in. 15.00 12.50 3 to 3 ½ in. 12.50 10.00 2 ½ to 3 in. 15.00 12.50 3 to 3 ½ in. 20.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1 ½ to 1 ½ in. 5.00 4.50 2 to 2 ½ in. 12.50 10.00 2 ½ to 3 in. 15.00 12.50 3 to 3 ½ in. 12.50 10.00 7.50 2 to 2 ½ in. 12.50 10.00 7.50	4 to 4½ in	35.00		
6 to 8 ft. 2.50 2.25 2.00 1 ½ to 1 ½ in. 3.00 2.75 2.50 1 ½ to 1 ¾ in. 3.75 3.25 3.00 1 ¾ to 2 in. 5.50 5.00 4.50 2 to 2 ½ in. 8.50 7.50 6.00 2 ½ to 3 in. 12.50 10.00 8.00 3 ½ to 4 in. 20.00 15.00 12.50 4 to 5 in. 30.00 25.00 5 to 6 in. 40.00 phellos. Willow Oak. 40' 5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 50.00 prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1 ½ to 1 ¾ in. 7.50 6.00 5 ½ to 2 ½ in. 10.00 7.50 2 to 2 ½ in. 12.50 10.00 prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1 ½ to 1 ¾ in. 7.50 6.00 2 ½ to 3 in. 15.00 12.50 3 to 3 ½ in. 12.50 10.00 2 ½ to 3 in. 15.00 12.50 3 to 3 ½ in. 20.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1 ½ to 1 ½ in. 5.00 4.50 2 to 2 ½ in. 12.50 10.00 2 ½ to 3 in. 15.00 12.50 3 to 3 ½ in. 12.50 10.00 7.50 2 to 2 ½ in. 12.50 10.00 7.50	palustris. Pin Oak. 75'			
1½ to 1¾ in. 3.75 3.25 3.00 1¾ to 2 in. 5.50 5.00 4.50 2 to 2½ in. 8.50 7.50 6.00 2½ to 3 in. 12.50 10.00 8.00 3 to 3½ in. 15.00 12.50 10.00 3½ to 4 in. 20.00 15.00 12.50 4 to 5 in. 30.00 25.00 5 to 6 in. 40.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 40.00 5 to 6 in. 50.00 prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.50 5.00 4.50 1½ to 1¾ in. 7.50 6.00 5.50 1¼ to 2 in. 10.00 7.50 2 to 2½ in. 12.50 10.00 2½ to 3 in. 15.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.00 4.50 4.00 1½ to 1¾ in. <td< td=""><td>-</td><td>2.50</td><td>2.25</td><td>2.00</td></td<>	-	2.50	2.25	2.00
1 ¾ to 2 in. 5.50 5.00 4.50 2 to 2½ in. 8.50 7.50 6.00 2½ to 3 in. 12.50 10.00 8.00 3 to 3½ in. 15.00 12.50 10.00 3½ to 4 in. 20.00 15.00 12.50 4 to 5 in. 30.00 25.00 5 to 6 in. 40.00 9hellos. Willow Oak. 40' 5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 40.00 5 to 6 in. 50.00 Prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.50 5.00 4.50 1½ to 1¾ in. 7.50 6.00 5.50 1¼ to 2 in. 10.00 7.50 2 to 2½ in. 12.50 10.00 2½ to 3 in. 15.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.00 4.50 <t< td=""><td>1½ to 1½ in</td><td>3.00</td><td>2.75</td><td>2.50</td></t<>	1½ to 1½ in	3.00	2.75	2.50
2 to 2½ in. 8.50 7.50 6.00 2½ to 3 in. 12.50 10.00 8.00 3 to 3½ in. 15.00 12.50 10.00 3½ to 4 in. 20.00 15.00 12.50 4 to 5 in. 30.00 25.00 5 to 6 in. 40.00 phellos. Willow Oak. 40' 5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 40.00 prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.50 5.00 4.50 1¼ to 1½ in. 7.50 6.00 5.50 1¾ to 2 in. 10.00 7.50 2 to 2½ in. 12.50 10.00 2½ to 3 in. 15.00 12.50 3 to 3½ in. 20.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.00 4.50 1½ to 1¾ in. 5.00 12.50 3 to 3½ in. 5.00 4.50 1½ to 1¾ in. 6.50 5.50 5.00 2 to 2½ in. 12.50 10.00 2½ to 3 in. 15.00 12.50 3 to 3½ in. 5.00 4.50 4.00 1½ to 1¾ in. 6.50 5.50 5.00 2 to 2½ in. 12.50 10.00 7.50 2½ to 3 in. 15.00 4.50 4.00 1½ to 1¾ in. 6.50 5.50 5.00 2 to 2½ in. 12.50 10.00 7.50 2½ to 3 in. 15.00 12.50 10.00 1½ to 1¾ in. 6.50 5.50 5.00 2 to 2½ in. 12.50 10.00 7.50 2½ to 3 in. 15.00 12.50 10.00 3 to 3½ in. 15.00 12.50 10.00	1½ to 1¾ in	3.75	3.25	3.00
2½ to 3 in. 12.50 10.00 8.00 3 to 3½ in. 15.00 12.50 10.00 3½ to 4 in. 20.00 15.00 12.50 4 to 5 in. 30.00 25.00 5 to 6 in. 40.00 phellos. Willow Oak. 40' 5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 40.00 prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.50 5.00 4.50 1½ to 1¾ in. 7.50 6.00 5.50 1¾ to 2 in. 10.00 7.50 2 to 2½ in. 12.50 10.00 2½ to 3 in. 15.00 12.50 3 to 3½ in. 20.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.00 4.50 1½ to 1¾ in. 5.00 4.50 1½ to 1½ in. 5.00 4.50 1½ to 3 in. 5.00 4.50 1½ to 1½ in. 5.00 4.50 1½ to 1½ in. 5.00 4.50 1½ to 1½ in. 5.00 4.50 1½ to 1¾ in. 6.50 5.50 5.00 2 to 2½ in. 12.50 10.00 7.50 2½ to 3 in. 15.00 12.50 1.00 2½ to 3 in. 15.00 12.50 10.00 3 to 3½ in. 12.50 10.00 7.50	1 % to 2 in	5.50	5.00	4.50
3 to 3½ in 15.00 12.50 10.00 3½ to 4 in 20.00 15.00 12.50 4 to 5 in 30.00 25.00 5 to 6 in 40.00 phellos. Willow Oak. 40' 5 to 6 ft 7.50 6.00 6 to 8 ft 10.00 7.50 4 to 5 in 40.00 5 to 6 in 50.00 prinus. Chestnut Oak. 50' 6 to 8 ft 4.50 4.00 3.50 1¼ to 1½ in 5.50 5.00 4.50 1½ to 1¾ in 7.50 6.00 5.50 1¾ to 2 in 10.00 7.50 2 to 2½ in 12.50 10.00 2½ to 3 in 15.00 12.50 3 to 3½ in 20.00 15.00 robur. English Oak. 80' 6 to 8 ft 4.50 4.00 3.50 1½ to 1¾ in 5.00 4.50 1½ to 1¾ in 5.00 4.50 1½ to 1½ in 5.00 7.50 2 to 2½ in 12.50 10.00 2½ to 3 in 15.00 12.50 3 to 3½ in 20.00 15.00	2 to 2½ in	8.50	7.50	6.00
3 ½ to 4 in 20.00 15.00 12.50 4 to 5 in 30.00 25.00 5 to 6 in 40.00 phellos. Willow Oak. 40' 5 to 6 ft 7.50 6.00 6 to 8 ft 10.00 7.50 4 to 5 in 40.00 5 to 6 in 50.00 prinus. Chestnut Oak. 50' 6 to 8 ft 4.50 4.00 3.50 1½ to 1¾ in 5.50 5.00 4.50 1½ to 1¾ in 7.50 6.00 5.50 1¾ to 2 in 10.00 7.50 2 to 2½ in 12.50 10.00 2½ to 3 in 15.00 12.50 3 to 3½ in 20.00 15.00 robur. English Oak. 80' 6 to 8 ft 4.50 4.00 3.50 1½ to 1¾ in 5.00 4.50 4.50 4.00 3.50 1½ to 1¾ in 5.00 4.50 4.50 4.00 7.50 2 to 2½ in 12.50 10.00 2 ½ to 3 in 15.00 12.50 3 to 3½ in 5.00 4.50 4.00 1½ to 1¾ in 6.50 5.50 5.00 2 to 2½ in 12.50 10.00 7.50 2 to 3½ in 15.00 12.50 10.00 3 to 3½ in 15.00 12.50 10.00	2½ to 3 in	12.50	10.00	8.00
4 to 5 in 30.00 25.00 5 to 6 in 40.00 phellos. Willow Oak. 40' 5 to 6 ft 7.50 6.00 6 to 8 ft 10.00 7.50 4 to 5 in 40.00 5 to 6 in 50.00 prinus. Chestnut Oak. 50' 6 to 8 ft 4.50 4.00 3.50 1½ to 1½ in 5.50 5.00 4.50 1½ to 1¾ in 7.50 6.00 5.50 1¾ to 2 in 10.00 7.50 2 to 2½ in 12.50 10.00 2½ to 3 in 15.00 12.50 3 to 3½ in 20.00 15.00 robur. English Oak. 80' 6 to 8 ft 4.50 4.00 3.50 1¼ to 1½ in 5.00 4.50 1½ to 1¾ in 5.00 4.50 4.00 1½ to 1¾ in 5.00 4.50 4.00 1½ to 1¾ in 5.00 4.50 5.50 2 to 2½ in 12.50 10.00 7.50 2 to 3½ in 15.00 12.50 10.00 3 to 3½ in 20.00 15.00	3 to 3½ in	15.00	12.50	10.00
5 to 6 in 40.00 phellos. Willow Oak. 40' 5 to 6 ft 7.50 6.00 6 to 8 ft 10.00 7.50 4 to 5 in 40.00 5 to 6 in 50.00 prinus. Chestnut Oak. 50' 6 to 8 ft 4.50 4.00 3.50 1½ to 1½ in 5.50 5.00 4.50 1½ to 1¾ in 7.50 6.00 5.50 1½ to 2 in 10.00 7.50 2 to 2½ in 12.50 10.00 2½ to 3 in 15.00 12.50 3 to 3½ in 20.00 15.00 robur. English Oak. 80' 6 to 8 ft 4.50 4.00 3.50 1¼ to 1½ in 5.00 4.50 4.00 1½ to 1¾ in 6.50 5.50 5.00 2 to 2½ in 12.50 10.00 7.50 2 to 2½ in 12.50 10.00 7.50 2½ to 3 in 15.00 12.50 10.00 3 to 3½ in 20.00 15.00	3½ to 4 in	20.00	15.00	12.50
phellos. Willow Oak. 40' 5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 40.00 5 to 6 in. 50.00 Prinus. Chestnut Oak. 50' 6 to 8 ft.	4 to 5 in	30.00	25.00	
5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 40.00 5 to 6 in. 50.00	5 to 6 in	40.00		
5 to 6 ft. 7.50 6.00 6 to 8 ft. 10.00 7.50 4 to 5 in. 40.00 5 to 6 in. 50.00	phellos. Willow Oak. 40'			
4 to 5 in 40.00 5 to 6 in 50.00 prinus. Chestnut Oak. 50' 6 to 8 ft 4.50 4.00 3.50 1 1/4 to 1 1/2 in 5.50 5.00 4.50 1 1/2 to 1 3/4 in 7.50 6.00 5.50 1 3/4 to 2 in 10.00 7.50 2 to 2 1/2 in 12.50 10.00 2 1/2 to 3 in 15.00 12.50 3 to 3 1/2 in 20.00 15.00 robur. English Oak. 80' 6 to 8 ft 4.50 4.00 3.50 1 1/4 to 1 1/2 in 5.00 4.50 4.00 1 1/2 to 1 3/4 in 6.50 5.50 5.00 2 to 2 1/2 in 12.50 10.00 7.50 2 to 2 1/2 in 12.50 10.00 7.50 2 to 2 1/2 in 12.50 10.00 7.50 2 1/2 to 3 in 15.00 12.50 10.00 3 to 3 1/2 in 20.00 15.00	-	7.50	6.00	
5 to 6 in 50.00 prinus. Chestnut Oak. 50' 6 to 8 ft 4.50 4.00 3.50 $1\frac{1}{4}$ to $1\frac{1}{2}$ in 5.50 5.00 4.50 $1\frac{1}{2}$ to $1\frac{3}{4}$ in 7.50 6.00 5.50 $1\frac{3}{4}$ to 2 in 10.00 7.50 2 to $2\frac{1}{2}$ in 12.50 10.00 $2\frac{1}{2}$ to 3 in 15.00 12.50 3 to $3\frac{1}{2}$ in 20.00 15.00 robur. English Oak. 80' 6 to 8 ft 4.50 4.00 3.50 $1\frac{1}{4}$ to $1\frac{1}{2}$ in 5.00 4.50 4.00 $1\frac{1}{2}$ to $1\frac{3}{4}$ in 6.50 5.50 5.00 2 to $2\frac{1}{2}$ in 12.50 10.00 7.50 $2\frac{1}{2}$ to 3 in 15.00 12.50 10.00 3 to $3\frac{1}{2}$ in 20.00 15.00	6 to 8 ft	10.00	7.50	
prinus. Chestnut Oak. 50' 6 to 8 ft. 4.50 4.00 3.50 1½ to 1½ in. 5.50 5.00 4.50 1½ to 1¾ in. 7.50 6.00 5.50 1¾ to 2 in. 10.00 7.50 2 to 2½ in. 12.50 10.00 2½ to 3 in. 15.00 12.50 3 to 3½ in. 20.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1½ in. 5.00 4.50 4.00 1½ to 1¾ in. 6.50 5.50 5.00 2 to 2½ in. 12.50 10.00 7.50 2½ to 3 in. 15.00 12.50 10.00 3 to 3½ in. 20.00 15.00	4 to 5 in	40.00		
6 to 8 ft. 4.50 4.00 3.50 1 1/4 to 1 1/2 in. 5.50 5.00 4.50 1 1/2 to 1 3/4 in. 7.50 6.00 5.50 1 3/4 to 2 in. 10.00 7.50 2 to 2 1/2 in. 12.50 10.00 2 1/2 to 3 in. 15.00 12.50 3 to 3 1/2 in. 20.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1 1/4 to 1 1/2 in. 5.00 4.50 4.00 1 1/2 to 1 3/4 in. 6.50 5.50 5.00 2 to 2 1/2 in. 12.50 10.00 7.50 2 to 2 1/2 in. 12.50 10.00 7.50 2 to 3 1/2 in. 12.50 10.00 7.50 2 to 3 1/2 in. 12.50 10.00 7.50 2 1/2 to 3 in. 15.00 12.50 10.00 3 to 3 1/2 in. 20.00 15.00	5 to 6 in	50.00		
6 to 8 ft. 4.50 4.00 3.50 1 1/4 to 1 1/2 in. 5.50 5.00 4.50 1 1/2 to 1 3/4 in. 7.50 6.00 5.50 1 3/4 to 2 in. 10.00 7.50 2 to 2 1/2 in. 12.50 10.00 2 1/2 to 3 in. 15.00 12.50 3 to 3 1/2 in. 20.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1 1/4 to 1 1/2 in. 5.00 4.50 4.00 1 1/2 to 1 3/4 in. 6.50 5.50 5.00 2 to 2 1/2 in. 12.50 10.00 7.50 2 to 2 1/2 in. 12.50 10.00 7.50 2 to 3 1/2 in. 12.50 10.00 7.50 2 to 3 1/2 in. 12.50 10.00 7.50 2 1/2 to 3 in. 15.00 12.50 10.00 3 to 3 1/2 in. 20.00 15.00	prinus Chestnut Oak. 50'			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		4.50	4.00	3.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
1 ¾ to 2 in. 10.00 7.50 2 to 2 ½ in. 12.50 10.00 2 ½ to 3 in. 15.00 12.50 3 to 3 ½ in. 20.00 15.00 robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1¼ to 1 ½ in. 5.00 4.50 4.00 1½ to 1 ¾ in. 6.50 5.50 5.00 2 to 2 ½ in. 12.50 10.00 7.50 2½ to 3 in. 15.00 12.50 10.00 3 to 3 ½ in. 20.00 15.00				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
3 to 3½ in		12.50	10.00	
robur. English Oak. 80' 6 to 8 ft. 4.50 4.00 3.50 1½ to 1½ in. 5.00 4.50 4.00 1½ to 1¾ in. 6.50 5.50 5.00 2 to 2½ in. 12.50 10.00 7.50 2½ to 3 in. 15.00 12.50 10.00 3 to 3½ in. 20.00 15.00	2 ½ to 3 in	15.00	12.50	
6 to 8 ft	3 to 3½ in	20.00	15.00	
6 to 8 ft	robur English Oak 80'			
1 ½ to 1 ½ in 5.00 4.50 4.00 1 ½ to 1 ¾ in 6.50 5.50 5.00 2 to 2 ½ in 12.50 10.00 7.50 2 ½ to 3 in 15.00 12.50 10.00 3 to 3 ½ in 20.00 15.00		. 4 50	4.00	3 50
1 ½ to 1 ¾ in 6.50 5.50 5.00 2 to 2 ½ in 12.50 10.00 7.50 2 ½ to 3 in 15.00 12.50 10.00 3 to 3 ½ in 20.00 15.00				
2 to 2½ in				
2 ½ to 3 in				
3 to 3½ in 20.00 15.00				

	1-4 Each	5-24 Each	25 & up Each
Quercus	134011		
robur fastigiata. Pyramidal Engl	ish Oak.	60 '	
2 to 2½ inB&B	30.00		
2½ to 3 inB&B	40.00		
3 to 3½ inB&B	50.00		
3½ to 4 inB&B	60.00		
4 to 4½ inB&B	75.00		
rubra. Red Oak. 75'			
6 to 8 ft	3.50	2.75	2.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	3.75	3.50
1½ to 1¾ in	5.50	5.00	4.50
1 % to 2 in	7.50	6.50	6.00
2 to 2½ in	10.00	8.50	7.50
2½ to 3 in	15.00	12.50	10.00
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
4 to 4½ in	35.00		
texana. 75'			
1½ to 1¾ in	7.50	6.00	
1 % to 2 in	10.00	7.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
velutina. Black Oak. 70'			
6 to 8 ft	5.00	4.00	
1¼ to 1½ in	6.00	5.00	
Retinospora. (See Chamaecyparis).			
Rhamnus caroliniana. Carolina Buckth	orn. 25'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
cathartica. Buckthorn. 12'			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.60	.55
6 to 8 ft	1.00	.85	.75
dahurica. Dahurian Buckthorn. 12	? '		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
LARGE SPECIMEN SHRUBS QUOTED	ON REQU	EST.	

	1-4 Each	5-24 Each	25 & up Each
Rhamnus			
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	.60	.45	.35
4 to 5 ft	.75	.55	.45
5 to 6 ft	.85	.65	.55
6 to 8 ft	1.25	.85	.75
8 to 10 ft	1.50	1.25	1.00
frangula asplenifolia. Fernleaf R.	hamnus.	12'	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	3.00	
5 to 6 ft	4.00	3.50	
6 to 8 ft	4.50	4.00	
koraiensis. 12'			
3 to 4 ft	1.00	.90	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	
purshiana. Cascara Buckthorn. 12	?'		
3 to 4 ft	.60	.45	.35
4 to 5 ft	.75	.55	.45
5 to 6 ft	.85	.65	.55
6 to 8 ft	1.25	.85	.75
8 to 10 ft	1.50	1.25	1.00
utilis. 10'			
2 to 3 ft	1.25	1.00	.75
wilsoni. 10'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.75	1.50	
		_	
Rhododendron carolinianum. Carolina			
2 to 3 ftB&B	4.50	4.00	3.75
catawbiense. Catawba Rhododenda	ron. 8'		
2 to 3 ftB&B	4.50	4.00	3.50
3 to 4 ftB&B	6.00	5.00	4.75
maximum. Rosebay Rhododendron.	<i>15'</i>		
2 to 3 ftB&B		3.50	3.00
3 to 4 ftB&B			
4 to 5 ftB&B		_,_,	
	,,,,		
Rhodora canadensis. Rhodora. 3'			
15 to 18 inB&B	2.50	2.00	
Rhodotypos kerrioides. Jetbead. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft		.35	
4 to 5 ft		.40	
± 10 0 10	.00	. + 0	.00

	1-4 Each	5-24 Each	25 & up Each
Rhus canadensis. Fragrant Sumac. 6'	~ ^	4 =	4.0
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
copallina. Shining Sumac. 20'			4.0
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
cotinus. Purple Fringe or Smoketre	e. 12'		
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	2.75		
glabra. Smooth Sumac. 12'			
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	.25
javanica syn. osbecki. Java Sumac	. 18'		
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.00	1.75	
8 to 10 ft	3.00	2.50	
typhina. Staghorn Sumac. 25'			
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.45	.35	.30
5 to 6 ft	.60	.45	.40
typhina laciniata. Shredded Sumad	. 25'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.55	.45	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	
Ribes alpinum. Mountain Currant. 4'			
18 to 24 in	.60	.50	.45
2 to 3 ft		.60	.55
3 to 4 ft		.75	.00

Ribes	Each 1-4	Each 5-24	Each 25 & up
aureum. Slender Golden Currant.	10'		ar ar ar
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
fasciculatum. Winterberry Currant	t. 4'		
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
gordonianum. Gordon Currant. 8	7		
3 to 4 ft	.75	.60	
sanguineum. Ruby Winter Curran	nt. 8'		
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
Robinia Elliotti. 5'			
2 to 3 ft	3.00		
fertilis. 25'			
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
10 to 12 ft	6.50	5.50	
hispida. Rose Acacia.	7 FF	1 50	
2 yr. standard, 3 to 4 ft			
2 yr. standard, 4 to 5 ft		1.75	
Bush form 2 to 3 ft	1.50		
holdti. Holdt Locust. 25'			
6 to 8 ft	3.50		
8 to 10 ft	4.00		
kelseyi. Kelsey Locust. 8'			
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
8 to 10 ft	6.00	5.50	
pseudoacacia. Common Locust. 6	50 '		
5 to 6 ft	.75	.60	.50
6 to 8 ft		.85	
8 to 10 ft		1.50	1.00
10 to 12 ft		2.50	
pseudoacacia bessoniana. Besson	Locust.	40'	
4 to 5 ft		2.50	
5 to 6 ft		3.50	
6 to 8 ft		4.50	
8 to 10 ft		5.50	

	1-4 Each	5-24 Each	25 & up Each
Robinia			
pseudoacacia decaisneana. Dec		ist. 40'	
$5 \text{ to } 6 \text{ ft.} \dots \dots$			
6 to 8 ft			
pseudoacacia Marguerite. 10'	. 0.00		
5 to 6 ft	. 4.50	4.00	
6 to 8 ft		4.50	
pseudoacacia umbraculifera. 20°		2.00	
3 to 4 ft			
viscosa. Clammy Locust. 10'			
2 to 3 ft	55	.45	.40
3 to 4 ft	65	.55	.50
4 to 5 ft	. 1.00	.75	.60
5 to, 6 ft	. 1.25	.90	.75
Rosa acicularis. Prickly Rose. 5'			
18 to 24 in	40	.30	.25
2 to 3 ft		.40	.30
3 to 4 ft	60	.50	.45
blanda. Meadow Rose. 5'			
18 to 24 in	40	.30	.25
2 to 3 ft	50	.40	.35
3 to 4 ft	60	.50	.45
canina. Dogbrier. 8'			
2 to 3 ft	40	.30	.25
3 to 4 ft		.40	.30
coriifolia froebeli. Froebel Rose	5'		
18 to 24 in		.30	.25
2 to 3 ft		.35	
3 to 4 ft		.50	
davurica. Dahurian Rose. 6'	• • • •	•00	• • • •
2 to 3 ft	. 1.00	.75	.60
ecae. Eca Rose. 6'	. 1.00	.10	.00
2 to 3 ft	50	.40	.35
3 to 4 ft		.50	
4 to 5 ft		.60	.50
foetida. Austrian Copper Rose.			
2 to 3 ft		.75	
foetida persiana. Persian Yellow			
2 year		.75	

	1-4 Each	5-24 Each	25 & up Each
Rosa	Bach	Dati	Bach
fujisanensis. Mt. Fuji Rose. 8'			
3 to 4 ft	.75	.60	.50
helenae. Helen Rose. 6'			
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
hugonis. Hugonis Rose. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
humilis. Pasture Rose. 5'	4.0	0.0	۵ ۳
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
lucida. Virginia Rose. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
marreti. Marret Rose. 6'			
3 to 4 ft	1.25	1.00	.75
moyesi. Moyes Rose. 10'			
2 to 3 ft	1.25	1.00	
multiflora. Japanese Rose. 8'			
2 to 3 ft	.50	.35	.25
3 to 4 ft	.55	.40	.30
4 to 5 ft	.60	.50	.40
multiflora cathayensis. Cathay Ros	e. 6'		
3 to 4 ft	.60	.50	.40
nitida. Bristly Rose. 3'			
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
3 to 4 ft	.75	.60	.50
palustris. Swamp Rose. 8'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
pendulina. 3'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
rouletti.			
12 to 15 in., 4 in. pots	.75	.60	.50
15 to 18 in., F. G	.60	.50	.40

	1-4 Each		& up Each
Rosa	Each	Dacii	Each
rubiginosa. Sweetbriar. 6'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.40
rubiginosa hybrids. Lady Penzar	nce, Lo	rd Pen	zance,
Green Mantle, Lucy Ashton,	Jeannie	B Deans,	and
Flora McIvor. 6'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
rubrifolia. Redleaf Rose. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
rugosa. Rugosa Rose. 6'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	
rugosa alba. White Rugosa Rose.	<i>6'</i>		
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	
rugosa hybrids. δ'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
Varieties:-Blanche de Coube	rt, C. F	. Meyer	,
C. F. Worth, Agnes Carmer	n, New	Century	, ,
Nova Zembla, Mad. Geo. B	ruant,	Mrs. An	_
thony Waterer, Belle Poiter	vine, Si	r Thoma	s
Lipton, Hansa, Agnes, F.	J. Groo	tendorst	, /•
rugosa hyb.—climbing. Max Graf	.75	.60	
sericea. 4'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
setigera. Prairie Rose. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.50	.45	.40
spinosissima altaica. Altai Rose.	4'		
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55

D.	1-4 Each	5-24 Each	25 & up Each
Rosa spinosissima hispida. Bristly A	Santah Rosa	6 ′	
			50
2 to 3 ft		.60	.50
4 to 5 ft			.75
		1.00	.10
spinosissima hybrids. b'			
2 to 3 ft			
3 to 4 ft		1.00	
Dbl. Blush, Dbl. White, I	Joi. Pink, F	uigens	•
wichuraiana. Wichurian Rose.	2'		
2 year	40	.30	.25
3 year	50	.40	.35
wichuraiana hybrids. 2'			
2 year	75	.60	.50
Jersey Beauty, Sweether	*		
ite, Manda's Triumph, S tion, Evergreen Gem.	outh Orang	ge Peri	.ec-
don, Evergreen dem.			
Roses			
Hybrid Perpetuals. 2 year No. 1.	60	.50	
Anne de Diesbach	J. B. Clark	5	
Baroness Rothchild	Mme. Albe	rt Barl	bier
Baron de Bonstettin	Mrs. John	Laing	
Earl of Dufferin	Magna Cha	ırta	
Clio	M. P. Wild	ler	
Eugene Furst	Margaret 1		ı
Frau Karl Druschki	Paul Neyro		
Gen. Jacqueminot	Tom Wood		
Geo. Arends	Ulrich Bru	nner	
Hybrid Teas. 2 year No. 1	.75 .	60	
Betty Uprichard	Madame B	utterfly	7
Chas. K. Douglas	Mrs. Henry		
Etoile de France	Mrs. Henry		е
Gruss an Teplitz	Pres. Hoov	er	
Jonkheer J. L. Mock	Radiance	D . I	
Killarney	Rev. F. Pa	ge-Kob	erts
Lady Alice Stanley	Sunburst White Kills	3 m23 6 2 2	
Lady Hillingdon Mad Abol Chatanay	White Kills Willowmer	•	
Mad. Abel Chatenay	Willowmer	e	

1-4 5-24 Each Each	Each
	.45
American Beauty Mad. Gregoire Staeche	elin
American Pillar Mary Wallace	
Aviateur Bleriot Paul's Scarlet Climber	r
Dr. W. Van Fleet Roserie	
Dorothy Perkins Silver Moon	
Excelsa Star of Persia	
Gardenia White Dorothy Perkin	ns
Hiawatha	
Polyantha hybrids 2 year No. 165 .55	
Else Poulsen Ideal	
Gloria Mundi Katherine Zeimet	
Golden Salmon Lafayette	
Rubus deliciosus. Boulder Raspberry. 5'	
2 to 3 ft 1.25 1.00	.75
3 to 4 ft	1.00
odoratus. Flowering Raspberry. 6'	
2 to 3 ft	.30
3 to 4 ft	.35
4 to 5 ft	.40
phoenicolasius. Wineberry. 8'	
3 to 4 ft	
Salix babylonica. Babylon Weeping Willow. 50'	
6 to 8 ft 1.50 1.25	1.00
8 to 10 ft 1.75 1.50	1.25
1 1/4 to 1 1/2 in 2.25 2.00	
babylonica crispa. Ringleaf Weeping Willow. 30'	
6 to 8 ft	
8 to 10 ft 4.00 3.50	
	40'
6 to 8 ft 1.50 1.25	1.00
8 to 10 ft 1.75 1.50	1.25
1 1/4 to 1 1/2 in 2.25 2.00	1.75
babylonica salamoni. Salamon Weeping Willow.	<i>50'</i>
6 to 8 ft 1.75 1.50	1.25
8 to 10 ft 2.00 1.75	1.50
1 1/4 to 1 1/2 in 2.50 2.25	2.00
1½ to 1¾ in 2.75 2.50	

	1-4	5-24	25 & up
Salix babylonica salamoni	Each	Each	Each
1% to 2 in	3.50	3.00	
2 to 2½ in	5.00	4.00	
2½ to 3 in	7.50	5.00	
3 to 3½ in	10.00	7.50	
caprea. Goat Willow. 20'	2000		
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
8 to 10 ft	1.25	1.00	.90
discolor. Pussy Willow. 20'	2.20	2.00	•••
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.65
8 to 10 ft	1.25	1.00	.90
	1.20	1.00	•••
doniana. 9'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
elegantissima. Thurlow Weeping V	Villow.	<i>50</i> ′	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
1½ to 1½ in	2.50	2.25	1.75
1½ to 1¾ in	2.75	2.50	2.00
1 % to 2 in	3.00	2.75	2.50
incana. syn. rosmarinifolia. Rosen	naru W	illore	20 '
	.55	.45	.40
4 to 5 ft. shrub form	.65		.50
5 to 6 ft. shrub form	.75		.00
6 to 8 ft. shrub form	1.00	.75	
irrorata. Bluestem Willow. 12'	1.00	.10	
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.00
	2.00	1.00	
jessoensis. 6'	1 50	1.05	1 00
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.25	1.75	1.50
matsudana. Hankow Willow. 35'			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
8 to 10 ft	1.25	1.00	.75

	1-4 Each	5-24 Each	25 & up Each
Salix	234011	220011	
matsudana tortuosa. 20'			
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft	3.00	2.50	2.00
mutabilis. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
myricoides rigida. 9'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
nigricans cotinifolia. 12'			
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
niobe. Niobe Weeping Willow. 30'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	2.75	2.50	2.25
pentandra. Laurel Willow. 30'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1 ½ to 1½ in	2.00	1.75	1.40
1½ to 1¾ in	2.25	2.00	1.60
1¾ to 2 in	3.00	2.50	2.00
purpurea nana. Dwf. Purple Osies	r. ő'		
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
regalis. Royal Willow. 30'			
5 to 6 ft	.90	.80	
6 to 8 ft	1.25	1.00	
sieboldiana. Siebold Willow. 30'			
5 to 6 ft	1.00		.65
6 to 8 ft	1.25	1.00	.90
uralensis. 15'			
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.65	.50
6 to 8 ft	1.00	.90	.75

	1-4 Each	5-24 Each	25 & up Each
Salix			
vitellina. Golden Willow. 30'			
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.75	1.50	1.25
1 1/4 to 1 1/2 in	2.00	1.75	1.40
1½ to 1¾ in	2.50	2.00	1.60
1 3/4 to 2 in	3.00	2.50	2.00
vitellina britzensis. Bronze Golden	Willow	w. 30'	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1½ to 1¾ in	2.50	2.00	1.75
1 3/4 to 2 in	3.00	2.50	
2 to 2½ in	3.50	3.00	
vitellina glauca. Blue Russian Wil	llow. 2	20 '	
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
vitellina pendula. Golden Weeping	Willo	w. 40'	
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1½ to 1¾ in	2.50	2.25	2.00
1 % to 2 in	3.00	2.75	2.50
wentworthi. 50'			
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	2.25	2.00	1.50
1 3/4 to 2 in	2.75	2.50	2.00
2 to 2½ in	3.50	3.00	2.50
Sambucus canadensis. American Elder.	10'		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
canadensis acutiloba. Cutleaved El			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
nigra. European Elder. 15'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60

	1-4 Each	5-24 Each	25 & up Each
Sambucus	Hacii	24011	
nigra aurea. Golden European El	der. 15'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	65	.50	.45
5 to 6 ft	.75	.65	.60
nigra variegata. Variegated Elder	. 10'		
3 to 4 ft	.75	.50	
4 to 5 ft	1.00	.75	
pubens. Scarlet Elder. 8'			
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.65
pubens leucocarpa. Yellow-fruited	Elder.	8 '	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.00		
racemosa. European Red Elder. 8			
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
Sassafras variifolium. Sassafras. 50'			
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.00	3.50	3.00
10 to 12 ft	6.00	5.00	
Schizophragma hydrangeoides. 20'			
Japanese Hydrangea-vine			
from pots	1.00	.85	.75
		.00	• • • •
Sciadopitys verticillata. Umbrella Pine			
6 ftB&B	50.00		
Shepherdia argentea. Silver Buffalober	ry. 15'		
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.50	1.25	
Skimmia japonica. Japanese Skimmia.	5 '		
6 in. bushy, 4 in. pots		1.25	
Smilax rotundifolia. Horsebrier.			
	50	4.0	20
18 to 24 in	.50		
SEE PAGE 157 FOR A COMPLETE LIST OF H	IERBACEO	US STO	CK.

·			
	1-4 Each	5-24 Each	25 & up Each
Solanum dulcamara. True Bittersweet.			2200011
2 year	.40	.30	.25
Sophora japonica. Chinese Scholartree.	25'		
2 to 3 ftB&B	2.50	2.00	1.75
3 to 4 ftB&B	3.50	2.75	2.25
4 to 5 ftB&B	5.00	4.00	3.50
5 to 6 ftB&B	6.00	5.50	5.00
6 to 8 ftB&B		6.50	
	7.50		
6 to 8 ft. specB&B			
vicifolia. Vetchleaf Sophora. 6'			
3 to 4 ftB&B	3.50		
Sorbaria aitchisoni. Kashmir False Spi	raea.	8 '	
3 to 4 ft		.40	.35
4 to 5 ft			
5 to 6 ft	.75	.65	.60
arborea glabrata. 15' 3 to 4 ft	60	50	40
	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	.85	.70	.60
6 to 8 ft	1.00	.85	.75
lindleyana. Lindley False Spiraea.	8'	, -	4.0
3 to 4 ft	.55	.45	
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	
sorbifolia. Ural False Spiraea. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.41	.35
4 to 5 ft	.65	.50	.45
5 to 6 ft	.75	.65	60
Sorbus americana. American Mountain	Ash.	25'	
	2.50	2.00	
	3.00	2.50	
8 to 10 ft	4.00	 00	
aria latifolia. White Beam-tree. 40			
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1 1/4 to 1 1/2 in	3.50	3.00	
1½ to 1¾ in	4.00	3.50	
1 % to 2 in	5.00	4.50	

	1-4 Each	5-24 2 Each	5 & up Each
Spiraea			234011
bumalda walluffi. 3'			
18 to 24 in	.45	.35	
24 to 30 in	.50	.40	
callosa alba. (See japonica ovalifo	lia).		
chamaedryfolia ulmifolia. Elmleaf	Spirae	a. 6'	
2 to 3 ft	.75		
dasyantha. 8'			
3 to 4 ft	1.25	1.00	
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.75	.60	.50
· · · · · · · · · · · · · · · · · · ·	9.5	0.5	20
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
froebeli. Froebel Spiraea. 4'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
japonica. Japanese Spiraea. 6'			
18 to 24 in	.40	.30	.25
24 to 30 in	.45	.35	.30
japonica ovalifolia. White Japanes	e Spira	ea. 3'	
18 to 24 in		.30	.25
24 to 30 in	.45		.30
japonica ruberrima. Pink Japanese			•••
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50		.30
latifolia syn. bethlehemensis Pink			
	.40		.25
3 to 4 ft	.50		.30
	.00	.10	.00
lindleyana. (See Sorbaria).			
margaritae. Margarita Spiraea. 5	•		
2 to 3 ft	.45	.35	.30
nipponica rotundifolia. Big Nippo	n Spira	ea. 10'	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
prunifolia. Bridal Wreath. 8'	4 5	0.5	20
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
F. C.	60	50	
3 to 4 ft	.60 .75	.50	
reevesiana. Reeves Spiraea. 8'	,10	.00	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
reevesiana lanceata. Double Rees			.10
2 to 3 ft	.45	.35	
3 to 4 ft	.55	.45	
salicifolia. Willowleaf Spiraea. 5'		• • • •	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.60	.50	.45
sorbifolia. (See Sorbaria).			
superba. Striped Spiraea. 4'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
syringiflora. Lilac Spiraea. 3'			
18 to 24 in	.60		
thunbergi. Thunberg Spiraeo. 5'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
tomentosa. Hardhack. 4'	4.0	0.0	0.5
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
trichocarpa. Korean Spiraea. 4'	40	20	o r
2 to 3 ft	.40 .50	.30	.25
3 to 4 ft	.60	.50	.40
van houttei. Vanhoutte Spiraea.		.00	.40
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.22
4 to 5 ft	.50	.40	.35
5 to 6 ft	.65	.55	.50
	, , ,	.00	

		1-4 Each	5-24 Each	25 & up Each
Spiraea				
	Veitch Spiraea. 12'			
2 to		.50	.40	.35
3 to	4 ft	.60	.50	.45
wilsoni.	Wilson Spiraea. 6'			
3 to	4 ft	1.00	.75	.60
Staphylea bun	nalda. Bumalda Bladdern	ut. 8'		
2 to	3 ft	.60	.50	.40
3 to	4 ft	.75	.60	.50
4 to	5 ft	1.00	.75	.60
colchica.	Colchis Bladdernut. 12'			
3 to	4 ft	1.75	1.25	
4 to	5 ft	2.00		
pinnata.	European Bladdernut. 1	0 !		
3 to	4 ft	.60	.50	.40
	5 ft	.75	.60	.50
	6 ft	1.00	.75	.65
6 to	8 ft	1.25	1.00	.00
			1,00	
	American Bladdernut. 12		40	0.0
2 to		.50	.40	.30
3 to		.60	.50	.40
4 to	5 ft	.75	.60	.50
5 to	6 ft	1.00	.75	.60
6 to	8 ft	1.25	1.00	.75
	flexuosa. Cutleaf Stepha	nandra.	<i>6'</i>	
2 to		.40	.30	.25
3 to	4 ft	.50	.40	.35
Stewartia pen	tagyna. Mountain Stewar	rtia. 15	,	
3 to	4 ftB&B	5.00	4.00	
4 to	5 ftB&B	6.00	5.00	
5 to	6 ftB&B	7.50	6.50	
6 to	8 ftB&B	10.00		
nentagyna	a grandiflora. 15'			
4 to	5 ftB&B	7.50		
5 to	6 ftB&B			
6 to				
	nellia. Japanese Stewart			
3 to	4 ftB&B			
4 to				
, jo				

	1-4 Each	5-24 Each	25 & up Each
Stranvaesia davidiana. 5'	Bach	Басп	Lacii
12 to 15 in., from pots	1.25	1.00	.75
18 to 24 inB&B	1.75	1.50	
24 to 30 inB&B	2.50	2.00	
Styrax japonica. Japanese Snowbell.	20'		
3 to 4 ftB&B	2.00	1.50	1.25
4 to 5 ftB&B	3.00	2.50	2.25
5 to 6 ftB&B	4.50	3.75	3.50
6 to 8 ftB&B	6.50	5.50	5.00
8 to 10 ftB&B	10.00	8.00	7.50
obassia. Fragrant Snowbell. 20'			
4 to 5 ftB&B	4.00	3.00	
5 to 6 ftB&B	5.00	4.00	
6 to 8 ftB&B	7.50	6.00	
Symphoricarpos chenaulti. δ'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
mollis. Spreading Snowberry. 6'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
occidentalis. Western Snowberry.	<i>5'</i>		
2 to 3 ft	.40	.30	.25
	.50		.35
3 to 4 ft	.65	.40	.50
	.00	.00	.50
o. heyeri. δ'			
2 to 3 ft	.50	.35	.25
racemosus. Snowberry. 6'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.60	.50	.40
vulgaris. Coralberry. 5'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
*Symplocos paniculata. syn. crataegoide	es.		
Asiatic Sweetleaf. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.75	1.50	1.00
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	2.50	2.25

	1-4 Each	5-24 Each	25 & up Each
Syringa affinis. Early Lilac. 12'	Each	Each	Each
3 to 4 ft	1.50		
affinis giraldi. Purple Early Lilac.	12'		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
chinensis. syn. rothomagensis. Chi	nese Lile	ac. 10'	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	.75
chinensis alba. White Chinese Lilae	c. 10'		
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	
chinensis metensis. 10'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
5 to 6 ft		1.50	
chinensis saugeana. Purple Chines	e Lilac.	10'	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
emodi. Himalayan Lilac. 8'			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.50	1.00	
5 to 6 ft	2.00	1.50	
henryi eximea. 8'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
	2.00	2.00	
henryi lutece. 8'	0.50	0.00	
3 to 4 ft	2.50	2.00 2.50	
4 to 5 ft	$\begin{array}{c} 3.00 \\ 3.50 \end{array}$	3.00	
5 to 6 ft	0.00	3.00	

		1-4 Each	5-24 Each	25 & up Each
Syringa				
japonica.	Japanese Tree Lilac. 20	•		
3 to	4 ft	.75	.60	.50
4 to	5 ft	1.00	.90	.75
5 to	6 ft	1.50	1.25	1.00
6 to	8 ft	1.75	1.50	1.25
8 to	10 ft	2.50	2.25	1.75
10 to	12 ft	6.00	5.00	
12 to	15 ft	10.00		
josikaea.	Hungarian Lilac. 10'			
2 to	3 ft	.50	.40	.35
3 to	4 ft	.60	.50	.45
4 to	5 ft	.75	.60	.50
5 to	6 ft	1.00	.75	.60
6 to	8 ft	1.25	1.00	.75
microphy	lla. Littleleaf Lilac. 10'			
2 to	9 f t	1 50	1 05	1.00
3 to	3 ft	1.50 2.00	1.25 1.50	$1.00 \\ 1.25$
4 to	4 ft	2.50	2.00	1.25 1.50
5 to	6 ft	3.00	2.50	$\frac{1.50}{2.00}$
		0.00	2.00	2.00
oblata.	<i>12'</i>			
3 to	4 ft	1.50	1.25	1.00
4 to	5 ft	1.75	1.50	1.25
oblata dil	atata. 12'			
2 to	3 ft	1.00	.75	.60
3 to	4 ft	1.25	1.00	.75
4 to	5 ft	1.50	1.25	1.00
palibinian	na. 10'			
3 to	4 ft	1.50		
4 to	5 ft	2.00		
pekinensi	s. Peking Lilac. 15'			
4 to	5 ft	1.75	1.50	1.25
5 to	6 ft	2.50	2.00	1.75
6 to	8 ft	3.00	2.75	2.50
	10 ft	4.00	3.75	3.50
	12 ft	7.50	6.00	
6 to	8 ft. spec B&B	10.00		
8 to	10 ft. specB&B	12.50		

Syringa	1-4 Each	5-24 Each	25 & up Each
persica. Persian Lilac. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.90	
persica alba. White Persian Lilac.	10'		
2 to 3 ft	.85	.75	
3 to 4 ft	1.00	.90	
pubescens. Hairy Lilac. 6'			
2 to 3 ft	2.50		
velutina. 10'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
villosa. Late Lilac. 8'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
vulgaris. Common Purple Lilac.	!5 '		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
4 to 5 ft. clumps	4.00		
5 to 6 ft. clumps	5.00		
vulgaris alba. Common White Lile	ac. 15'	•	
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
4 to 5 ft. clumps	4.00		
5 to 6 ft. clumps	5.00		
vulgaris. Named Varieties. 15'			
These hybrid lilacs are grow	n on	their ov	vn
roots in bush form. Can also	be fu	rnished	in tree
form in first two sizes at 25%	addit	tional.	
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.25	2.00	1.75
6 to 8 ft	3.00	2.75	2.50

Syringa vulgaris. Named Varieties.

Belle de Nancy-Double Rose.

2-3' 3-4' 4-5' 5-6' 6-8'

Chas. Joly-Dark Purplish Red.

2-3' 3-4' 4-5'

Frau Dammann—Single White.

2-3' 3-4' 4-5' 5-6'

La Tour d'Auvergne-Double Purple.

2-3' 3-4' 4-5'

Ludwig Spaeth-Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay-Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier-Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine-Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye-Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy-Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited qualtity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices: A list of varieties will be forwarded on request.

2 to 3 to 4 to 5 to	3 ft	1-4 Each 1.50 2.00 2.50 3.50	5-24 Each	25 & up Each
yunnanen	sis. Yunnan Lilac. 10'			
3 to	4 ft	2.00	1.75	
Tamarix africa	ana. African Tamarix. 1	5 ′		
3 to	4 ft	.40	.30	.25
4 to	5 ft	.50	.40	.35
5 to	6 ft	.75	.60	.50
6 to	8 ft	1.00	.85	.75
gallica.	French Tamaria. 10'			
3 to	4 ft	.45	.35	.30
4 to	5 ft	.60	.45	.40

	1-4 Each	5-24 Each	25 & up Each
Tamarix Uice indice India Tamaria 100	,		
gallica indica. India Tamarix. 10	.45	25	.30
4 to 5 ft	.60	.35	.40
5 to 6 ft	.75	.60	.50
	.10	.00	.00
juniperina. Juniper Tamarix. 15'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75		
odessana. Odessa Tamarix. 6'			
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
pentandra. Fivestamen Tamarix.	12'		
3 to 4 ft	.55	.45	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	
tetandra purpurea. Fourstamen 'I	Tamarix	. 10'	
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.60	
Taxodium distichum. Common Baldey	press.	<i>50</i> ′	
4 to 5 ftB&B	4.50	4.00	
5 to 6 ftB&B	6.50	5.50	
6 to 8 ftB&B	10.00	7.50	
8 to 10 ftB&B			
10 to 12 ftB&B	20.00	15.00	
Taxus baccata. English Yew. 50'			
18 inB&B		3.00	2.50
2 ftB&B			3.50
2½ ftB&B		5.00	
3 to 3½ ftB&B		6.50	5.50
$3\frac{1}{2}$ to 4 ft	10.00	7.50	
baccata erecta. Broom Yew. 10'			
2½ ftB&B	7.50		
3 ftB&B	10.00		
3 ½ ftB&B			
4 ftB&B			
baccata fastigiata. Irish Yew. 19			
2 ftB&B			
3 ftB&B	15.00		

Taxus	1-4 Each	5-24 Each	25 & up Each
baccata repandens. Spreading En	glish Y	'ew. 2'	
15 to 18 in. spdB&B	3.00	2.50	2.25
18 to 24 in. spdB&B		3.25	3.00
24 to 30 in. spdB&B		4.00	3.75
30 to 36 in. spdB&B		5.50	
36 to 42 in. spdB&B			
baccata washingtoni. Washington	Yew.	6'	
24 in. specB&B			
30 in. specB&B			
canadensis. Canada Yew. 3'			
15 to 18 in. spdB&B	2.50	2.00	
cuspidata. Japanese Yew. 10'			
15 to 18 in. spdB&B	2.25	2.00	1.75
_	2.75	2.50	2.25
2 to 2½ ft. spdB&B	3.75	3.50	3.25
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B	10.00	7.50	6.00
3½ to 4 ft. spdB&B	12.50	10.00	
4 to 4½ ft. spdB&B	15.00	12.50	
$4\frac{1}{2}$ to 5 ft. spdB&B	20.00	17.50	
5 to 6 ft. specB&B	40.00	35.00	
6 to 7 ft. specB&B	50.00	45.00	
cuspidata brevifolia. Dwarf Japan	nese Y	ew. 6'	
15 to 18 inB&B	3.50	3.00	2.50
18 to 24 inB&B	4.50	4.00	3.50
24 to 30 inB&B	7.50	6.50	5.50
30 to 36 inB&B	10.00	8.50	
36 to 42 inB&B	12.50		
cuspidata brevifolia compacta. 6'			
18 to 24 inB&B	6.00	5.00	
24 to 30 inB&B	7.50		
cuspidata capitata. Upright Japan	ese Ye	ew. 25'	
18 inB&B	2.50	2.25	2.00
2 ftB&B	3.50	3.00	2.50
2 ½ ftB&B	5.00	4.50	4.00
3 ftB&B	7.50	6.00	5.00
3 ½ ftB&B	10.00	7.50	6.50
4 ftB&B	12.50	10.00	
4 ½ ftB&B	15.00		
5 ftB&B	20.00		
intermedia. Hybrid Yew. 12'			
18 to 24 inB&B	3.50	3.00	
media hicksi. Hicks Yew. 20'			
18 to 24 inB&B	3.50	3.00	

Tecoma. (See Bignonia).	1-4 Each	5-24 Each	25 & up Each
Thuja occidentalis. American Arborvit			
3 ftB&B	2.25	2.00	1.75
4 ftB&B	3.50	3.00	2.75
4 ft. heavy specB&B	6.00	4.00	0 ===
5 ftB&B	4.50	4.00	3.75
5 ft. heavy specB&B		= =0	= 00
6 ftB&B	6.50	5.50	5.00
6 ft. heavy specB&B	10.00	C FO	C 00
7 ftB&B	7.50	6.50	6.00
7 ft. heavy specB&B 8 ftB&B	12.50	8.50	7.50
2 2000000000000000000000000000000000000		0.00	7.50
8 ft. heavy specB&B 9 ftB&B		10.00	8.50
10 ftB&B		12.50	
10 ft. heavy specB&B		12.00	10.00
For larger sizes to 18 ft., add		nor for	nt.
ror larger sizes to 16 it., auc	ι ψυ.συ	per ro	<i>y</i> 6.
occidentalis aurea douglasi.			
Douglas Golden Arborvitae. 15'			
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B		8.50	7.50
8 ftB&B		10.00	
9 ftB&B			
10 ftB&B			
For larger sizes to 16 ft., add	\$5.00	per foo	t.
occidentalis columbia. Silver-tippe	d Arbo	rvitae.	40'
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.00	4.00
6 ftB&B	7.50	6.00	
7 ftB&B	8.50	7.00	
8 ftB&B	10.00	8.00	
9 ftB&B	12.50	10.00	
For larger sizes to 14 ft., add	\$5.00	per foo	it.
occidentalis compacta. Compact A	rborvit	ae. 4'	
15 inB&B		1.50	1.25
18 inB&B	2.00	1.75	1.50
24 inB&B	2.50	2.00	1.75
30 inB&B	3.00	2.50	2.00

	1-4 Each	5-24 2 Each	25 & up Each
Thuja occidentalis compacta	Each	Pach	Laci
36 inB&B	4.00	3.00	2.75
42 inB&B	5.00	4.50	4.00
48 inB&B	7.50	6.50	
occidentalis compacta. Parsons Ar	borvite	ne. 10'	
2½ ftB&B	2.75	2.25	1.75
3 ftB&B	4.00	3.00	2.50
3 ½ ftB&B	4.50	3.50	3.00
4 ftB&B	5.00	4.00	3.50
4½ ftB&B	6.00	5.00	
5 ftB&B	7.50	6.00	
5½ ftB&B	8.50	7.50	
6 ftB&B	10.00	8.00	
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
9 ftB&B	18.00	15.00	
occidentalis elegantissima. 15'			
2 ftB&B	2.00	1.75	1.50
3 ftB&B	3.00	2.75	2.50
4 ftB&B	4.00	3.50	3.25
5 ftB&B	5.00	4.50	4.00
6 ftB&B	6.50	5.50	5.00
7 ftB&B	9.00	7.50	6.00
8 ftB&B	10.00	9.00	7.50
9 ftB&B	12.50	10.00	9.00
10 ftB&B	15.00	12.50	
For larger sizes to 15 ft., add	\$5.00	per foot	•
occidentalis ellwangeriana. Tom T	humb	Arborvite	ae. 6'
2 ftB&B	2.50	2.00	1.50
2½ ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
3 ½ ftB&B 4 ftB&B	4.50 5.00	$4.00 \\ 4.50$	
4 ftB&B 4½ ftB&B	6.50	5.50	5.00
5 ftB&B	9.00	7.50	3.00
0 10	J.00	1.00	
occidentalis ericoides. Heath Arbo	rvitae	. 5'	
3 ftB&B	3.50	3.00	
4 ftB&B			
LARGE SPECIMEN SHRUBS QUOTED	ON RE	QUEST.	

T

	1-4 Each	5-24 Each	25 & up Each
huja occidentalis globosa. Globe Arbor	vitae.	3'	
18 inB&B 24 inB&B	2.00	1.75	1.50
	2.50	2.00	1.75
	$\frac{3.00}{3.50}$	2.50	2.00
36 inB&B 42 inB&B	5.00	$\frac{3.00}{4.00}$	2.50
occidentalis hoveyi. Hovey Golden	n Arho		8′
18 inB&B	2.00	1.75	1.50
2 ftB&B	$\frac{2.00}{2.50}$	2.00	1.75
2 ½ ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
3½ ftB&B	4.00	3.50	3.00
4 ftB&B	5.00	4.50	4.00
4 ½ ftB&B	7.50	6.00	5.50
5 ftB&B	8.50	7.50	7.00
5½ ftB&B	10.00		
6 ftB&B	12.50		
7 ftB&B	15.00		
occidentalis Little Gem. 2'			
15 inB&B	3.00	2.50	
18 inB&B	4.00	3.50	
occidentalis lutea. Geo. Peabody's	Arbor	vitae. 1	5'
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50		3.50
5 ftB&B			
6 ftB&B	7.50		6.00
7 ftB&B	10.00	8.00	7.00
8 ftB&B	12.50	10.00	8.50
9 ftB&B	15.00	12.50	10.00
10 ftB&B	18.00	15.00	
For larger sizes to 16 ft., add	\$5.00	per fo	ot.
occidentalis pumila. Green Globe	Arborv	ritae. 3'	
18 in. spreadB&B	2.25	2.00	1.75
24 in. spreadB&B	3.00	2.50	2.25
30 in. spreadB&B	3.50	3.00	2.75
36 in. spreadB&B	5.00	4.00	3.50
42 in. spreadB&B	7.50	6.00	5.00
48 in. spreadB&B	10.00		

	1-4 Each	5-24 Each	25 & up Each	
Thuja				
occidentalis pyramidalis. Pyramic	dal Arb	orvitae.	25'	
2 ftB&B	2.50	2.00	1.75	
3 ftB&B	3.00	2.50	2.25	
4 ftB&B	4.00	3.50	3.00	
5 ftB&B	5.00	4.50	4.00	
6 ftB&B	7.50	6.00	5.50	
7 ftB&B	10.00	8.50	7.50	
8 ftB&B	12.50	10.00	9.00	
9 ftB&B	15.00	12.50	10.00	
10 ftB&B	18.00	15.00	12.50	
11 ftB&B	22.50	18.50	15.00	
For larger sizes to 16 ft., ad	d \$5.00	per fo	ot.	
occidentalis douglasi pyramidalis.				
Douglas Pyramidal Arborvitae.	20 '			
2 ftB&B	3.00	2.50	2.00	
3 ftB&B	3.50	3.00	2.50	
4 ftB&B	4.00	3.50	3.00	
5 ftB&B	5.00	4.50	4.00	
6 ftB&B	7.50	6.00	5.50	
7 ftB&B	10.00	8.50		
For larger sizes to 13 ft., add \$5.00 per foot.				
occidentalis recurva nana. 6'				
18 inB&B	2.50	2.25	2.00	
2 ftB&B	3.00	2.25 2.50	2.00 2.25	
2 ½ ftB&B	3.50	3.00	2.25 2.75	
3 ftB&B	$\frac{3.50}{4.50}$	4.00	3.50	
3 ½ ftB&B	6.00	5.00	5.50	
4 ft	7.50	6.50		
T 10	1.00	0.50		
occidentalis reevesi. Reeves Arbor	rvitae.	10'		
2 ½ ftB&B	3.00	2.50	2.00	
3 ftB&B	3.50	3.00	2.50	
3 ½ ftB&B	4.00	3.50	3.00	
4 ftB&B	5.00	4.50	4.00	
4½ ftB&B	6.50	5.50	5.00	
5 ftB&B	7.50	6.50	6.00	
6 ftB&B	10.00	8.50	7.50	
7 ftB&B	12.50	10.00		
8 ftB&B	15.00			

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

TATIVES VIELE, OTTIO			171
	1-4 Each	5-24 Each	25 & up Each
Thuja	134011	Zacii	Lacii
occidentalis reidi. Reid Arborvita	ie. 8'		
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	3.75	3.25
3 ½ ftB&B	5.50	4.50	
4 ftB&B	6. 50	5.50	
4 ½ ftB&B	7.50	6.50	
5 ftB&B	10.00	7.50	
6 ftB&B	12.50	10.00	
occidentalis riversi. Rivers Arborz	vitae.	12 '	
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	6.50	5.50	5.00
7 ftB&B	7.50	6.5 0	6.0 0
8 ftB&B	10.00	8.00	
9 ftB&B	12.50	10.00	
10 ftB&B	15.00	12.50	
For larger sizes to 12 ft., add	\$5.00	per foo	t.
occidentalis rosenthali. Rosenthal	Arborr	vitae. 10) *
2 ftB&B	2.50	2.00	1.50
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.0 0
6 ftB&B	7.50	6.50	
7 ftB&B	10.00		
occidentalis spiralis. Spiral Arbora	vitae.	<i>25</i> ′	
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.00	2.50	2.25
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	7.50	6.00	5.50
7 ftB&B	10.00	8.50	7.50
8 ftB&B	12.50	10.00	9.00
9 ftB&B	15.00	12.50	10.00
For larger sizes to 16 ft., add	d \$5.00	per fo	ot.
occidentalis umbraculifera. Dwarf	Arbo	rvitae.	9 ′
15 to 18 in. spdB&B	1.75	1.50	1.25
18 to 24 in. spdB&B	2.00	1.75	1.50
24 to 30 in. spdB&B			1.75
$2\frac{1}{2}$ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B			3.00
3 ½ to 4 ft. spdB&B	5.50	4.50	
4 to 5 ft. spdB&B	7.50	6.50	

TIENT ROTATION	1-4	5-24	25 & up
TL:	Each	Each	Each
Thuja occidentalis vervaeneana. Verv	aene Arh	ornitae	12'
3 ftB&		2.00	1.75
4 ft	_	3.00	2.75
5 ftB&		4.50	4.00
6 ftB&		6.50	5.50
7 ftB&		7.50	6.50
8 ftB&		9.00	8.00
9 ftB&		10.00	9.00
10 ftB&		12.50	10.00
For larger sizes to 16 ft., a	add \$5.00	per fo	ot.
occidentalis wareana. Ware or	Siberian .	Arborvit	ae. 15'
18 inB&	B 2.00	1.75	1.50
2 ftB&	B 2.50	2.00	1.75
2 ½ ftB&	B 3.00	2.50	2.00
3 ftB&	B 3.50	3.00	2.50
3 ½ ftB&	B 4.00	3.50	3.00
4 ftB&	B 5.00	4.50	4.00
$4\frac{1}{2}$ ft		5.50	5.00
5 ftB&		6.50	6.00
6 ftB&		8.50	7.50
7 ftB&		12.00	10.00
8 ftB&		15.00	
For larger sizes to 12 ft., a	add \$5.00	per fo	ot.
occidentalis wareana lutescens.			
Golden Ware Arborvitae. 15' 3 ½ ftB&	B 4.00		
4 ftB&			
5 ftB&			
9 1000000000000000000000000000000000000	2 ,,,,,		
occidentalis woodwardi. Woodw	vard Arbo	rvitae.	<i>6'</i>
18 inB&	B 2.50	2.00	1.75
24 inB&	B 3.00	2.50	2.00
orientalis. Oriental Arborvitae.	25'		
3 ftB&	B 3.50	3.00	2.50
4 ftB&	B 4.00	3.50	3.00
5 ftB&	B 5.00	4.50	4.00
6 ftB&		5.50	
7 ftB&		6.50	
8 ftB&		7.50	
9 ftB&		10.00	
10 ftB&		12.50	
For larger sizes to 15 ft., a	ida \$5.00	per 10	ot.

	1-4 Each	5-24 Each	25 & up Each
Thuja Thuja			
orientalis conspicua. Goldspire Ar	rborvitae	. 20'	
2 ftB&B	3.50	3.00	
3 ftB&B	4.00	3.50	
4 ftB&B	5.00		
orientalis elegantissima.			
Rollinson's Golden Arborvitae. 1			
2 ftB&B	3.50	3.00	2.50
3 ftB&B		4.00	3.50
4 ftB&B		5.00	4.50
5 ftB&B	7.50	6.50	6.00
6 ftB&B	10.00	8.00	7.50
7 ftB&B	12.50	10.00	
Doulemans (Y - 1 -1 - 1 - 1		lana of
orientalis nana aurea. Berkmans G			
18 inB&B 2 ftB&B		2.00	1.75
	3.50	3.00	2.50
2½ ftB&B		3.50	
3 ftB&B	5.00		
orientalis sieboldi. Siebold Arbora	vitae. 3'		
2 ftB&B			
3 ftB&B			
9 100	1.00		
plicata. Giant Arborvitae. 20'			
3 ftB&B	3.00	2.50	
4 ftB&B	4.00	3.50	
5 ftB&B	5.00	4.50	
6 ftB&B	6.00	5.50	
7 ftB&B	7.50	6.50	
8 ftB&B	10.00	8.50	
9 ftB&B	12.50	10.00	
For larger sizes to 14 ft., ad	d \$5.00	per fo	oot.
standishi. Standish Arborvitae. 1			
2 ftB&B			
3 ftB&B			
4 ftB&B			
9 ftB&B			
10 ftB&B	18.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

				1-4 Each	5-24 Each	25 & up Each
Tilia american	a. Am	erican	Linden. 7	<i>5</i> ′		
6	to 8	ft		. 1.50	1.25	1.00
8	to 10	ft		. 1.75	1.50	1.25
1 1/4	to 1½	in	• • • • • • •	. 2.50	2.00	1.75
1 ½	to 1 3/4	in		. 3.00	2.50	2.25
1 3/4	to 2	in		. 4.00	3.25	2.75
2	to 2 ½	in		. 5.00	4.00	3.50
2 ½	to 3	in		. 7.50	6.00	5.00
3	to 3½	in		. 12.50	10.00	7.50
$3\frac{1}{2}$	to 4	in		. 15.00	12.50	
4	to 5	in		. 25.00		
5	to 6	in	• • • • • • •	. 35.00		
cordata.	Littleled	af Eur	ropean Line	den. 70'		
8	to 10	ft		. 3.50	3.00	2.50
1 1/4	to 1½	in	• • • • • • •	4.00	3.50	3.25
1 ½	to 1 3/4	in		5.00	4.50	4.00
. –	to 2	in	• • • • • • •	. 6.00	5.50	5.00
	to 2½	in	• • • • • • •		7.50	6.00
2 ½	to 3	in	• • • • • • •	. 12.50	10.00	7.50
euchlora.	Crimea	n Line	den. 75'			
6	to 8	ft		3.50	3.00	2.50
8 .	to 10	ft		4.00	3.50	3.00
1 1/4			• • • • • • • •		4.50	4.00
1 ½		in			5.50	5.00
1 3/4			• • • • • • • • • • • • • • • • • • • •	•	7.00	6.50
			• • • • • • •		8.50	7.50
2 ½	to 3	in		15.00	12.50	
henryana.	<i>50'</i>					
			• • • • • • • • •	5.00		
			• • • • • • • •			
1 ¾ t	to 2 in	n	• • • • • • •	7.50		
			Linden. 60			
		n	• • • • • • • •	4.00	3.50	
			• • • • • • • •		4.00	
					5.00	
					7.50	
3 1	to 3½ i	n	• • • • • • • •	12.50		
	50°					
8 to	10 ft			5.00		

Tilia		1-4 Each	5-24 Each	25 & up Each
platyphy	llos. Bigleaf Europea		75'	
6	to 8 ft	2.00	1.75	1.50
8	to 10 ft		2.25	2.00
1 1/4	to 1½ in		2.50	2.25
1 ½	to 1 % in		3.00	2.75
1 3/4	to 2 in		4.00	3.50
2	to 2½ in		5.00	4.50
2 ½	to 3 in		7.50	6.50
3	to 3½ in		12.50	10.00
3 ½	to 4 in			
4	to 5 in			
tomento	•		0.00	0 = 0
6	to 8 ft		3.00	2.50
1 ½	to 1 3/4 in		5.50	5.00
$1\frac{3}{4}$	to 2 in to $2\frac{1}{2}$ in		7.00 8.50	6.50
			12.50	8.00
$2\frac{1}{2}$			18.00	11.00 15.00
vulgaris.	· -		10.00	15.00
vulgaris.	to 8 ft		2.00	1.75
8			2.50	2.25
	to 10 ft			3.25
1 1/4	to $1\frac{1}{2}$ in		3.50	
$1\frac{1}{2}$ $1\frac{3}{4}$	to 1 \(\frac{3}{4} \) in	5.00 6.00	4.50	4.00
2			5.50	5.00
$2\frac{1}{2}$			7.00 8.50	6.00
			12.50	7.50
3	to 3½ in			
3 ½			15.00	
4 T-:	to 5 in	25.00		
Tripterygium		P.D 1 50	1 05	1 00
	3 ftB		1.25	1.00
	4 ftB		1.50	1.25
	nsis. Canada Hemloc		0.05	2.00
	B		2.25	2.00
			3.00	2.75
	B		4.50	3.75
	c. ex. broadB		C 00	5 00
	B		6.00	5.00
	c. ex. broadB		7 50	6 50
	5		7.50	6.50
	B		10.00	9.00
	tB		12.50	10.00
	t		15.00	-4
For	larger sizes to 18 ft.	, add \$5.00	per 10	ot.

Tsuga	1-4 Each	5-24 Each	25 & up Each
caroliniana. Carolina Hemlock. 50		Dacii	Dacii
2 ftB&B	5.00	4.00	
	6.50	5.00	
4 ftB&B		9.00	
5 ftB&B			
sieboldi. Siebold Hemlock. 35'			
7 ft. specimensB&B	50.00		
8 ft. specimensB&B	60.00		
Ulex europeaus. Common Gorse. 4'			
18 to 24 in., 4 in. pots	1.25	1.00	
Ulmus americana. American Elm. 80'	,		
		1.25	1.00
8 to 10 ft	1.50		
1 ½ to 1 ½ in	1.75	1.50	1.25
1 ½ to 1 ¾ in	2.00	1.75	1.50
1 % to 2 in	3.00	2.50	2.00
2 to 2½ in	4.00	3.50	3.00
$2\frac{1}{2}$ to 3 in	6.50	5.00	4.00
3 to 3½ in	10.00	7.50	6.50
3½ to 4 in	12.50	10.00	9.00
4 to 4½ in	15.00	12.50	
americana moline. Moline Elm.	<i>80'</i>		
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.50	1.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.50	2.00
1 3/4 to 2 in	3.50	3.00	2.50
$\frac{1}{4}$ to $\frac{2}{1}$ in	5.00	4.00	3.50
2 ½ to 3 in	7.50	6.00	5.00
3 to $3\frac{1}{2}$ in	10.00	7.50	
0 00 0 72 111	10.00	1.00	
americana vase-shaped. 50'			
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.50	1.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.50	
1 3/4 to 2 in	3.50	3.00	2.50
2 to 2½ in	5.00	4.00	
	7.50		3.50
$2\frac{1}{2}$ to 3 in		6.00	
0 to 0/2 m	10.00	7.50	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

			1-4 Each	5-24 25 & up Each Each
Ulmus				
campestr	is. Eng	lish Elm. 75'		
6	to 8	ft	2.00	1.75
8	to 10	ft	2.50	2.25
1 1/4	to 1½	in	3.00	2.75
1 ½	to 13/4	in	4.00	3.50
1 3/4	to 2	in	6.00	5.00
2	to 2½	in	8.50	7.50
2 ½	to 3	in	12.50	10.00
3	to 3 ½	in	$20.0\dot{0}$	15.00
3 ½	to 4	in	25.00	20.00
4	to 5	in	35.00	30.00
5	to 6	in	50.00	45.00
	:- 1-1	· ····································	1 75	,
-		neri. Klemmer E		
8 10	10 11	• • • • • • • • • • • • • •	5.00	
campestr	is latifol	ia. Belgian Elm.	. 75'	
8	to 10	ft	3.00	
1 1/4	to 1½	in	4.00	
1 ½	to 13/4	in	5.00	
1 3/4	to 2	in	7.50	
2.	to 2½	in	10.00	
2 ½	to 3	in	12.50	
3	to 3½	in	20.00	
campestr	ic manus	nentalis. <i>Monun</i>	nent Ill	m. 75'
6	to 8	ft	4.00	3.50
8	to 10	ft	5.00	4.00
		in		5.00
• -		in		
1 3/4		in		7.50
2	to 2½		15.00	
2 ½	. –	in		15.00
3	to 3½	in		20.00
3 1/2	to 4	in	30.00	
campestr	is purpu	rea. Purpleleaf 1	English	Elm. 70'
8	to 10	ft	3.00	2.50
_		in		3.00
		in		
			6.00	
$\frac{1}{2}$		n		
2 ½				10.00

1 10		(12 0 3011		
Ulmus		1-4 Each	5-24 Each	25 & up Each
campestr	is vegeta. Hunting		Daton	234011
8	to 10 ft	2.50	2.25	2.00
1 1/4	to 1½ in	3.00	2.75	2.50
1 ½	to 13/4 in	3.50	3.25	3.00
1 3/4	to 2 in	5.00	4.50	4.00
2	to 2½ in	8.50	7.50	6.00
2 ½	to 3 in	12.00	10.00	8.00
3	to 3½ in	15.00	12.50	
3 ½	to 4 in	20.00	15.00	
4	to 5 in	35.00		
5	tó 6 in	50.00		
campestr	is wheatleyi. Whee	atley Elm. 75'		
6	to 8 ft	4.00	3.50	
8	to 10 ft		4.00	
1 1/4	to 1½ in		5.00	
1 ½	to 134 in		6.50	
1 3/4	to 2 in		7.50	
2	to 2½ in			
	to 3 in			
3	to 3½ in			
	to 4 in	30.00		
	Slippery Elm. 65'			
	to 1 3/4 in			
	to 2 in			
2	to 2½ in			
	to 3 in	10.00		
-	Scotch Elm. 75'	4.00		
	to 1½ in		3.50	
	to 1 % in		4.50	
	to 2 in			
	to 2½ in			
	to 3 in			
	to 3½ in			
	amperdowni. Camp			
	stem	4.00	3.50	
	ana. Globe Elm.	10.00		
	8 ft. standards			
japonica. 8	Japanese Elm. 70			
	to 10 ft			
	to 1 3/4 in			
	to 2 in			
	to 2½ in			
	to 3 in			
3	to 3½ in	15.00		

	1-4 Each	5-24 Each	25 & up Each
Ulmus			
parvifolia. Chinese Elm. 30'			
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.75	2.50
10 to 12 ft	4.00	3.75	3.50
12 to 14 ft	6.00	5.00	4.50
pumila. Dwarf Asiatic Elm. 75'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.00	
1 3/4 to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
3 to 3½ in	7.50	6.00	
$3\frac{1}{2}$ to 4 in	10.00	7.50	
racemosa. Rock Elm. 80'			
3 to 3½ in	25.00		
3½ to 4 in	30.00		
4 to 5 in	35.00		
Vaccinium corymbosum. Highbush Blu	eberry.	<i>8</i> ′	
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.50	2.25	2.00
4 to 5 ftB&B	3.50	3.00	2.50
vacillans. Dryland Blueberry. 3'			
12 to 15 inB&B	2.00	1.75	
Viburnum acerifolium. Mapleleaf Vib	urnum	<i>5</i> ′	
18 to 24 in			.40
2 to 3 ft			.50
3 to 4 ft			
4 to 5 ft			
5 to 6 ft		1.25	
			1.00
americanum. American Cranberry			20
2 to 3 ft			
		.45	.40
		.60	
5 to 6 ft			
6 to 8 ft	1.25	1.00	.85
bitchuiense. Yeddo Viburnum. 6'			
3 to 4 ftB&B	2.25	2.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
carlesi. Fragrant Viburnum. 4'			
18 to 24 inB&B	2.25	2.00	1.75
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B	3.50	3.25	3.00
18 to 24 in., own roots, B&B	3.00	2.50	
2 to 3 ft., own roots, B&B	3.50	3.00	
Standards			
18 in. stemB&B	3.00	2.50	
2 ft. stemB&B	3.50	3.00	
3 ft. stemB&B	4.00	3.50	
cassinoides. Withe Rod. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	2.00	1.50	1.25
dentatum. Arrow Wood. 12'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
dilatatum. Linden Viburnum. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
5 to 6 ft. specB&B	7.50		
6 to 8 ft. spec B&B	12.50		
hupehense. Hupeh Viburnum. 6'			
2 to 3 ft	1.25	1.00	
lantana. Wayfaring Tree. 15'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.40	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.80	.70
6 to 8 ft	1.25	1.00	.90
lantana rugosum. Wrinkleleaf Wa	yfaring	-tree. 1	15'
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25		.75
6 to 8 ft	1.50	1.25	1.00

171111291122, 01110	4 4	F 0.4	07.0
Viburnum	1-4 Each	5-24 Each	25 & up Each
lentago. Nannyberry. 20'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	.90	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft. specB.&B	15.00		
molle. Kentucky Viburnum. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.65	.50
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.10	1.00
nudum. Smooth Withe Rod. 8'			_,
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft. spec B&B	7.50		
opulus. High Bush Cranberry. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
8 to 10 ft	1.75	1.65	1.50
opulus nanum. Dwarf Cranberry	Bush.	2'	
10 to 12 in	.65	.55	.50
12 to 15 in	.75	.65	.60
15 to 18 in	1.00	.80	.75
opulus sterile. Common Snowball.	10'		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
ovatifolium. Eggleaf Viburnum.	10'		
3 to 4 ft	1.50	1.25	
prunifolium. Blackhaw. 12'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	4.00

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
pubescens. Downy Viburnum. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	
rhytidophyllum. Leatherleaf Viburi	num.	8 ′	
18 to 24 inB&B	1.50	1.25	1.00
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	3.00	2.50	2.00
4 to 5 ftB&B	4.50	4.00	3.50
rufidulum. Southern Blackhaw. 10'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
sargenti. Sargent Cranberrybush.	10'		
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.50	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.50	1.25	
sieboldi. Siebold Viburnum. 10'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.50	1.00	.75
6 to 8 ft	2.50	1.50	1.25
8 to 10 ft	3.50	3.00	2.50
theiferum. Tea Viburnum. 12'			
2 to 3 ft	1.25	1.00	
tomentosum. Doublefile Viburnum.	8 '		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
tomentosum plicatum. Japanese Sn	owball	. 8'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.50	1.25	

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
veitchi. Veitch Viburnum. 6'	1 50	1.05	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
venosum canbyi. Canby Viburnun			
3 to 4 ft		.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
wrighti. Wright Viburnum. 8'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	1.25
5 to 6 ft	2.25	1.75	1.50
Vinca minor. Periwinkle.			
8 to 12 in	.12	.10	.08
minor alba. White Periwinkle.			
	25	.25	.20
2 year		.20	.20
minor rubra plena. Dbl. Red Per	iwinkle.		
2 year	.50	.40	.30
Vitex agnus castus. Chaste-tree. 4'			
2 to 3 ft	.40	30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
agnus castus alba. White Chaste-t	ree. 4'		
2 to 3 ft	.55	.45	.35
3 to 4 ft	.65	.50	
macrophylla. Hemp-tree. 4'			
2 to 3 ft	.60	.45	.35
3 to 4 ft	.75	.60	,00
		.00	
negundo incisa. Cutleaf Chaste-tre	•		
3 to 4 ft	1.00	.75	
Vitis aestivalis. Summer Grape. 40'			
2 year	.45	.35	.30
3 year	.55	.45	.40
amurensis. Amur Grape. 40'			
3 year	.75	.60	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST,

	1-4 Each	5-24 Each	25 & up Each
Vitis	224011	22011	2300011
coignetiae. Gloryvine. 40'			
2 year	.60	.50	.40
3 year	.75	.60	.50
4 year	1.00		
cordifolia. Frost or Winter Grape.	40'		
2 year	.45	.35	.30
3 year	.55	.45	.40
labrusca. Fox Grape. 40'			
2 year	.45	.35	.30
3 year	.55	.45	.40
rotundifolia. Muscadine Grape. 4			
3 year	.60	.50	.40
4 year	.75	.60	.50
vulpina. Riverbank Grape. 40'	, -	0.5	0.0
2 year	.45	.35	.30
3 year	.55	.45	.40
4 year	.75	.60	.50
Weigela Abel Carriere. 10'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
amabilis. Rose Weigela. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
candida. Snow Weigela. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
desboisi. Desbois Weigela. 8'	0.5	0.5	0.0
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft Eva Rathke. δ'	.60	.45	.35
2 to 3 ft	15	.35	.30
3 to 4 ft	.45	.45	.40
4 to 5 ft	.75	.60	.50
floribunda. Crimson Weigela. 8'	.10	.00	.00
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.45	.35
4 to 5 ft	.75	.60	,50

	1-4 Each	5-24 Each	25 & up Each
Weigela			
groenewegeni. Greenway Weigela.	8'		
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
Gustav Mallot. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.55	.45
hortensis rubra. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
japonica. Japanese Weigela. 8'			
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
rosea. Pink Weigela. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
· Demant Mani		W oi mola	<i>E1</i>
rosea nana variegata. Dwarf Vari	•	· .	
2 to 3 ft		.30	, — -
3 to 4 ft			
sieboldi argenteomarginata. Varie			8'
3 to 4 ft	.65	.50	
styriaca. 8'	20	F 0	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
Vanhoutte. Van Houtte Weigela.			
2 to 3 ft	.35		.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
Wistaria frutescens. American Wistari	'a. 30'		
2 year	.50	.35	.25
frutescens magnifica. Yelloweye	Wistario	ı. 25'	
2 year	.50	.35	.25
3 year	.60	.45	.35

	1-4 Each	5-24 Each	25 & up Each
Wistaria			
multijuga. Japanese Wistaria. 30		4.0	95
2 year	.50	.40	.35
3 year	.60	.65	
4 year		.00	.00
2 year	•	.35	.30
3 year	.60	.45	
2 year grafted flower-	•00	. 10	• • • •
ing plants	1.25	1.00	
Standards. 4 ft. stem,			
30 in. head	6.00		
sinensis alba. Chinese White Wista		,	
2 year	.45	.35	.30
3 year	.60	.45	.40
4 year	1.00	.75	
2 year grafted flower-			
ing plants	1.25	1.00	
Standards. 4 ft. stem,			
30 in. head	6.00		
venusta. Silky Wistaria. 30'			
3 year	.60	.50	
4 year	.75		
Xanthoceras sorbifolia. 15'			
2 to 3 ftB&B	4.00		
3 to 4 ftB&B	5.00		
Zanthorhiza apiifolia. Yellowroot. 3'			
12 to 15 in. clumps	.45	.35	.25
15 to 18 in. clumps	.60	.45	.35
18 to 24 in. clumps	1.00	.75	.60
Zanthoxylum americanum. Prickly Ash	. 15'		
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
Zelkova serrata. Sawleaf Zelkova. 50'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	

Herbaceous & Alpine Material

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

	5-24 each	25&up each
*Acaena buchanani. Bluish gray, Aug., 1"\$.20	\$.18
*sanguisorbae. Bright green foliage, 2"	.20	.18
Acanthus mollis. Purple rose, July, 4'	.20	
mollis latifolius. Rose, July, 2-3'	.20	
*Achillea ageratifolia aizoon. White, May, June,		
8"	.20	.18
clavennae. White, July, 1'	.20	.18
filipendulina. Yellow, June, July, 3'	.15	.12
*millefolium Cerise Queen. Rose, July, 2'	.15	.12
*nana. White, June, July, 6"	.18	.15
*nitida. White, June, July, 1'	.20	.18
*ptarmica The Pearl. White, July, 2'	.15	.12
*ptarmica Boule de Neige. White, June,		
July, 2'	.15	.12
*ptarmica Perry White. June, July, 2'	.15	.12
*tomentosa. Yellow, June, 1'	.15	.12
Aconitum autumnale. Blue, July, August, 4'	.30	.25
fischeri. Blue, September, 3'	.25	.20
fischeri wilsoni. Violet blue, Sept., 5'	.40	.35
napellus. Light blue, July, Aug., 4'	.30	.25
napellus Spark's. Violet blue, July, Aug.,		
5'	.30	.25
*Actinea herbacea. Yellow, May, 6"	.25	
Actaea alba. White, May, June, 3-4'	.15	.12
rubra. Red, May, June, 3-4'	.15	.12
	or.	
Adenophora chinensis. Blue, Fall, 3'	.25	
potanini. Light blue, July, Aug., 3'	.25	
Adiantum pedatum. Maiden Hair Fern	.15	.12
*Aegopodium podograria variegatum. Variegat-		
ed foliage, 1'	.18	.15

	5-24 each	25&up each
*Aethionema cordifolium. Rosy lilac, June, 6"	.20	.18
grandiflorum. Pink, June, 12"	.20	.18
*kotschyi. Rose, July, 4"	.20	.18
*persicum. Pink, June, July, 9"	.20	.18
*pulchellum. Pink, June, 8"	.20	.18
*schistosum. Rose, June, 4"	.20	.18
*Ajuga brockbanki. Purple, June, 6"	.18	.15
*genevensis. Bright blue, May, 6"	.18	.15
*reptans. Blue, May, 6"	.15	.12
*reptans alba. White, May, 6"	.20	
Allium carinatum. Rose, June, July, 2'	.18	.15
*karataviense. White, June, July, 8"	.25	.20
narcissiflorum. Rose, June, July, 1'	.25	.20
schoenoprasum. Rose purple, June, July,		
2'	.25	.20
stellatum. Rose, June, July, 18"	.20	.18
*thibetica. Lilac mauve, June, July, 8"	.18	.15
Althea rosea. Hollyhock.		
Double. Separate colors, July, Aug., 5'	.15	.12
Double. Chaters' strain, separate colors	.15	.12
Fringed Allegheny. July, August, 5'	.15	.12
Single. Mixed colors, July, Aug., 5'	.15	.12
Single. Separate colors, July, Aug. 5'	.15	.12
*Alyssum argenteum. Yellow, July, Aug., 6"	.15	.12
*amanum. Yellow, May, June, 4"	.25	
*creticum. Yellow, June, July, 1'	.18	.15
*moellendorfianum. Yellow, June, July, 6"	.25	.20
*montanum. Yellow, June, July, 8"	.25	.20
*rostratum. Yellow, June, July, 12"	.15	.12
*saxatile compactum. Yellow, May, 1'	.15	.12
*saxatile sulphureum. Yellow, May, 1'	.25	.20
*serpyllifolium. Yellow, June, July, 4"	.18	.15
*spinosum. Pink and white, June, 3"	.30	.25
Amsonia tabernaemontana. Blue, May, June,		
3'	.18	.15
Anchusa barrelieri. Blue, May, 2'	.25	
capensis. Blue, summer, 18"	.18	.15
italica Dropmorei. Blue, June, 4-5'	.15	.12
myosotidiflora. Bright blue, May, 1'	.20	.18
For less than five, add five cents per plant to th	e 5-24	rate.

*Androsace lanuginosa. Rose, June, 8" *lanuginosa leichtlini. Rose, June, 8" *sarmentosa. Rose, June, 6"	5-24 each .35 .40	25&up each
	0.5	
*Anemone baldensis. White and pink, July, 1'	.25	10
*hupehensis. Mauve, Aug., Sept., 1'	.20	.18
*japonica alba. White, fall, 3'	.18	.15
japonica Alice. Rose pink, fall, 3'	.20	.18
japonica Louise Uhink. White, fall, 3'	.20	
japonica Prince Heinrich. Deep pink, fall,	20	10
3'	.20	.18
japonica Queen Charlotte. Rose, fall, 3'	.20	.18
japonica Richard Ahrends. Shell pink,	0.0	10
fall, 2'	.20	.18
japonica rubra. Red, fall, 2'	.25	.20
japonica September Charm. Silvery pink,	0.5	
fall, 2'	.25	20
japonica September Sprite. Pink, fall, 2'	.25	.20
* japonica Whirlwind. Pure white, fall, 3'	.20	.18
*magellanica. Creamy yellow, spring, 1'	.30	
*pennsylvanica. White, July, 1½'	.15	4 P
*pulsatilla. Blue, April, 15"	.18	.15
*pulsatilla alba. White, April, 1'	.30	.25
*pulsatilla rubra. Dark red, April, 12"	.30	.25
*sylvestris. White, May, June, 1'	.20	.18
*vernalis. White, April, 6"	.30	
*Antennaria dioica. White, May, 6"	.15	.12
*Anthemis cinerea. White, Aug., 1'	.20	.18
*montana. White, July, 10"	.20	.18
*nobilis. White, summer, 1'	.15	.12
tinctoria. Yellow, July, Aug., 3'	.15	.12
tinctoria E. C. Buxton. White, yellow eye,		
July, Aug., 3'	.15	.12
tinctoria kelwayi. Yellow, July, Aug., 3'	.15	.12
tinctoria kelwayi. White, July, 3'	.18	.15
Anthericum liliago. White, May, June, 3'	.30	
Anthyllis vulneraria dilleni. Red, summer, 1'.	.25	
Antirrhinum cranifolium. Blue, July, Aug., 15"	.25	.20

	6-24 each	each
*Aquilegia alpina. Blue, May, June, 1'	.18	.15
*caerulea. Blue, May, June, 1½'	.20	.18
caerulea hybrida. Various, June, 2'	.15	.12
*canadensis. Scarlet, May, June, 2'	.15	.12
*chrysantha. Yellow, June, July, 3'	.18	.15
chrysantha alba. White, June, July, 3'	.18	.15
Crimson Star. Crimson, May, June, 2'	.25	.20
*flabellata nana-alba. White, June, 10"	.18	.15
*hybrida. Mrs. Scott Elliott. Various,		
June, 2'	.18	.15
longissima. Yellow, June, 2'	.40	.35
*pyrenaica. Deep blue, June, July, 1'	.25	.20
rosea. Long spurred pink, June, 2'	.18	.15
*siberica fl. pl. Blue and white, June, 18"	.25	.20
skinneri. Red and yellow, May, 2'	.18	.15
vulgaris. Purple, May, June, 2'	.15	.12
vulgaris nivea. White, May, 2'	.18	.15
*Arabis albida. White, May, 6"	.18	.15
*alpina. White, April, May, 6"	.15	.12
*alpina fl. pl. Dbl. White, April, May, 6"	.25	.20
*alpina rosea. Pink, April, May, 6"	.20	.18
*aubretioides. Pink, May, 8"	.30	.25
*cebennensis. White, May, 10"	.20	.18
*cockilis. White, April, May, 6"	.25	.20
*holboelli. Lilac, May, 8"	.20	.18
*muralis. Rose, May, 10"	.25	.20
*procurrens. White, May, 1'	.25	.20
*Arenaria balearica. White, July, Aug., 3"	.20	.18
*grandiflora. White, May, 4"	.18	.15
*montana. White, June, 4"	.18	.15
*purpurascens. Purple rose, July, 4"	.25	.20
*verna. White, June, July, 3"	.20	.18
Arisaema triphyllum. Purple, May, 1'	.15	.12
*Armeria alpina. Pink, summer, 6"	.18	
*caespitosa. Pale pink, May, 2"	.30	.25
*cephalotes rubra. Deep pink, May, June,		
6"	.18	.15
*laucheana. Crimson, May, June, 8"	.15	.12
*maritima. Pi. :, May, June, 6"	.15	.12
*maritima alba. White, May, June, 6"	.15	.12
*robusta. Crimson, May, June, 10"	.15	.12

	5-24 each	25&up each
Artemisia abrotanum. Fragrant foliage, 5'	.15	.12
absinthium. Wormwood, 4'	.15	.12
dracunculus. White, August, 2'	.20	.18
frigida. Silver foliage, 18"	.20	.18
lactiflora. White, Aug., 4'	.18	.15
pontica. Gray foliage, 12"	.15	.12
purshiana. Gray foliage, 3'	.15	.12
Silver King. White foliage, 3'	.15	.12
stelleriana. White, summer, 2'	.15	.12
Arundo-donax. Giant Reed, 12'	.30	.25
*Asarum canadense. Chocolate, May, 6"	.15	.12
Asclepias incarnata. Red, August, 4'	.15	.12
tuberosa. Orange, July, August, 2'	.15	.12
*Asperula cynanchica. Pink, summer, 10"	.20	
hexaphylla. White, June, 1'	.18	.15
*hirta. Pink, July, Aug., 6"	.20	•10
*longifolia. White, summer, 8"	.25	
*odorata. White, May, 8"	.20	.18
*scutellaria. White, June, July, 6"	.25	***
Asphodeline lutea. Yellow, July, 3'	.20	.18
Asplenium felix faemina. Lady Fern	.15	.12
	15	.12
*Aster alpinus. Blue, June, July, 8" *alpinus albus. White, June, July, 8"	.15	.12
	.10	.19
*alpinus Goliath. Bluish purple, May, June, 8"	.30	
*alpinus ruber. Rosy purple, July, 8"	.25	
amelloides. Purple, July, 18"	.20	
amellus elegans. Purple, Aug., 18"	.20	.18
amellus Rud. Goethe. Lavender blue, fall,	.20	. 20
2'	.25	.20
Abendrothe. Rose pink, Oct., 3'	.18	.15
Anita Ballard. Soft lavender, fall, 4'	.18	.15
Ballard's Crimson. Fall, 3'	.20	.18
Beauty of Colwall. Fine blue, Sept., 3'	.15	.12
Beechwood Challenger. Crimson, fall		
18"	.30	.25
Blanchette. Mauve blush, fall, 4'	.15	.12
Blue Gem. Blue, Sept., 3'	.25	.20
Climax. Blue, Sept., Oct., 3'	.15	.12
diplostephioides. Blue, July, 2'	.18	.15
dracunculoides. Light blue, July, 2'	.25	.20

	5-24 each	25&up each
Aster		
frikarti Wonder of Staefa. Lavender, fall,		
2'	.45	
Harrington's Pink. Fall, 3'	.30	
himalaicus. Lilac, Aug., 18"	.30	.25
hyb. luteus. Yellow, Sept., 3'	.30	.25
laevis. Lavender, Sept., 4'	.15	.12
Mad. Emil Thoury. Violet, Sept., 5'	.15	.12
Mad. Soyneuse. Light blue, Sept., Oct., 3'	.15	.12
Mauve Cushion. Mauve, Oct., 12"	.15	.12
Mauve Queen. Mauve, Sept., 3'	.18	.15
Mrs. Raynor. Crimson, Sept., 3'	.18	.15
Mt. Everest. White, fall, 3'	.20	.18
novae-angliae. Purple, Sept., Oct., 4'	.15	.12
novae-angliae roseus. Rose, Sept., 4'	.18	.15
Queen Mary. Blue, Sept., 3'	.20	.18
Red Rover. Red, fall, 3'	.20	
Robt. Parker. Lavender, Sept., Oct., 5'	.15	.12
Rue des Hatives. Rose mauve, fall, 3'	.15	.12
Skylands Queen. Light Blue, fall, 3'	.20	
Snow Queen. White, Sept., Oct., 4'	.15	.12
St. Egwyn. Soft pink, Sept., Oct., 3'	.15	.12
Sunset. Pink, Sept., 3'	.30	.25
tataricus. Purple, Oct., and Nov., 6'	.15	.12
White Climax. White, fall, 4'	.15	.12
dwarf varieties.		
Countess of Dudley. Clear pink, Sept.,		
9"	.20	.18
Lady Henry Maddocks. Pink, Sept., 1'	.20	.18
Lavanda. Lavender blue, Sept., 6"	.30	.25
Marjorie. Rose pink, Sept., 1'	.20	.18
Nancy. Flesh pink, Sept., 1'	.20	.18
Niobe. White, Sept., 6"	.30	.25
Ronald. Lilac pink, Sept., 1'	.20	.18
Snowsprite. White, Sept., 1'	.20	.18
Victor. Lavender blue, Sept., 8"	.20	.18
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.25	.20
arendsi Granat. Crimson, June, 2'	.30	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.25	
arendsi Juno. Purplish pink, July, 3'	.25	.20
arendsi Kreimhilde. Rose, June, July, 2'	.25	.20

	5-24 each	25&up each
Astilbe	cacii	04011
arendsi Marguerite Van Rechteren. Red,		
tinged lilac, Aug., 4'	.30	.25
arendsi Moerheimi. White, July, 3'	.30	.25
arendsi Philadelphia. Lavender rose, July,		
2'	.30	
arendsi Rhineland. Crimson, shaded sal-	0.0	25
mon, June, 2'	.30	.25
arendsi Rose Pearl. Shell pink, July, 3'	.25 $.25$.20
arendsi Salland. Red, July, 5' biternata. Cream, June, 4'	.25	.20
rosea Queen Alexandra. Deep pink, July,	.40	.20
3'	.25	.20
rosea Queen of Holland. Rose pink,, July,	.20	.20
3'	.25	.20
rubella Solferino. Violet pink, July, 3'	.30	.25
rubella Vesta. Lilac rose, July, 3'	.25	.20
Astrantia major. Silvery pink, May, 2'	.15	.12
*Aubrietia deltoidea. Purple, Apr., May, 4"	.18	.15
*deltoidea bougainvillei. Dark blue,		
April, 5"	.18	.15
*deltoidea eyrei. Rosy lilac, Apr., 5"	.18	.15
*deltoidea Fire King. Red, May, 4"	.30	
*deltoidea graeca. Violet, May, 4"	.18	.15
*deltoidea leichtlini. Pink, April, 5"	.18	.15
*deltoidea purpurea. Purple, April, 5"	.18	.15
*hybrida. Various, Apr., May, 6"	.25	
Baptisia australis. Indigo, June, 4'	.18	.15
tinctoria. Yellow, June, 3'	.18	.15
Belamcanda chinensis. Orange, summer, 3'	.15	.12
*Bellis perennis alba. White, Apr., May, 3"	.15	.12
*perennis rosea. Pink, April, May, 3"	.15	.12
*rotundifolia caerulescens. Blue, May, 2"	.20	.18
*Bellium bellidioeides. Blush, summer, 4"	.15	.12
Bocconia cordata. Creamy white, Aug., 6'	.15	.12
Boltonia asteroides. White, Sept., 5'	.15	.12
latisquama. Lavender, August, 5'	.15	.12
latisquama nana. Lavender, Aug., 2'	.20	.18
Boykinia rotundifolia. White, June 2'	.18	.15
Buphthalmum speciosum. Yellow, June, 3'	.15	.12
salicifolium. Yellow, summer, 2'	.18	.15

	5-24 each	25&up each
*Calamintha alpina. Purple, summer, 6"	.18	.15
*Calandrinia umbellata. Crimson, summer, 6"	.20	.18
Calimeris incisa. Pink, summer, 2'	.25	
*Callirhoe involucrata. Red, all summer, 6"	.15	.12
*Caltha palustris. Yellow, Apr., May, 12"	.15	.12
Camassia leichtlini. Blue, May, 2'	.15	.12
quamash. Blue, May, 2'	.15	.12
*Campanula alliariaefolia.		
White, June, July, 2'	.18	.15
*bononiensis. Blue, June, 2'	.18	.15
*carpatica. Blue, July, August, 9"	.18	.15
* carpatica alba. White, July, Aug., 9"	.18	.15
*collina. Blue, July, Aug., 1'	.25	
*elatinoides. Blue, summer, 6"	.20	
*fenestrellata. Pale blue, summer, 3"	.20	.18
*garganica. Light blue, June, 6"	.30	.25
*garganica hirsuta. Blue, June, 4"	.25	
*glomerata. Purple, June, July, 2'	.15	.12
*glomerata acaulis. Purple, June, 6"	.18	.15
*glomerata superba. Violet, June, July, 2'	.18	.15
*grosseki. Blue, summer, 2'	.15	.12
*istriaca. Pale blue, June, July, 3"	.20	
*kolenatiana. Blue, July, 9"	.25	.20
lactiflora. Light blue, August, 4'	.18	.15
latifolia alba. White, July, 3'	.20	.18
latifolia macrantha. Purplish blue, July,		
3'	.18	.15
medium. Mixed, June, July, 3'	.15	.12
medium. Separate colors, June, July, 3'	.18	.15
medium calycanthema. Mixed, July, 3'	.15	.12
medium calycanthema. Separate colors,		
July, 3'	.18	.15
*muralis. Blue-purple, June, 6"	.30	.25
persicifolia. Blue, June, July, 2'	.18	.15
persicifolia alba. White, June, 2'	.20	.18
pyramidalis. Blue, July, 4-5'	.18	.15
pyramidalis alba. White, July, 4-5'	.18	.15
*raddeana. Purple, July, Aug., 1'	.25	.20
*raineri. Dark blue, July, 6"	.18	.15
*raineri alba. White, July, 6"	.20	.18
*rhomboidalis. Blue, July, 1'	.18	.15

	5-24 each	25&up each
Campanula	cacii	eacn
*riverslea. Dark blue, July, 9"	.20	.18
*riverslea alba. White, July, 9"	.20	.18
*rotundifolia. Blue, June, July, 12"	.18	.15
*sarmatica. Pale blue, summer, 12"	.30	.25
*sibirica alba. White, summer, 10"	.25	.20
*turbinata. Blue, June, July, 6" *turbinata alba. White, June, July, 6"	.18	.15
*trachelium. Blue, July, 2-3'	.15	.12
*Carex morrowi. White-edged foliage, 1'	.25	
*Carlina acaulis. White summer, 6"	.25	
Cassia marilandica. Yellow, July, 3-4'	.15	.12
Catananche caerulea. Blue, June, July, 18"	.15	.12
Caulophyllum thalictroides	.15	.12
Cedronella cana. Pink, July, 3'	.25	.20
Centaurea babylonica. Yellow, July, 5'	.15	.12
*dealbata. Red, July, 1½'	.18	.15
macrocephala. Yellow, July, 3-4'	.18	.15
*montana. Blue, June, July, 2'	.15	.12
ruthenica. Straw color, July, 4'	.18	
Centranthus augustifolius. Rose, summer, 18"	.20	10
ruber. Red, summer, 3'	.15	.12
ruber albus. White, all summer, 3'	.15	.12
Cephalaria alpina. Yellow, July, 5'	.15	.12
*Cerastium arvense compactum.	.10	.14
White, July, 8"	.15	.12
*biebersteini. White, June, 6"	.18	.15
*tomentosum. White, June, 6"	.15	.12
*Ceratostigma plumbaginoides. Blue, fall, 6"	.18	.15
*Chieranthus allioni. Orange, July, 1'	.15	.12
Chelone glabra. White, rose tinged, July, 2'	.18	.15
lyoni. Deep rose, August, 2'	.18	.15
Chrysanthemum anemone—flowered	.15	.12
Snow Queen—White.		
*arcticum. White, fall, 2'	.15	.12
*arcticum Astrid. Pink, fall, 18"	.20	.18
balsamita. Yellow, Aug., Sept., 2'	.25	.20
For less than five, add five cents per plant to the	e 5-24	rate.

	5-24 each	25&up each
Chrysanthemum		
coreanum. Blush, fall, 3'	.18	.15
Cushion varieties. Fall, 1'	.20	.18
(white, yellow, pink, red, bronze)		
*erubescens. Pink, Aug., Sept., 18"	.25	
hardy button varieties	.15	.12
Baby Marguerite—pink.		
Bronze Button—bronze.		
Irene—blush white.		
Lillian Doty—pink.		
Mitzi—yellow.		
Mrs. H. Harrison—pink.		
Niza—delicate pink.		
Ouray—rich bronze.		
White Doty—white.		
hardy large flowering, double, fall, 4'	.15	.12
Angelo—pink.		
Barbara Cumming—yellow, bronze sha	ading.	
Boston—orange.		
Brune Poitevine—deep velvety reddis	h bro	nze.
Canariense—yellow.		
Comoleta—yellow.		
Golden Queen—yellow.		
Harvest Home—yellow.		
Indian—coppery red.		
L'Argentuillais—deep chestnut.		
Marie Antoinette—deep pink.		
Mrs. F. H. Bergen—pale pink.		
Mrs. H. Craig—yellow, overlaid orange	crim	son.
Murillo-pink.		
Oconto—white.		
Ohio Gold—yellow.		
Old Homestead—pink.		
Pacific Supreme—pink.		
R. Marion Hatton—canary yellow.		
Snowclad—white.		
Vesuve—red.		
Aladdin. Coppery bronze, Aug., 2'	.20	.18
Dazzler. Cardinal red, fall, 2'	.18	.15
Daybreak. Shell pink, fall, 2'	.25	
Eden. Bright rose, fall, 2'	.18	.15
Emma Marie. Lemon yellow, fall, 2'	.18	.15
, , , , , , , , , , , , , , , , , , ,		

	5-24 each	25&up each
Chrysanthemum		
Glory of Seven Oaks, Yellow,		
Sept., 2'	.18	.15
Granny Scovill. Coral Bronze, fall, 2'	.20	.18
Jean Cumming. White, fall, 2'	.18	.15
Judith Anderson. Yellow, fall, 18"	.20	.18
Mrs. Willis J. Martin, Strawberry,		
fall, 2'	.18	.15
Pale Moon. Yellow, fall, 2'	.30	.25
Peggy Ann Hoover. Lilac pink, fall,		
2'	.18	.15
Tassiva. White, Sept., 18"	.18	.15
Yellow Normandie. Yellow, early fall,		
2'	.18	.15
hardy large flowering, single, fall, 4'	.18	.15
California—yellow.		•
Excelsior—golden yellow.		
Gypsy Girl, crimson, shading chestnut		
Lady Smith—bright pink.	•	
Mrs. Calvin Coolidge—cardinal red.		
Mrs. W. E. Buckingham—salmon pink		
Korean hybrids. Oct., 2-2½'		.15
Aphrodite—pale pink	.20	.10
Apollo—bronze, red and gold.		
Ceres—chamois yellow.		
Daphne—daphne pink.		
Diana—rose pink, blended lilac rose.		
Indian Summer—double orange		
Mars—amaranth red.		
Mercury—bronze red.		
Nancy Copeland—spectrum red		
Profusion—rich coppery old gold	- 1	
Saladin—oriental red, shading to core	aı.	
Sappho—pure yellow.		
Saturn—orange and bronze		
The Moor—port wine red.		
maximum. White, all summer, 2'	.15	
maximum Alaska. White, JulyAug., 2'	.15	.12
maximum Chiffon. Dbl. White, summer,		
18"	.30	
maximum Giant Single. White, summer,	0.5	
30"	.30	.25

	5-24 each	25&up each
Chrysanthemum	Cacii	04011
maximum Mrs. C. Lothian Bell. White.		
June, July, 2'	.18	.15
maximum White Swan. Dbl. White, sum-	20	.25
mer, 18"* *morifolium. Rose, fall, 18"	.30	.18
zawadsky. Pink, June, July, 2'	.20	.10
*Chrysoboltonia pulcherrima. Pink, Aug., 2"	.25	
Cimicifuga racemosa. White, July, 5'	.15	.12
Clematis davidiana. Blue, August, 3'	.18	.15
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.18	.15
recta. White, July, 3'	.18	.15
recta mandschurica. White, July, 4'	.18	.15
Codonopsis clematidea. White, June, 3'	.20	
*Colchicum autumnale. Rosy lilac, Sept., 1'	.25	
Sept., 1'	.35	
*Convallaria majalis. Clumps, white, May, 6"	.18	.15
Coptis trifolia. White, summer, 6"	.18	.15
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.15	.12
lanceolata. Yellow, summer, 2'	.15	.12
*rosea. Rose, Aug., Sept., 1'	.15	.12
*verticillata. Yellow, July, Aug., 2'	.18	.15
*Coronilla cappadocica. Yellow, June, 6"	.25	.20
*varia. Pink, summer, 18"	.15	.12
*Corydalis cheilanthifolia.		
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
*Cotula squalida. White, summer, 2"	.25	.20
*Crucianella stylosa. Crimson pink, July, 8"	.18	
*Cynanchum acuminatifolium.		
White, summer, 18"	.18	.15
Cypripedium acaule. Rose-purple, May, June,		
1′	.35	
parviflorum. Yellow, May, June, 1'	.35	
spectabile. Rose, June, 2'	.35	
For less than five, add five cents per plant to the	e 5-24	rate.

	5-24 each	25&up each
Delphinium belladonna.	ouon	04011
Sky blue, all summer, 4'	.15	.12
bellamosum. Dark blue, all summer, 4'	.15	.12
*chinense. Blue, July, 2'	.18	.15
*chinense album. White, July, 2'	.18	.15
elatum. Blue, July, 4'	.15	.12
formosum. Indigo, July, 4'	.18	.15
formosum coelestinum.		
Light blue, July, 3'	.15	.12
grandiflorum. Shades of blue, July, 3'	.15	.12
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal.		
Shades of blue. July, 4'	.15	.12
hybridum Wrexham's. Various, June, 5'	.35	.30
Iceberg. White, summer, 3'	.25	.20
Pacific Hybrids. Various, summer, 4'	.35	
sibirica hybrida. Shades of blue, July, 3'	.15	.12
Dennstedtia punctilobula. Hay-scented Fern	.15	.12
Dianthus allwoodi. Pink, July, 1'	.18	.15
*alpinus. Rose, summer, 4"	.25	.20
*arenarius. White, July, 10"	.15	.12
*arvernensis. Pink, June, 4"	.20	
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	.15	.12
barbatus alba. White, June, July, 1'	.15	.12
barbatus atrococcineus. Crimson, June,		
1'	.15	.12
*barbatus Dwarf Giants. Various, June, 8"	.18	.15
barbatus fl. pl. (Double Sweet William).		
mixed colors, June, July, 1'	.15	.12
barbatus Giant White. June, 1'	.15	.12
barbatus nigricans.		
Dark velvety red, June, 1'	.15	.12
barbatus Pink Beauty. Pink, June, 1'	.15	.12
barbatus Salamoni. Salmon, June, 1'	.15	.12
barbatus Sutton's Scarlet.		
Crimson, June, 1'	.15	.12
*caesius. Rose pink, June, July, 9"	.15	.12
*chinensis heddewigi.	سو يہ	
Mixed, June, July, 8"	.15	.12
*deltoides. Pink, June, 9"	.15	.12

	5-24 each	25&up each
Dianthus		
*deltoides albus. White, June, 9"	.15	.12
*deltoides Brilliant. Red, June, 9"	.15	.12
giganteus. Red, July, 2'	.18	.15
*grisebachi. Purple, June, 1'	.20	.18
hardy pinks.		
Single, mixed, all summer, 9"	.15	.12
knappi. Yellow, summer, 1'	.18	.15
*latifolius atrococcineus.		
Crimson, summer, 1'	.15	.12
*neglectus. Pink, May, June, 4"	.30	
*plumarius. Mixed, summer, 8"	.15	.12
*plumarius fl. pl. Mixed, summer, 8"	.15	.12
*plumarius semperflorens.		
Pink, June, 9"	.15	.12
*Abbotsford. Crimson, all summer, 9"	.18	.15
*Beatrix. Salmon pink, June, 18"	.25	
*Bristol Jewel. White and crimson, June,		
18"	.30	
*Bristol Purity. White, June, 18"	.25	
*Cyclops. Dark rose, June, July, 9"	.18	.15
*Elizabeth Peters. Pink, June, July, 9"	.20	
*Furst Bismark. Rose, summer, 1'	.20	.18
*Gladys Cranfield. Pink, summer, 1'	.25	
*Hardy Harvard. Red, summer, 1'	.35	
*Homer. Rosy red, June, July, 9"	.18	.15
*Her Majesty. Dbl. white, June, July, 9"	.18	.15
*Pheasant's Eye. Pink, white eye, June, 1'	.18	.15
*Rose Cushion. Pink, June, 3"	.25	
*Souv. de Sales. Dbl. pink, June, 9"	.20	.18
*Uncle Sam. White, red eye, June, 12"	.25	
*White Reserve. White, June, July, 9"	.18	.15
*speciosa. Pink, July, 10"	.15	.12
*subacaulis. Purple, June, July, 4"	.30	.25
*Dicentra eximea. Rose, all summer, 1'	.18	.15
spectabilis. Rose, May, June, 2'	.30	.25
Dictamnus albus. White, June, 2'	.20	.18
albus ruber. Red, June, 2'	.20	.18
caucasicus. Red, June, 3'	.25	.20
Digitalis ambigua. Yellow, June, July, 3'	.18	.15
gloxinaeflora. Mixed, June, July, 3'	.18	.15
Isabellina. Yellow, June, July, 3'	.18	.15
For less than five, add five cents per plant to the	e 5-24	rate.

	5-24 each	25&up each
Digitalis		
lanata. Creamy yellow, July, 3'	.18	.15
lutea. Yellow, June, July, 18"	.18	.15
purpurea. Mixed, June, July, 3'	.15	.12
purpurea maculata. Spotted, June, July,		
18"	.15	.12
purpurea monstrosa. Various, June,	1 %	1.0
July, 3'	.15 $.15$.12
purpurea, rose. June, July, 3'	.15	.12
purpurea, white. June, July, 3' Shirley Hybrids. Mixed, June, July, 3'	.18	.15
*Dodecatheon meadia. Rose, May, 1'	.18	.15
*latilobum. White, May, June, 1'	.15	.12
Doronicum caucasicum. Yellow, April, May,	• • •	
18"	.30	.25
clusi. Yellow, May, 12"	.30	
plantagineum excelsum. Yellow, April,		
May, 3'	.25	.20
Dorycnium hirsutum. Pink, summer, 2'	.25	.20
*Draba aizoides. Yellow, March, 4"	.30	
*altaica. White, April, 6"	.30	.25
*armata. Yellow, April, 2"	.35	.30
*bruniifolia. Orange, April, May, 4"	.35	
*dedeana. White, May, June, 2"	.40	
*fladnizensis. White, Apr., May, 3"	.30	.25
*hispanica. Yellow, April, 2"	.30	.25
*repens. Yellow, April, 6"	.20	.18
*Dracocephalum botryoides. Rose, July, 6"	.25	.20
*nutans. Blue, Aug., 1'	.20	.18
Ruyschianum japonicum. Blue, summer,		
2'	.20	.18
*Dryas octopetala. White, June, July, 4"	.35	
Dryopteris spinulosum. Wood Fern	.15	.12
thelypteris. Shield Fern	.15	.12
Echinacea purpurea. Purple, July, Aug., 3'	.15	.12
Echinops humilis. Blue, July, 2'	.18	.15
ritro. Deep steel blue, July, 3'	.15	.12
sphaerocephalus. Pale blue, July, 5'	.15	.12
*Edraianthus dinaricus. Lilac, July, 3"	.25	
*tenuifolius. Blue, summer, 5"	.25	.20
Elymus glaucus. Blue Lime Grass, 3'	.18	.15
For less than five, add five cents per plant to the	ie 3-24	i atte.

	5-24 each	25&up each
*Epigaea repens. Pink, Apr., May, 4"	.30	
Epilobium angustifolium. Rose, Aug., 4'	.18	.15
*Epimedium niveum. White, May, June, 1' sulphureum. Yellow, May, 1'	.30 .35	.30
Eremurus himalaicus. White, June, 6'	1.50	
Erianthus ravennae. Plume Grass. 10'	.30	.25
*Erigeron elatior. Purple, July, 2'	.25	.20
*glabellus. Violet, June, July, 1'	.15	.12
*glabratus roseus. Pink, June, 1'	.20	.18
macranthus. Violet. June, 2'	.20	.18
*speciosus. Rich purple, June, July, 2'	.15	.12
*Erinus alpinus albus. White, May, 4"	.20	.18
*alpinus roseus. Rosy purple, May, 4"	.20	.18
*Erodium corsicum. Pink, summer, 2"	.30	
Eryngium alpinum. Blue, July, 2'	.20	.18
amethystinum. Blue, summer, 18"	.18	.15
bourgati. Blue, summer, 18"	.20	
*planum. Blue, July, Aug., 3'	.15	.12
*Erysimum kotschyanum. Orange, May, June,		
5"	.18	.15
*ochroleucum. Yellow, May, 1'	.25	.20
*pulchellum. Lemon, May, June, 6"	.18	.15
Eulalia gracillima. Japan Rush, 4-6'	.15	.12
japonica variegata. 4-6'	.15	.12
zebrina. Zebra Grass, 4-6'	.18	
Eupatorium ageratoides. White, Aug., 3' *coelestinum. Blue, Sept., Oct., 18"	.15 .15	.12
purpureum. Purple, Aug., Sept., 5'	.15	.12
Euphorbia corollata. White, July, Aug., 2'	.18	.15
*cyparissias. Yellow, May, 10"	.15	.12
*epithymoides. Yellow, May, June, 1'	.25	.14
	.20	10
*myrsinites. Yellow, May, June, 6"		.18
Festuca glauca. Fescue Grass, June, 10"	.15	.12
Foeniculum atrosanguineum. Summer, 3'	.18	.15
*Fragaria indica. White, May, 6"	.15	.12
Fuchsia magellanica. Red, summer, 3'	.30	
Funkia. (See Hosta).		

Caillandia anandiflana Vollow and Chingan	5-24 each	25&up each
Gaillardia grandiflora. Yellow and Crimson,	4 11	1.0
all summer, 2'	.15	.12
Burgundy. Red, summer, 2'	.30	.25
Goblin. Yellow and red, summer, 1'	.20	.18
Mr. Sherbrook. Yellow, summer, 2'	.25	
Sun God. Yellow, August, 2'	.30	10
*Galax aphylla. White, June, 10"	.20	.18
Galega officinalis. Blue, June, July, 3' officinalis hartlandi. Bluish white, July,	.18	.15
3'	.18	.15
Galium boreale. White, July, 1½'	.18	.15
*purpureum. Dark brown, Aug., 1'	.20	.18
*verum. Yellow, June, July, 6"	.25	.20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
alba. White, Aug., 2'	.15	.12
andrewsi. Blue, August, 2'	.15	.12
*cruciata. Deep blue, June, July, 1'	.30	.25
*freyniana. Blue, Aug., Sept., 6"	.35	
*Purdomi. Blue, July, Aug., 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.30	.25
*Geranium endressi. Rose, summer, 18"	.35	
*grandiflorum. Lilac, June, July, 15"	.15	
*grevilleanum. Mauve, June, July, 6"	.18	.15
*ibericum. Purple, May, June, 2'	.18	.15
*lancastriense. Mauve, May, June, 1'	.18	.15
*maculatum. Pink, May, June, 1'	.15	.12
*pratense album. White, July, Aug., 2'	.18	.15
*sanguineum. Red, June, July, 2'	.18	.15
*Geum atrosanguineum. Dark red, summer,		
1½'	.18	.15
*Lady Strathedon. Orange, summer, 15"	.18	.15
*montana. Yellow, July, 1'	.18	.15
*Mrs. Bradshaw. Double red, summer, 1'	.18	.15
*Orange Queen. Orange, summer, 15"	.20	.18
*sibericum. Scarlet, June, July, 1'	.20	
*urbanum. Yellow, July, 15"	.25	.20
Gillenia trifoliata. White, July, 4'	.18	.15
*Globularia cordifolia. Pale blue, June, 4"	.20	.18
*nana. Pale blue, June, 2"	.25	.20
*trichosantha. Blue, May, June, 6"	.18	.15
For less than five, add five cents per plant to th	e 5-24	rate.

	5-24 each	25&up each
Gypsophila acutifolia. Pink, July, 2-3'	.15	.12
*cerastoides. White, summer, 4"	.20	.18
paniculata. White, July, Aug., 2-3'	.15	.12
paniculata Bristol Fairy. Dbl. white, sum-		
mer, 3'	.30	.25
paniculata fl. pl. Dbl. white, July, Aug.,		
3'	.35	.30
*repens. Bluish white, all summer, 6"	.15	.12
*repens rosea. Pink, summer, 6"	.20	.18
Rosy Veil. Pink, summer, 2'	.30	.25
Helenium autumnale. Yellow, Aug., Sept., 5'	.18	.15
autumnale superbum. Yellow, Sept., 5'	.18	.15
bigelovi. Yellow, Sept., 4'	.20	.18
Gartensonne. Yellow, Aug., Sept., 3'	.25	.20
hoopesi. Orange, June, July, 3'	.20	.18
*pumilum. Yellow, Aug., 15"	.20	.18
Riverton Beauty. Lemon, Aug., Sept., 5'	.20	.18
Riverton Gem. Old Gold, Sept., Oct., 4'	.20	.18
rubrum. Brick red, Sept., 4'	.18	.15
*Helianthemum citrinum. Yellow, summer, 6"	.18	.15
*croceum. Saffron, June, July, 9"	.18	.15
*cupreum. Copper, June, July, 6"	.18	.15
*Fire Ball. Red, July, Aug., 12"	.18	.15
*mutabile. Flesh, May, June, 12"	.18	.15
*perfoliatum roseum. Salmon, summer, 6"	.18	.15
*purpureum. Bright pink, June, 6"	.25	
*The Bride. White, June, July, 6"	.25	
Helianthus atrorubens. Yellow, fall, 6'	.15	.12
maximiliana. Yellow, Sept., 6'	.15	.12
Miss Mellish. Yellow, Aug., Sept., 6'	.15	.12
mollis grandiflorus. Yellow, Aug., Sept.,		
4'	.15	.12
*multiflorus fl. pl. Yellow, summer, 4'	.18	.15
orgyalis. Bright yellow, Sept., 6-8'	.20	.18
rigidus. Yellow, Aug., 3'	.15	.12
Wolley Dod. Deep yellow, Sept., 7'	.15	.12
Heliopsis excelsa. Dbl. yellow, Aug. 3'	.18	.15
pitcheriana. Orange, July, Aug., 3'	.15	.12
*Helleborus niger. White, Feb., Mar., 1'	.65	
*orientalis. Various. March, 12"	.50	
*Helxine soleiroli. Creeping herb, 1"	.18	.15
For less than five, add five cents per plant to th	e 5-24	rate.

	6. 2.4 (. 11.)	28,6,10
Hamarocallie Apricos, Apricos, color, June, 2'	.1%	.16
aurantiaca. Orange, June, July, 21/2'	.1%	.15
Dr. Pegal. Orange yellow, May, 18"	.1%	.15
dumertieri. Orange, Some, Z	.111	.1%
flava. Lemon yellow, June, 3'	.1%	.15
Harham. Colden Jellew, Sune, 3'	,7.()	,1%
fulya. Bronze, August, W	, 17,	.1%
Gold Duct. Indian yellow, June, 21/2'	, } /,	.12.
gracilia. Vellern, Sone 2'	, 1%,	,15,
Hyperium Leman, July, 4'	.71)	6.6
J. A. Crawford, Agricult yellow, July, 4'.	.330	.2.6
kwanen. Peddish urange, June, 21/2'	.2.6	
luteols. Grange, June, 2'	,15	.1%
May Queen. Orange, May, 4'	.2.8,	4.4)
middenderffi. Orange, June, W	.15	.12
minur. Tellan, Sane, 2'	. 1 %	.1%
Orange Man. Deep change, Ame, 2'	.15	.12.
Sovereign. Elen orange, June, 11/2'	.1:,	.12
thunbergi. Lemon Jellow, June, 2 %	, 1 ,,	.12
hybride. I smed 1sticker, 23'	,41)	,7,5
Bay State. Deep Jellow, Aug.		
Coppey, Huch orange, July.		
Harvest Moun. Orange, July.		
Lamens. I'mle lemm yellow, hog.		
Mrs. W. H. Wyman, Pale lemon, Au	V.	
The Com. Deep orange, June, July.		
*Hegatica triboha. L. grt blue, Maren, Apr., 4"	.15	.1%
"Herniaria glabra, Green, summer, 4"	.14	,15
"Hesperia matronalis, l'unge, June, July, 3'	.15	.1%
"matronalis alba, Whik, June, July, 2'	.1%	.15
Houshorn americans, Courses with, "	.2.0	.1%
hrizides, Finz, June, July, 2'	.1%	,15
"Fire King, But, May, June, So"	,25	
"Coromodier, S'el states, ""	,15,	
Pleu de Feu. Bed May, Som, Z.	,7	,2.6
" so of sommernell, dust, "	1.87	
"recomunds, Coral, summer, 18"	:1.	,20
"conquines, Completed, June, 1'	.1%	.15
"conguines alles White, Juce, 1'	,20	.25
"sanguines hybrids, /srious, winger, 18"	.1%	.15
"villeen Write, ummer, 12"	.7.0	.1%

	5-24 each	25&up each
Hibiscus Mallow Marvels. Mixed, July, Aug.,		
5'	.15	.12
Mallow Marvels. Separate colors, Aug.,		
5'	.18	.15
Mallow Marvels. Giant Red, Aug., 5'	.18	.15
moscheutos. Rose, June, July, 5'	.15	.12
moscheutos crimson eye. White, red eye,		
Aug., 5'	.15	.12
*Hieracium aurantiacum. Orange, summer, 6"	.15	.12
*alpinum. Yellow, May, June, 9"	.20	.18
Harta assurlat Plus Tules 11//	.15	.12
Hosta caerulea. Blue, July, 1½' fortunei. Pale lilac, July, 2'	.15	.12
lancifolia. Blue, July, 2'	.15	.12
minor alba. White, fall, 10"	.35	.14
sieboldiana. Silvery foliage	.20	.18
sub-cordata grandiflora. White, Aug.,	.20	.10
18"	.20	.18
undulata variegata. White foliage, 2'	.15	.12
		.14
*Houstonia purpurea. Purple, May, June, 1'	.20	
*serpyllifolia. Blue, April, 2"	.18	.15
*Hutchinsia alpina. White, May, June, 4"	.30	
Hyacinthus candicans. White, Aug., 3'	.18	.15
Hypericum ascyron. Yellow, Aug., 3'	.25	.20
*calycinum. Yellow, July, Aug., 1'	.18	.15
*Coris. Yellow, summer, 4"	.25	.20
*fragile. Yellow, July, Aug., 1'	.25	.20
moserianum. (See Shrubs).		
*polyphyllum. Yellow, summer, 8"	.18	.15
*repens. Yellow, July, 4"	.25	.20
*rhodopaeum. Yellow, July, 4"	.20	.18
*Hyssopus officinalis. Purple, Aug., 18"	.18	.15
*Iberis gibraltarica. Delicate lilac, May, 1½'	.15	.12
*jordani. Rose, May, June, 6"	.30	.25
*saxatilis. White, summer, 8"	.18	.15
*sempervirens. White, May, June, 8"	.15	.12
*sempervirens Climax. White, May, 6"	.18	.15
*sempervirens Little Gem. White, April,		
6"	.18	.15
*sempervirens Snowflake. White, May, 9"	.25	.20
*tenoreana. Purplish white, June, 6"	.25	.20

	5-24 each	25&up each
*Incarvillea delavayi. Rosy purple, June, July,		
2'	.20	.18
*Inula ensifolia. Yellow, July, Aug., 8"	.18	.15
royleana. Yellow, July, Aug., 18"	.20	
*Iris cristata. Light blue, May, June, 6"	.18	.15
dichotoma. Purple, Aug., 1'	.25	
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
*flavissima. Yellow, May, June, 6"	.25	.20
fall blooming. Spring and fall, $1\frac{1}{2}-2'$.30	
Autumn King-blue-purple		
Autumn Queen—snow white		
Olive White—cream		
Ultra —ultramarine-blue		
germanica. May, June, 1½-2'.		
Afterglow. Soft lavender shading		
yellow	.15	.12
Ambassadeur. Smoky purple, purp	le	
maroon falls	.18	.15
Aphrodite. Lilac pink	.18	.15
Archiveque. Purple	.15	
Asia. Smoky blue	.18	.15
Ballerine. Violet with deeper falls	.18	.15
Bruno. Bronze, red purple falls	.18	.15
Cecil Minturn. Pink	.15	.12
Chasseur. Yellow, red veining	.20	.18
Cinnabar. Violet, maroon falls	.20	.18
Cluny. Lilac blue	.18	.15
Coppersmith. Coppery red	.18	.15
Darius. Yellow, lilac and white falls	.15	.12
Dorothea. Pearl gray	.15	.12
Dream. Light pink	.18	
Fairy, White, bordered blue	.15	.12
Flavescens. Yellow	.15	.12
Florentina. Pale blue	.12	.10
Florentina alba. White	.15	.12
Germaine Perthius. Violet purple	.20	.18
Gold Imperial. Golden yellow	.12	.10
Her Majesty. Lilac pink	.12	.10
Isolene. Lilac pink, old rose falls	.15	.12
Jubilee. Cream, dotted brown	.18	.15
King of Iris. Yellow, brown falls	.18	.15
King Edward. Red violet	.15	.12
For less than five, add five cents per plant to the	ie 5-24	rate.

Iris germanica.	5-24 each	25&up each
Kochi. Rich deep claret purple	.18	.15
Labor. Electric blue	.18	
Lent A. Williamson. Violet, rich		
purple falls with yellow beard	.15	.12
Leonidas. Lavender, mauve falls	.20	.18
Lohengrin. Lilac rose	.12	.10
Lord of June. Lavender blue, violet		• • • •
falls	.15	.12
Loreley. Light yellow, blue falls	.12	.09
Mad. Henri Cayeau. Dark purple	.18	.15
Magnifica. Violet and reddish violet	.18	•10
Mary Barnet. Lavender blue	.15	.12
Midnight. Dark blue	.15	.12
Mme. Chobaut. Buff and wine, dotted	.18	.14
	.15	.12
Moonlight. Silvery white	.10	.14
Monsignor. Violet purple, crimson	15	10
falls	.15	.12
Mt. Royal. Pansy purple	.18	
Nuce d'Orage. Slate gray with bronze	10	10
and purple falls	.12	.10
Opera. Violet red, purple falls	.20	.18
Pallida Dalmatica, Lavender	.18	.15
Pallida speciosa. Light blue	.12	.09
Pluie d'Or. Yellow	.18	1 =
Pocahontas. White	.18	.15
Prairie Gold. Yellow	.15	.12
Princess Victoria Louise. Sulphur	10	
yellow, rich violet falls	.12	.10
Prospero. Lavender and purple	.15	.12
Queen Caterina. Lavender violet,	4.5	4.0
orange beard	.12	.10
Rhea. Violet	.15	.12
Rhein Nixe. White, violet falls	.15	.12
Robt. W. Wallace. Violet purple	.15	.12
Shekinah. Pale yellow, shading to		
buff	.18	.15
Sherwin-Wright. Golden yellow	.12	.10
Snow White. White	.15	
Souv. de Mad. Gaudichau. Deep vel-		
vety purple	.18	.15
Taj Mahal. White	.12	.10
Tamerlan. Light blue, darker falls	.12	.10
Thais. Soft rosy mauve	.18	.15
For less than five, add five cents per plant to th	e 5-24	rate.

	5-24 each	25&up each
Iris germanica		
True Delight. Pure pink	.20	
Victorine. White, mottled blue	.15	.12
Wedgewood. Blue	.15	.12
intermedia hybrids. May, 18"	.15	.12
Gerda. Creamy yellow, darker falls.		
Halfdan. Creamy white.		
Ingeborg. Ivory white.		
Helge. Light citron.		
Walhalla. Light blue, purple falls.		
kaempferi. Japanese Iris. July, 2-3'	.30	.25
Awaji. Large white overlaid lavender	blue.	
Bandai-San. White standards and fal		rdered
lavender. Biue Bird. Single dark blue.		
Eumee. Double lavender blue.		
		hita
Fascination. Double mauve pink, vein	ied w	nite.
Florence. Amaranth purple.	:4.	
Fukushima. Reddish purple, veined wh	iite.	
Gold Bound. White, yellow shadings.		
Iso-no-namie. Double soft blue.		
Kagaribi. Double pink lavender.		
Kumonoobi. Clear purple, white halo.		
Mahogany. Double rich dark red.		
Oyodo. Double wine red.		
Patrocle. Single reddish violet.		
Purple Emperor. Large deep violet pu	rple.	
Purple & Gold. Violet purple, golden	throat	, /o
Pyramid. Double violet purple, veine		
Seacrest. Foam white,		
Tacoma Beauty. Pure white.		
Thais. Rich royal purple, velvety she	en.	
Uchiu. Crimson purple, white veins.		
Warei-hotei. Lavender blue, light blue	halo.	
prismatica. Violet, May, June, 2'	.18	.15
pseudacorus. Yellow, June, 3'	.15	.12
*pumila alba. Dwarf, white, April, 9"		
*pumila caerulea. Dwarf, blue, April, 9"	.15	.12
*pumila californica. Yellow, April, 9"	.10	
- ,		.20
*pumila Curiosa. Yellow, Apr., May, 9"	.25	
*pumila Fairy. Pale blue, April, 6"	.20	.18
For less than five, add five cents per plant to the	he 5-24	rate.

	5-24 each	25&up each
Iris		
*pumila Grande. Violet, blue falls, April,		
May, 9"	.25	.20
*pumila Louise. Dark blue, April, 6"	.20	
*pumila lutea. Pale yellow, April, 6"	.15	.12
*pumila Schneecuppe. White, April, 6"	.18	.15
*pumila Sambo. Violet, April, 9"	.15	.12
sibirica. Purplish blue, June, 3'	.15	.12
sibirica alba. White, June, 3'	.15	.12
sibirica Emperor. Clear blue, May, 2' sibirica Snow Queen. White, May, 2'	.15	.12
*Stewart. Dwarf, yellow, April, 9"	.18	.15
*tectorum. Blue, June, 1'	.25	.20
*verna. Blue, May, June, 6"	.18	.15
versicolor. Blue, June, 2'	.15	.12
Isatis tinctoria. Yellow, May, June, 6'	.15	.12
*Jasione humilis. Blue, July, Aug., 6"	.18	.15
*perennis. Blue, June, July, 6"	.18	.15
*Jeffersonia diphylla. White, May, 8"	.18	.15
Kniphofia pfitzeri. Coral, Aug., Sept., 4'	.20	.18
Towers of Gold. Yellow, Aug., Sept. 30"	.25	
*Lactuca perennis. Blue, June, 15"	.20	.18
*Lamium maculatum. Purple, July, Aug., 8"	.20	.18
Lathyrus latifolius. Pink to Red, July, 6'	.15	.12
*Lavandula officinalis. (Sweet Lavender). July,		
2'	.18	.15
*nana. Lavender, Aug., 9"	.25	.20
*Leontopodium alpinum. Yellow, summer, 5"	.20	.18
*Lewisia rediviva. Pink, June, July, 3"	.40	.35
Liatris pycnostachya. Purple, Aug., Sept., 4'	.15	.12
spicata. Purple, Aug., 3'	.15	.12
Ligularia clivorum. Yellow, Aug., Sept., 3'	.18	.15
Lilium auratum. (Gold Band Lily). White		
with gold band, July, Aug., 3'	.30	.25
auratum platyphyllum. White, spotted		
yellow, July, Aug., 3'	.40	.35
batemanniae. Salmon red, July, 3'	.30	.25
browni. White, July, 3'	.65	4.0
canadense. Yellow to red, June, July, 3'	.15	.12
candidum. White, June, 3'	.30	.25

	5-24 each	25&up each
Lilium		
carolinianum. Orange, July, Aug., 3'	.35	
concolor. Scarlet, July, 1'	.30	.25
elegans. Shades yellow and red, July, 2'	.25	
elegans Alice Wilson. Lemon, June, July,	4 5	
2' Dowler owing on	.45	
elegans atrosanguineum. Dark crimson, June, July, 1'	.40	
elegans Orange Queen. Orange, June,	.40	
July, 18"	.35	
grayi. Red, July, 3'	.25	
hansoni. Orange, June, July, 4'	.45	
henryi. Yellow, July, 2'	.35	
leichtlini. Red, July, Aug., 4'	.50	
longiflorum giganteum. Waxy white, 2'	.30	.25
pardalinum. Scarlet and yellow, 2'	.25	.20
phillippinense formosanum. White, June,		
July, 2'	.35	
philadelphicum. Orange red, June, July,		
3'	.18	.15
regale. White, July, 4'	.30	.25
rubellum. Rose pink, June, July, 18"	.35	.30
speciosum album. White, Aug., 3'	.30	.25
speciosum longiflorum. White, Aug., 3'	.30	.25
speciosum melpomene. White, Aug., 3'	.30	.25
speciosum rubrum. Pinkish red, Aug., 3'	.30	.25
superbum. Orange, July, Aug., 5'	.15	.12
*tenuifolium. Scarlet, June, 18"	.20	.18
testaceum. Apricot, June, July, 5'	2.50	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.25	.20
tigrinum. Orange, spotted, Aug., 4'	.20	.18
umbellatum. Scarlet red, July, 2'	.25	.20
washingtonianum. White, dotted purple,		
June, July, 4'	.60	
willmottiae. Orange, July, 4'	.75	
Limonium auriculaefolium. Blue, June, July,		
6"	.20	.18
eximium. Lilac rose, Aug., 2'	.18	.15
*gmelini. Purplish blue, Aug., 18"	.20	.18
*latifolium. Blue, July, Aug., 2'	.15	.12

	5-24 each	25&up each
*Linaria aequitriloba. Pale mauve, June, 1"	.20	.18
*alpina. Blue, summer, 6"	.18	.15
*alpina rosea. Rose, summer, 6"	.20	
*cymbalaria. Lavender, summer, 4"	.18	.15
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3'	.25	.20
Linum austriacum. Blue, summer, 2'	.25	.20
*alpinum. Blue, June, 10"	.20	.18
*flavum. Yellow, June, July, 1'	.18	.15
hirsutum. Lilac, summer, 2'	.18	
*narbonnense. Blue, June, July, 2'	.18	.15
*perenne. Blue, June, July, 1½'	.15	.12
*salsoloides. White, summer, 8"	.35	
*tenuifolium. Pink, summer, 1'	.25	
*Lithospermum graminifolium. Blue, June, 4"	.35	
*purpureo-caeruleum. Blue, May, 10"	.35	
Lobelia cardinalis. Scarlet, Aug., Sept., 3'	.15	.12
siphilitica. Blue, Sept., 3'	.15	•12
Lupinus polyphyllus. Blue, June, July, 3'	.18	.15
polyphyllus albus. White, June, July, 3'.	.18	.15
polyphyllus roseus. Pink, June, July, 3'.	.18	.15
*Lychnis alpina. Rose color, June, 1'	.18	.15
arkwrighti. Scarlet, summer, 15"	.18	.15
chalcedonica. Scartet, July, 3'	.15	.12
coronaria. Crimson, July, 2'	.15	.12
coronaria alba. White, July, 2'	.15	.12
flos jovis. Pink, June, 18"	.15	.12
*haageana. Scarlet, June, July, 1'	.15	.12
*viscaria splendens fl. pl. Red, June, 1'	.20	.18
Lysimachia clethroides. White, July, Aug., 3'	.18	.15
*nummularia. Yellow, June, July, 6"	.15	.12
*nummularia aurea. Yellow leaves, 3"	.25	
punctata. Yellow, June, 3'	.25	.20
vulgaris. Yellow, July, Aug., 3'	.20	.18
Lythrum alatum. Magenta, July, Aug., 3'	.15	.12
salicaria roseum. Rose, July, 4'	.15	.12
virgatum. Deep rose, July, Aug., 11/2'	.18	.15

	5-24 each	25&up cach
Malva alcea. Rosy purple, July, Aug., 3'	.15	.12
moschata. Rose, July, Aug., 2'	.15	.12
moschata alba. White, July, Aug., 2'	.15	.12
Marrubium vulgare. White, summer, 3'	.25	
Matricaria Golden Ball. Yellow, summer, 1'	.15	.12
parthenoides. White, May, 1'	.15	.12
*Mazus reptans. Lilac, April, 4"	.20	.18
Melissa officinalis. White, Aug., 2'	.15	.12
Mentha anisatus. Anise-flavored. 15"	.25	
crispa. Curly mint. 12"	.25	
piperita. Peppermint. Purple, 2'	.15	.12
*requieni. Mauve, July, Aug., 2"	.20	.18
rotundifolia. Apple mint. 30"	.25	
*Mertensia virginica. Purplish blue, March,		1.0
April, 2'	.15	.12
*Micromeria rupestris. White, fall, 10"	.18	.15
Mimulus luteus. Yellow, summer, 1	.25	.20
Mitchella repens. White shaded pink, March,	10	4 =
4"	.18	.15
Monardi didyma. Red, July, Aug., 3'	.15	.12
didyma Cambridge. Scarlet, July, Aug.,		
3'	.15	.12
didyma Salmonea. Salmon, July, Aug., 3'	.20	.18
didyma Sunset. Mahogany, July, Aug.,	4.0	
3'	.18	.15
didyma splendens. Scarlet, July, Aug., 3'	.15	.12
didyma violacea. Violet, July, Aug., 3'	.15	.12
fistulosa. Lilac, July, 3'	.15	.12
Mulgedium Bourgaei. Lilac, Summer, 5'	.25	.20
*Myosotis alpestris. Blue, April, May, 8"	.15	.12
*alpestris alba. White, May, June, 8"	.15	.12
*alpestris pink. May, June, 8"	.15	.12
*palustris. Blue, all summer, 6"	.15	.12
*palustris Pink Beauty. All summer, 6"	.18	.15
*Nepeta hederacea. Blue, May, 2"	.15	.12
macrantha. Lavender, summer, 2'	.18	.15
*mussini. Blue, June, July, 1'	.18	.15
nuda. Violet, Aug., 3'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, summer,	0 =	0.0
1'	.25	.20
*Nierembergia rivularis. Creamy white, sum-	10	1 -
mer, 4"	.18	.15
4 we represent the authority of the permitted of	1 1) - 49	7 44 6 4 .

	5-24 each	25&up each
Oenothera fraseri. Yellow, summer, 1'	.15	.12
fruticosa major. Yellow, summer, 2'	.15	.12
fruticosa youngi. Lemon, June, July, 2'	.18	.15
lamarckiana. Yellow, July, Aug., 4'	.15	.12
*missouriensis. Yellow, July, Aug., 6"	.20	.18
rosea. Rose, summer, 15"	.25	.20
speciosa. White, July, Aug., 1½'	.18	.15
*taraxacifolia. Pink, summer, 6"	.30	9.0
trichocalyx. White, summer, 1'	.25	.20
Onoclea sensibilis. Sensitive Fern	.15	.12
struthiopteris. Ostrich Fern	.15	.12
Onopordon bracteatum. Pink, July, 5'	.20	.18
*Opuntia fragilis. Yellow, June, 4"	.25	.20
*humifusa. Yellow, June, 10"	.25	.20
megacantha. Yellow, June, 3'	.25	.20
Origanum vulgare. Pink, summer, 2'	.25	
	.35	
*Orobus vernus. Rose purple, May, 1'	.55	
Osmunda cinnamonea. Cinnamon Fern	.15	.12
regalis, Royal Fern	.15	.12
Pachysandra terminalis. White, May, 3" 2 year from pots	.12	.10
Paeonia officinalis rosea. Rose pink	.50	.40
officinalis rubra. Red	.50	.40
sinensis. Strong plants, 3-5 eyes.	EO	
Albert Crousse. Salmon pink	.50	
August Dessert. Velvety rose Beauty of France. Pale rose	$.50 \\ .50$.40
Claire Dubois. Satiny pink	.60	.40
Dr. Vandertak. Crimson	.50	
Duc de Wellington. White	.35	.30
Duchess de Nemours. Creamy white	.50	.40
Edulis. Deep rose	.30	.25
Felix Crousse. Brilliant Red	.40	.35
Festiva maxima. Finest early white	.40	.35
Karl Rosenfield. Early red	.50	
Lady Alexander Duff. Pale pink	.75	
Longfellow. Red	.75	
Marie Crousse. Salmon pink	.60	
Marie Lemoine. Creamy white	.60	.50

	5-24 each	25&up each
Paeonia sinensis	000	
Marquise of Lansdowne. Large, pink	.60	
Mons. Martin Cahuzac. Dark purple		
garnet	1.00	
Mons. Jules Elie. Pink with darker	0.0	F 0
guard petals	.60	.50
Mrs. Van Leeuwen. Light crimson Roem von Boskoop. Deep rose	.50 $.35$.30
Solange. White petals, golden brown	.00	.00
center	.75	
Souv. de Louis Bigot. Bengal rose	.75	
Therese. Violet rose	.75	
Triumph de Paris. Light pink, yellow		
center	.35	.30
Virginie. Lilac rose	.35	.30
Walter Faxon. Pure pink	.75	
Wm. Mesman. White	.35	.30
single. Named colors, red, white, pink	1.00	
single Japanese. Named varieties	1.25	
Alba Grandiflora. White.		
Cleopatra. Red.		
Eva. Bright lilac-crimson.		
Jacqueline. Pure white.		
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to whit	e.	
Shi-pen-kue. Nearest to blue in Peonic	es.	
suffruticosa. Tree Peony. (See Page 88)		
*Papaver alpinum. Various, Summer, 6"	.18	.15
*nudicaule. All colors, summer, 8"	.15	.12
orientale bracteatum. Red, June, 2'	.18	.15
orientale. Orange scarlet, June, 2'	.15	.12
Beauty of Livermore. Crimson, June,		
3'	.25	
Enfield Beauty. Salmon, June, 2'	.18	
Fairy. Pale pink, June, 2'	.25	.20
Lulu A. Neeley. Ox-blood red, June,		
3′	.30	
May Sadler. Salmon, June, 2'	.25	10
Mrs. Perry. Salmon pink, June, 3'	.20	.18
For less than five, add five cents per plant to the	ne 5-24	I rate.

	5-24 each	25&up each
Papaver orientale	040	
Olympia. Scarlet, June, 3'	.25	.20
Perry's White. White, June, 3'	.25	
Princess Victoria Louise. Salmon,		
June, 2'	.20	.18
Wurtembergia. Rose-red, June, 2'	.25	.20
pilosum. Brick red, June, 3'	.20	.18
Pardanthus. (See Belamcanda).		
*Paronychia serpyllifolia. White, July, 2"	.20	.18
Pennisetum japonicum. Fountain Grass	.20	.18
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.20	.18
barbatus. Scarlet, July, 3'	.15	.12
barbatus coccineus. Scarlet, July, Aug.,		
4'	.18	.15
barbatus Pink Beauty. Pink, summer, 2'	.20	.18
digitalis. White, August, 3'	.18	.15
glaber. Blue, summer, 2'	.20	1 =
hirsutus. Rosy purple, July, Aug., 2'	.18	.15
ovatus. Blue, July, Aug., 3'* *procerus. Blue, July, 1'	.18	.15
*pygmaeus. Purplish blue, summer, 6"	.20	.18
unilateralis. Blue, June, 2'	.18	.15
	,	
Phalaris arundinacea variegata. Ribbon Grass	.15	.12
*Phlox amoena. Pink, May, 4"	.15	.12
*arendsi Louise. Lilac, all summer, 1'	.30	
*divaricata. Lavender, May, June, 1'	.15	.12
*divaricata laphami. Violet, June, 1'	.25	.20
glaberrima. Pink, June, 18"	.18	.15
maculata. Purplish red, May, June, 4'	.15	.12
*ovata. Red, May, June, 1'	.18	
paniculata. 2-3'		
Africa. Carmine, red eye	.18	.15
Antonin Mercie. Lilac, white center	.18	.15
Athis. Salmon pink	.12	.10
B. Compte. Rich French purple	.18	.15
Baron von Dedem. Salmon red	.18	.15
Beacon. Cherry red	.18	.15

	5-24 each	25&up each
Phlox paniculata.		
Border Queen. Dwarf pink	.20	0
Capt. Koehl. Blood red	.25	
Caroline Vandenburg. Lavender blue	.25	
Champs Elysees. Rich purplish crim-		
son	.15	.12
Commander. Crimson	.18	.15
Count Zeppelin. White, red eye	.18	
Daily Sketch. Salmon pink, carmine		
eye	.25	
Enchantress. Salmon pink, dark eye	.18	.15
Elizabeth Campbell. Salmon pink	.18	.15
Evelyn. Salmon rose	.20	.18
Feuerbrand. Orange scarlet F.ancee. White	.20	.18
George Stipp. Salmon, lighter eye	.25	.20
Gustave Lind. Deep salmon	.30	• 24 (
Johnson's Favorite. Salmon rose	.15	.12
Jules Sandeau. Large pink	.18	.15
Karl Foerster. Orange scarlet	.25	
Le Mahdi. Deep purple	.15	.12
Leo Schlageter. Bright scarlet	.35	.30
Lilian. Fine light pink	.25	
Mad. Paul Dutrie. Soft pink	.18	.15
Maid Marian. Soft lavender Mary Louise. Pure waxy white	.18	.15
Mia Ruys. White	.25	
Mrs. Jenkins. Pure white	.15	.12
Mrs. Milly van Hoboken. Soft pink	.20	.18
Miss Lingard. White	.18	.15
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.25	.20
P. D. Williams. Apple blossom pink	.25	
Peachblossom. Shell pink	.15	.12
Prof. Virchow. Orange scarlet	.18	.15
Rheinlander. Salmon pink, claret eye	.15	.12
Rokoko. Soft pink	.20	.18
R. P. Struthers. Carmine, claret red		
eye	.15	.12
Salmon Glow. Salmon pink	.25	
		1 muto
For less than five, add five cents per plant to the	ie 3-24	rate.

	each	each
Phlox paniculata Special French. Soft pink	.15	.12
Thor. Deep salmon pink	.18	.15
Widar. Light reddish violet, white eye	.18	.15
*pilosa. Lavender, May, 1'	.18	.15
*reptans. Lilac, May, 6-12"	.15	.12
*stellaria. Creeping, May, 4"	.15	.12
*subulata alba. White, April, May, 4"	.15	.12
*subulata atropurpurea. Purple, Apr., 4"	.20	.18
*subulata Blue Hills. Light blue, Apr., 4"	.20	
*subulata Fairy. Blue, purple eye, Apr., 4"	.18	.15
*subulata G. F. Wilson. Lilac, May, 6"	.15	.12
*subulata lilacina. Light blue, April, May,		
4"	.15	.12
*subulata Little Dot. Lilac, April, 4"	.15	.12
*subulata nelsoni. White, May, 4"	.15	.12
*subulata Perfection. Rose, pink eye,		
April, 4"	.15	.12
*subulata rosea. Pink, May, 4"	.12	.10
*subulata The Bride. White, pink eye,	1 5	10
May, 5"	.15	.12
*subulata Vivid. Pink, red eye, April, 4"	.18	.15
Phygelius capensis. Red, Aug., Sept., 3'	.20	
Physalis francheti. Red pods, Oct., 2'	.15	.12
Physostegia virginiana. Rose, August, 3'	.15	.12
virginiana alba. White, August, 3'	.15	.12
virginiana Vivid. Deep pink, Aug., 2'	.18	.15
*Phyteuma orbiculare. Purple, June, July, 2'	.25	.20
*scheuchzeri. Violet, June, 1'	.18	.15
Platycoden grandiflorum. Blue, summer, 2'	.15	.12
grandiflorum album. White, summer, 2'	.15	.12
*mariesi. Deep blue, summer, 1'	.15	.12
*mariesi album. White, summer, 1'	.15	.12
Plumbago larpentae. (See Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	15	.12
For less than five, add five cents per plant to th	e 5-24	rate.

	5-24 each	25&up each
*Polemonium caeruleum. Deep blue, June,		
July, 1½'	.15	.12
*caeruleum album. White, June, July, 1½'	.15	
*confertum. Blue, June, July, 18"	.18	.15
*reptans. Blue, May, June, 6"	.18	.15
*richardsoni. Sky blue, May, June, 6"	18	.15
Polygonum compactum. White, Aug., Sept.,		
1½'	.15	.12
cuspidatum. White, Aug., Sept., 5'	.15	.12
oxyphyllum. Creamy white, Sept., 3'	.18	.15
spaethi. Pink, Sept., 6'	.35	
Polystichum acrostichoides. Christmas Fern	.12	.10
*Potentilla atrosanguinea. Red, summer, 18"	.18	.15
*argentea. Yellow, summer, 18"	.20	.18
*crinita. Yellow, summer, 1'	.18	.15
*nepalensis. Showy red, May, June, 2'	.15	.12
*nepalensis Miss Willmott. Salmon pink,		
summer, 12"	.20	.18
*pyrenaica. Yellow, summer, 18"	.15	.12
*tridentata. White, summer, 1'	.18	.15
*Primula acaulis. Yellow, May, 9"	.18	.15
*auricula alpina. Various, May, 6"	.18	.15
*beesiana. Purple, May, 18"	.25	.20
*bulleyana. Apricot, June, 18"	.25	.20
*bulleyana hybrids. Various, May, 18"	.25	.20
*cashmiriana. Light lilac, May, 8"	.25	.20
*cortusoides. Deep rose, June, 10"	.20	.18
*denticulata. Purple, yellow eye, May,		
6"	.25	.20
*denticulata alba. White, May, 6"	.25	.20
*elatior. Yellow, May, 8"	.25	
*elatior atrocoerulea. Dark blue, May, 8"	.35	
florindae. Yellow, May, 4'	.35	.30
*japonica atrosanguinea. Red, May, June,	0.0	
1'	.20	.18
*japonica pink. May, June, 1'	.20	.18
*moerheim hybrids. Various, May, 12"	.25	.20
*polyanthus. White or yellow, May, 10"	.25	.20
*saxatilis. Rose, May, 10"	.25	.20
*veris. Yellow, April, May, 9"	.18	.15

	5-24 each	25&up each
*Primula		00011
*veris Giant Munstead. Various, May, 1'	.20	.18
*veris Gold Laced. Various, May, 9"	.25	.20
*Pulmonaria angustifolia. Blue, April, May, 8"	.20	.18
*saccharata. Pink, spring, 12"	.30	
*Prunella grandiflora. Violet, summer, 8"	.18	.15
*incisa rubra. Red, summer, 6"	.18	.15
*webbiana. Purple, summer, 6"	.18	.15
Pyrethrum James Kelway. Sgl. red, June, 1'.	.20	
Princess Margaret. Crested pink, June, 1'	.25	
Rose Glory. Dbl. rose, June, 1'	.25	10
roseum. Various, May, June, 1'	.15 $.35$.12
roseum double. Various, May, June, 2' roseum Rosy Morn. Pink, June, 2'	.20	.18
uliginosum. White, September, 5'	.15	.12
Ranunculus acris fl. pl. Yellow, June, 3'	.18	.15
*repens. Yellow, June, 4"	.18	.15
repens fl. pl. Yellow, June, 1'	.18	.15
Rosmarinus officinalis. Light blue, April, 4"	.20	.18
Rudbeckia Autumn Glory. Yellow, Aug., Sept.,	.20	• • • •
6'	.15	.12
hirta. Yellow, Aug., Sept., 3'	.15	.12
laciniata. (Golden Glow). Yellow, Aug.,		
6'	.15	.12
nitida. Single yellow, Aug., Sept., 6'	.15	.12
Rayon d'Or. Yellow, Aug., 5'	.15	.12
speciosa. Yellow, July, Aug., 2'	.15	.12
subtomentosa. Lemon yellow, August,		1.0
Sept., 4'	.15	.12
*Ruta graveolens. Yellow, summer, 2½'	.15	.12
*Sagina subulata. White, July, Aug., 3"	.18	.15
Salvia argentea. Pinkish white, June, 3'	.15	.12
azurea. Blue, August, 4'	.15	.12
azurea grandiflora. Blue, August, 4'	.18	.15
farinacea. Blue, July, 2-3'	.15	.12
glutinosa. Yellow, June, July, 3'	.15	.12
officinalis. Blue, summer, 18" pitcheri. (See azurea grandiflora).	.15	.12
pratensis. Deep blue, June, 3'	.15	.12
pratensis rubicunda. Rose, June, July, 3'	.20	. 1. 4
viscosa. Pink, July, 3'	.18	.15

*Sanguinaria canadensis. White, April, 8"	5-24 each .15	25&up each .12
*Santolina chamaecyparissus. Gray foliage, 1'	.18	.15
*Saponaria caespitosa. Rose, July, 3"	.20	.18
*ocymoides. Pink, summer, 9"	.15	.12
officinalis rosea pl. Pink, summer, 18"	.15	.12
*Saxifraga aizoides. Yellow, Aug., 4"	.25	
*altissima. White, May, June, 2'	.25	
*borisi. Yellow, May, June, 3"	.25	
*caespitosa. Various, June, July, 6"	.25	
*cochlearis. White, May, June, 9"	.18	.15
*cordifolia. Rose pink, May, June, 1'	.18	.15
*cotyledon. White, May, June, 18"	.25	.20
*crassifolia. Rosy pink, April, 1'	.18	.15
*decipiens. White, May, June, 4"	.20	.18
*granulata. White, May, June, 1'	.20	.18
*grisebachi. Purple, May, June, 8"	.40	
*haussmani. Yellow, May, June, 8"	.20	20
*lantoscana. White, May, June, 1' *lingulata rosea. Pink, April, 1'	.25	.20
*lingulata leichtlini. Rose, April, 1'	.18	.15
*longifolia. White, May, June, 2'	.35	.30
*marginata. White, May, June, 3'	.25	.00
*McNabiana. White, May, June, 12"	.20	.18
*purpurea. Rosy purple, April, 1'	.18	.15
*sarmentosa. White, summer, 2'	.30	.25
*umbrosa. Pink, May, June, 1'	.25	.20
Scabiosa caucasica. Lavender, all summer, 1'	.20	
caucasica alba. White, summer, 1'	.20	
caucasica House's Hybrids. Various, sum-		
mer, 1'	.25	
fischeri. Blue purple, summer, 2'	.20	
japonica. Lavender, Aug., Sept., 18"	.18	.15
*Schivereckia bornmulleri. White, summer, 4"	.20	.18
*Scutellaria alpina. Purple and white, summer,		
6"	.18	.15
*coelestina. Blue, summer, 1'	.20	.18
*orientalis. Yellow, June, July, 8"	.20	.18
*Sedum acre. Yellow, June, July, 4"	.15	.12
*aizoon. Yellow, July, Aug., 1'	.15	
*album. White, July, 4"	.15	.12
For less than five, add five cents per plant to th	e 5-24	rate.

	5-24 each	25&up each
*Sedum	4.0	
*altissimum. Yellow, July, Aug., 9"	.18	.15
*anglicum. Pink, July, Aug., 3"	.20	
*douglasi. Yellow, July, 2"	.15	.12
*ewersi. Pink, Aug., Sept., 6"	.15	.12
*glaucum. Blue foliage, 2"	.15	.12
*kamtschaticum. Yellow, July, 6"	.15	.12
*maximowiczi. Yellow, July, Aug., 1'	.15	.12
*maximum. Pink, Sept., Oct., 18"	.15	.12
*middendorffianum. Yellow, June, July,		
4"	.18	.15
*murale. Pink, July, 1'	.18	.15
*reflexum. Yellow, July, Aug., 8"	.15	.12
*sarmentosum. Yellow, July, 3"	.15	.12
*sexangulare. Yellow, June, July, 6"	.15	.12
*sieboldi. Pink, July, Aug., 1'	.18	.15
*spectabile. Pink, Aug., Sept., 1½'	.15	.12
*spectabile Brilliant. Crimson, Sept., 11/2'	.15	.12
*spurium album. White, July, Aug., 6"	.15	.12
*spurium splendens. Rosy crimson, Aug.,		
6"	.15	.12
*stoloniferum. Pink, July, Aug., 6"	.15	.12
*stoloniferum coccineum. Crimson, Aug., 6"	.15	.12
*ternatum. White, May, June, 4"	.15	.12
ternatum. Willie, may, buile, 4	.10	.12
*Sempervivum arachnoideum. Red, June, 4"	.18	.15
*arenarium. Yellow, July, 6"	.18	.15
*alberti. White, July, 8"	.20	.18
*atroviolaceum. Reddish purple, 8"	.25	
*brauni. Bronze, July, 6"	.18	
*doellianum. Red, June, July, 6"	.18	.15
*funcki. Brown, June, July, 6"	.18	.15
*fauconetti. Pink, June, 6"	.20	.18
*fimbriatum. Pink, July, 8"	.20	.18
*glaucum. Pink, July, Aug., 6"	.20	.18
*globiferum. Yellow, June, 12"	.15	.12
*tectorum violaceum. Violet red, June, 4"	.15	.12
tectorum violaceum. Violet red, June, 4	.10	.12
*Shortia galacifolia. White, June, 8"	.25	.20
For less than five, add five eents per plant to th	e 5-24	rate.

	5-24 each	25&up each
Sidalcea Rose Queen. Rose Pink, July, Aug.,	15	10
4'	.15	.12
*Silene alpestris. White, May, June, 6"	.18	.15
*maritima. White, summer, 1'	.18	.15
*maritima rosea. Pink, summer, 1'	.20	.18
*multicaulis. White, June, July, 1' orientalis. Pink, July, 2'	.25	.20
*roemeri. White, July, Aug., 1'	.25	.12
*saxifraga. White, summer, 6"	.18	.15
*schafta. Bright pink, July, 6"	.15	.12
Silphium perfoliatum. Yellow, July, 6'	.18	.15
*Sisyrinchium angustifolium. Blue, June, July,		
6"	.18	.15
Smilacina racemosa. White, April, 2-3'	.15	.12
Solidago canadensis. Yellow, fall, 4-5'	.15	.12
rigida. Yellow, fall, 3-4'	.15	.12
shorti. Yellow, fall, 4'	.18	.15
Spigelia marilandica. Red, June, July, 2'	.25	
Spirea aruncus. White, June, July, 3-5'	.20	.18
camtschatica. White, July, 6'	.18	.15
chinensis. Silvery pink, June, July, 2'	.15	.12
eximea. Pink, June, July, 2'	.18	.15
filipendula. Single, white, June, July, 1'	.18	.15
filipendula fl. pl. White, summer, 15" lobata. Pink, July, 4'	.25	.15
palmata. Rosy crimson, June, July, 2'	.15	.12
ulmaria fl. pl. White, June, 3-4'	.18	.15
venusta magnifica. Deep pink, July, 3'	.18	.15
Stachys lanata. Purple, June, July, 1½'	.15	.12
Statice. (See Limonium).		
*Stellaria holostea. White, May, June, 1½'	.18	.15
Stenanthium robustum. White, Aug., 3'	.25	
Stokesia laevis. Lavender, Aug., Sept. 1'	.15	.12
laevis alba. White, Aug., Sept., 1' Tanacetum vulgare. Yellow, summer, 3'	.15	.12
Teucrium chamaedrys. Rose, Aug., 1' orientale. Blue, August, 10"	.18	.15
For less than five, add five cents per plant to th	ne 5-2 4	l rate.

Thalictrum adiantifolium. Yellow, June, 4'	5-24 each .15	25&up each .12
aquilegifolium. White, June, 5'	.15	.12
aquilegifolium purpureum.	.10	•12
Purple, June, 3'	.20	.18
baicalens. Yellow, June, 4'	.18	.15
dipterocarpum. Lilac, August, 3'	.25	.20
glaucum. Golden-yellow, June, 4'	.18	.15
minus. Greenish yellow, June, July, 2'	.18	.15
rochelbrunianum. Lavender, July, Aug., 3'	.30	.25
Thermopsis caroliniana. Yellow, June, 6'	.20	.18
mollis. Yellow, June, July, 2-3'	.20	.18
*Thymus odoratissimus. Lilac, summer, 6"	.18	.15
*nitidus. Rose, June, July, 3"	.20	.18
*serpyllum. White, June, 4"	.15	.12
*serpyllum citriodorus.		
Purple, June, July, 3-5"	.15	.12
*serpyllum coccineus. Scarlet, June, 4"	.18	.15
*serpyllum lanuginosus.		
Rosy purple, June, July, 5"	.18	.15
*serpyllum roseus. Rose, summer, 8"	.18	.15
*vulgaris. Lilac, June, July, 8"	.15	.12
*Tiarella cordifolia. Creamy white, June, 8"	.15	.12
Tradescantia virginiana. Blue, all summer, 2'	.15	.12
*Trientalis borealis. White, fall, 6"	.15	.12
*Trifolium rubens. Purplish red, summer, 1'	.18	
*Trillium erectum. Purple, May, 1'	.15	.12
*grandiflorum. White, May, 1'	.15	.12
Tritoma. (See Kniphofia).		
Trollius asiaticus.		
Rich orange, July, Aug., 2'	.25	.20
*europeus. Citron yellow, July, Aug., 1'	.20	.18
*europeus Fire Globe. Orange, summer, 1'		
europeus Orange Globe.		
Orange, summer, 18"	.25	.20
*ledebouri. Orange, summer, 18"	.35	
*ledebouri Golden Queen. Orange, sum-		
mer, 18"	.35	

	195
	eup ach
	.15
*saxifraga alba. White, summer, 6"18	
	.25
	.25
	.15
· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	.18
,	.12
, ,,	.12
phoeniceum. Various, May, June, 3'18	.15
willmottiae. White, summer, 5'	.15
*Verbena canadensis. Purple, Aug. 18"25	.20
*canadensis Attraction. Cerise, summer,	
3"	
*canadensis Brilliant. Red, summer, 3"30	
	.12
Vernonia noveboracensis. Purple, Aug., Sept.,	
	.12
	.18
	.12
· · · · ·	.14
*amethystina Royal Blue.	4 P
• • •	.15
•	.18
,	.18
*chamaedrys. Blue, May, June, 18"	.15
*elegantissima. Blue, July, Aug., 2'15	.12
*erica. Pink, summer, 10"	.12
*filiformis. Blue, May, 2"	.15
	.18
	.12
• • • • • • • • • • • • • • • • • • • •	.18
3	.15
*pectinata rosea. Pink, May, June, 6"15	.12
*peduncularis. White, June, 6"	.15
	.12
	.12
and the state of t	
*	.12
	.18
*rupestris nana. Dark blue, June, 2"20	.18
*	.18
*saxatilis. Pale blue, July, 6"20	.18
*spicata. Blue, July, Aug., 2'	.12
*spicata alba. White, Aug., 18"	
*spicata nana. Blue, June, 6"	
*spuria. Blue, June, 18"	.12
For less than five, add five cents per plant to the 5-24 ra	te.

	5-24 each	25&up each
Veronica		
*teucrium prostrata. Blue, June, 1'	.15	.12
*True Blue. June, July, 12"	.18	.15
virginica. Pale blue, Aug., 4'	.18	.15
*Vesicaria utriculata. Yellow, Apr., May, 8"	.20	.18
Vinca minor. Blue, all summer, 6"	.10	.08
minor alba. White, all summer, 6"	.25	.20
minor Bowles. Blue, summer, 6"	.25	.20
minor rubra plena. Red, all summer, 6"	.40	.30
*Viola alba. White, May, 6"	.12	.10
*bosniaca. Rosy mauve, June, July, 4"	.18	.15
*cornuta Admiration. Purple, all summer,		
6"	.15	.12
*cornuta alba, type. White, all summer,		
6"	.15	.12
*cornuta Apricot. Apricot, summer, 6"	.20	.18
*cornuta Arkwright Beauty. Red, summer,		
6"	.25	
*cornuta atropurpurea type. Purple, 6"	.15	.12
*cornuta Blue Perfection. Blue, all sum-		
mer, 6"	.15	.12
*cornuta florariensis. Pale blue, summer,		
6"	.20	.18
*cornuta G. Wermig. Violet, all summer,		
6"	.15	.12
*cornuta Lord Nelson. Blue, summer, 6"	.20	
*cornuta Lutea Splendens. Yellow, all		
summer, 6"	.15	.12
*cornuta Mauve Queen. Mauve, all sum-		
mer, 6"	.15	.12
*cornuta Papilio. Violet, all summer, 6"	.15	.12
*cornuta Primrose Dame. Yellow, summer,		
6"	.20	.18
*cornuta White Perfection. White, all		
summer, 6"	.15	.12
*Dbl. Russian. Blue, June, 4"	.30	.25
*gracilis. Deep violet, summer, 1'	.15	.12
*Jersey Gem. Rich violet, summer, 6"	.18	.15
*odorata. Blue, April, May, 6"	.15	.12
*odorata Gov. Herrick. Blue, May, 6"	.18	.15
*odorata Princess of Wales. Violet, May,		
6"	.18	.15
*odorata Rosina. Pink, May, 4"	.25	.20
*pedata. Violet, May, June, 6"	.18	.15
For less than five add five cents per plant to the	0 5-94	rate

		25 & up Each
Viola	Each	Each
*primulifolia. Pale blue, summer, 6"	.20	.18
*Rohrbach's Everblooming. Violet, 4"	.50	.45
*wellsiana. Various, all summer, 6"	.18	.15
*White Jersey Gem. Summer, 6"	.20	
Yucca filamentosa. White, June, July, 7'		
2 year	.15	.12
3 year	.18	.15
glauca. White, June, July, 3'	.25	.20

FRUIT GARDEN MATERIAL

We are able to supply all the leading varieties

			Each 1-4	5-24 Each	25 & up Each
Apples,	•	5 to 7 ft	1.00	.90	
	Standard,	5 to 7 ft	1.00	.90	
Cherry	•	5 to 7 ft	1.00	.90	
	Sweet,	5 to 7 ft	1.00	.90	
Peaches	,	5 to 7 ft	.75	.60	
Pears,	Dwarf,	5 to 6 ft	1.00	.90	
	Standard,	5 to 7 ft	1.00	.90	
Plums,		5 to 7 ft	1.00	.90	
Quinces	,	4 to 5 ft	1.00	.90	
Asparag	us			.05	.03
Blackbe	rries			.08	.06
Currant	s		.30	.25	.20
Goosebe	erries		.30	.25	.20
Grapes,	3 yr. strong	ζ	.30	.25	.20
Raspber	ries			.08	.06
Rhubarl	b			.10	.08
Strawbe	erries			.06	.05

CONIFEROUS EVERGREENS

J. v. glauca J. v. globosa J. v. keteleeri Abies balsamea A. concolor A. c. violacca A. firma J. v. kosteri J. v. pendula J. v. schotti J. v. tripartita A. frascri A. homolepis A. nobilis glauca A. nordmanniana J. v. vcnusta Liboccdrus decurrens A. pectinata Picea alba P. a. gloriosa A. pectinata pyramidalis A. veitchi Cedrus deodara C. libani P. alcockiana P. canadensis
P. engelmanni
P. excelsa Chamaecyparis lawsoniana C. l. pendula C. l. Triomphe de Boskoop P. e. aurea P. c. clanbrasiliana
P. e. maxwelli
P. e. nana compacta
P. e. nana pyramidalis C. nootkatensis C. obtusa compacta C. o. crippsi C. o. gracilis C. o. nana P. e. pendula
P. c. pygmaea
P. e. remonti C. pisifera C. p. aurea C. p. filifera P. glauca conica C. p. filifera aurea C. p. filifera aurea nova P. mariana P. m. doumeti P. omorika C. p. plumosa C. p. plumosa aurea P. orientalis C. p. plumosa lutescens
C. p. plumosa sulphurea
C. p. squarrosa
Cryptomeria japonica lobbi
Juniperus chinensis P. polita
P. pungens
P. p. glauca
P. p. kosteri P. p. moerheimi P. rubra J. c. albovariegata J. c. columnaris J. c. globosa Pinus banksiana P. densiflora J. c. mas P. flexilis P. montana J. c. neaboriensis J. c. oblonga J. c. pfitzeriana P. m. mughus P. nigra J. c. sargenti P. ponderosa J. c. smithi P. resinosa P. strobus P. sylvestris J. c. dayi P. thunbergi J. c. depressa Pseudotsuga douglasi Sciadopitys verticillata Taxus baccata J. c. depressa aurea J. c. depressa plumosa J. c. hibernica J. c. kraccovica T. b. erecta T. b. fastigiata J. c. suecica T. b. repandens
T. b. washingtoni
T. canadensis J. c. succica nana J. conferta J. excelsa T. cuspidata J. c. stricta T. c. brevifolia
T. c. brevifolia compacta
T. c. capitata
Thuja occidentalis J. horizontalis J. h. glauca J. japonica J. j. aurca T. o. aurea douglasi T. o. columbia T. o. compacta J. recurva J. rigida J. sabina T. o. compacta Parson's
T. o. elegantissima
T. o. ellwangeriana
T. o. cricoides J. s. tamariscifolia J. s. von ehron J. scopulorum J. sphaerica T. o. globosa
T. o. hoveyi
T. o. lutca
T. o. pumila J. squamata J. s. meyeri J. virginiana J. v. cannaiti

J. v. elegantissima

T. o. pyramidalis

Coniferous Evergreens Continued

T. o. douglasi pyramidalis
T. o. Little Gem
T. o. recurva nana
T. o. reevesi

T. o. reidi

T. o. riversi
T. o. rosenthali
T. o. spiralis

T. o. umbraculifera

T. o. vervaeneana T. o. wareana T. o. wareana lutescens

T. o. woodwardi T. orientalis T. o. conspicua

T. o. elegantissima

T. o. nana aurea
T. o. sieboldi
T. plicata
T. standishi

Tsuga canadensis

T. caroliniana T. sieboldi

BROAD-LEAVED EVERGREENS

Arctostaphylos uva-ursi

Azalea amoena

A. a. hinodegiri

A. ledifolia

Berberis julianae

B. sargentiana

B. triacanthophora

B. verruculosa

Bruckenthalia spiculifolia

Buxus microphylla

B. m. koreana

B. sempervirens handsworthi

Calluna vulgaris

C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea C. v. searlei

Chamaedaphne calyculata

Crataegus pyracantha lalandi

C. p. coccinea C. p. yunnanensis

Daphne cneorum

Erica carnea

E. darleyensis

E. v<mark>agans</mark> Euonymus patens

E. radicans

E. r. acutus

E. r. argenteo-marginatus

E. r. carrieri

E. r. colorata E. r. kewensis

E, r. minima

E. r. vegetus Ilex cornuta

I. crenata I. c. bullata

I. c. latifolia

I. c. microphylla

<u>I</u>. glabra

I. opaca

Kalmia latifolia

Laurocerasus o. schipkaensis Leiophyllum buxifolium pros-

tratum

Leucothoe catesbaei

Lonicera nitida

L. pileata

Mahonia aquifolium

Osmanthus aquifolium Pachistima canbyi Pieris floribunda

P. japonica

Rhododendron carolinianum

R. catawbiense

maximum

Skimmia japonica Stranvaesia davidiana

Viburnum rhytidophyllum

DECIDUOUS SHADE TREES

Acer campestre

A. cappadocicum

A. dasycarpum

A. d. pyramidale A. d. wieri

A. mandshuricum

A. negundo

A. nigrum

A. platanoides

A. p. schwedleri

A. pseudoplatanus

A. rubrum

A. saccharum

Aesculus carnea

A. glabra A. hippocastanum

A. h. baumanni

A. octandra A. turbinata

Ailanthus glandulosa

A. vilmoriniana

Alnus cordata

A. glutinosa

A. g. laciniata A. incana

A. japonica

Betula alba

B. a. fastigiata B. a. laciniata

B. fontinalis B. maximowicziana B. lenta

B. lutea

B. nigra

B. papyrifera B. p. cordifolia

B. populifolia Carpinus betulus

C. caroliniana
C. japonica
C. yedoensis

Deciduous Shade Trees Continued

Celtis occidentalis L sinensis Cercidiphyllum japonicum C. j. sinense Euocmmia ulmoides Davidia involucrata Fagus americana F. sylvatica F. s. fastigiata
F. s. heterophylla
F. s. pendula
F. s. purpurea
F. s. riversi Fraxinus americana F. chinensis F. excelsior
F. lanceolata
F. mandshurica F. nigra
F. pennsylvanica
Ginkgo biloba Gleditsia elegantissima G. japonica G. triacanthos G. t. inermis Gymnocladus dioica Hicoria ovata Juglans cineria J. nigra J. regia J. sieboldiana Larix europea L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron chinense L. tulipifera L. t. pyramidale Magnolia acuminata M. conspicua M. fraseri M. hypoleuca M. tripetala
Morus alba tatarica
Ostrya virginica
Paulownia tomentosa Phellodendron amurense P. chinense P. sachalinense Platanus occidentalis P. orientalis Populus alba P. a. nivea P. berolinensis P. bolleana P. certinensis P. maximowiczi P. nigra italica
P. nigra betulifolia
P. simoni
P. suaveolens przewalski

Catalpa bignonioides nana C. speciosa Cedrela sinensis

P. tremuloides P. trichocarpa Prunus serotina Pseudolarix kaempferi Ptelia trifoliata Quercus alba Q. bicolor Q. coccinea Q. lyrata Q. macrocarpa Q. palustris Q. phellos Q. prinus Q. robur Q. rubra Q. texana Q. velutina Robinia pseudoacacia R. p. bessoniana R. p. decaisneana Salix babylonica S. b. crispa S. b. dolorosa S. b. salamoni S. elegantissima S. niobe S. pentandra S. sieboldiana S. vitellina
S. v. britzensis
S| v. pendula S. wentworthi Sassafras variifolium Sorbus aria latifolia S. aucuparia S. quercifolia Taxodium distichum Tilia americana T. cordata T. euchlora T. henryana T. heterophylla T. oliveri T. platyphyllus T. tomentosa T. vulgaris Ulmus americana U. a. moline
U. a. vase-shaped
U. campestris U. c. klemmeri
U. c. latifolia
U. c. monumentalis
U. c. purpurea
U. c. vegeta
U. c. wheatleyi
U. fulva
U. glabra U. glabra U. g. camperdowni U. g. nana U. japonica U. parvifolia U. pumila U. racemosa Zelkova serrata

DECIDUOUS SMALL TREES

Acanthopanax ricinifolium A.r. maximowiczi Acer buergerianum A. ginnala A. griseum A. japonicum aureum A. nikoense A. palmatum
A. p. atropurpureum
A. p. filicifolium
A. p. roseo-marginata
A. pennsylvanicum
A. platanoides globosum
A spicatum A. platanoides globosum
A. spicatum
A. tartaricum
Albizzia julibrissin rosea
Alnus pendula
Amygdalus davidiana
A. d. alba
A. persica alboplena
A. p. Clara Meyer
A. p. rosea plena
A. p. rubroplena
A. p. rubroplena
Aralia japonica
A. spinosa
Asimina triloba Asimina triloba Broussonetia papyrifera Cercis canadensis Cladrastis lutea Cornus florida C. f. plena C. f. rubra C. f. welchi C. kousa C. mas C. officinalis Crataegus aprica C. arkansana C. arnoldiana C. carrieri C. coccinea
C. coccinioides
C. cordata
C. crusgalli
C. cuneata
C. hupehensis
C. macracantha C. macracanth C. mollis C. monogyna C. nitida C. oxyacantha C. o. plena C. o. pauli C. o. punicea C. peregrina C. persistens C. pinnatifida C. pinnatifida major C. pruinosa
C. prunifolia
C. punctata
C. succulenta C. tomentosa C. viridis Diospyros virginiana Gordonia alatamaha Halesia tetraptera ldesia polycarpa Koelreuteria paniculata Laburnum alpinum

L. vulgare

L. watereri Maackia amurensis Magnolia glauca M. kobus M. lennei
M. soulangeana
M. s. nigra
Malus angustifolia
M. arnoldiana
M. baccata
M. b. mandshurica
M. brevipes
M. coronaria
M. c. Charlotte
M. dolga
M. Elisa Rathke
M. florentina
M. floribunda
M. f. atrosanguinea
M. f. lemoinei
M. fusca M. lennei M. fusca M. glaucescens
M. halliana
M. h. parkmani
M. hopa M. nopa
M. ioensis
M. i. bechteli
M. micromalus
M. niedzwetzkyana
M. Oekonemurat Echtermeyer
M. purpurea
M. p. aldenhamensis
M. p. eleyi
M. prunifolia rinki
M. robusta M. robusta M. r. fastigiata
M. r. persicifolia
M. sargenti
M. scheideckeri M. scheideckeri
M. sieboldi
M. spectabilis
M. s. alba plena
M. sublobata
M. theifera
M. t. rosea
M. toringoides
M. tschonoski
M. vunnanensis M. yunnanensis veitchi M. zumi M. z. calocarpa Morus alba pendula Nyssa aquatica N. sylvatica Oxydendrum arboreum Prunus americana P. a. Newport
P. armeniaca sibirica
P. avium plena
P. cerasifera pissardi P. cerasifera pis
P. cistena
P. hortulana
P. incisa
P. lannesiana
P. l. Amayadori
P. l. Jonioi
P. l. sirotae
P. maacki
P. moseri fl. pl.
P. mume
P. padus P. padus

Deciduous Small Trees Continued

P. pennsylvanicum
P. serrulata
P. s. Amanogawa
P. s. Gioiko
P. s. Hata-zakura
P. s. Horaisan
P. s. Hosokawanioi
P. s. Higantakura
P. s. Higantakura
P. s. Jas. H. Veitch
P. s. Kuramayami
P. s. Kuramayami
P. s. Kwansan
P. s. Miyako
P. s. sachalinensis
P. s. Shirofugen
P. s. Shogetsu

P. s. Shogetsu
P. s. Sumizome
P. sieboldi syn. Naden
P. spihointelle

P. subhirtella

P. s. ascendens
P. s. autumnalis
P. s. pendula

P. virginiana

P. yedoensis P. y. taizanfukun

Pterostyrax corymbosa

Pyrus calleryana

P. salicifolia P. serrulata

Rhus cotinus

R. javanica syn. osbecki Robinia fertilis

R. hispida R. holdti

R. pseudoacacia Marguerite

Salix caprea

S. matsudana S. m. tortuosa

S. regalis

Sophora japonica

Sorbus americana

S. commixta

S. spuria

Styrax japonica

S. obassia

Syringa japonica S. pekinensis

DECIDUOUS SHRUBS

Abelia grandiflora

A. schumanni

pentaphyllum

Acanthopanax pent Aesculus parviflora

Alnus rugosa

A. viridis

Amelanchier alnifolia

A. asiatica

A. canadensis

A. laevis
A. l. rosea
A. oblongifolia
A. rotundifolia syn. vulgaris

A. sanguinea

A. stolonifera Amorpha brachycarpa

A. canescens

A. fruticosa

Amygdalus nana georgica Aronia arbutifolia A. atropurpurea

A. melanocarpa

A. m. elata

Artemisia abrotanum Azalea calendulacea

A. canescens A. kaempferi A. lutea

A. mollis

A. nudiflora

A. poukhanensis
A. viscosa
A. yodogawa
Baccharis halimifolia

Benzoin aestivale

B. koreana

B. thunbergi

B. t. atropurpurea
B. t. minor
B. t. pluriflora
B. t. p. erecta
Berchemia racemosa

Bischoffia trifoliata

Buddleia Charming

B. davidi

B. d. superba B. d. veitchi

B. farquhari

B. Ile de France B. intermedia B. lindleyana

B. paniculata
Callicarpa americana
C. giraldiana
C. japonica
C. purpurea

Calycanthus floridus

C. occidentalis Caragana arborescens

C. boisi C. frutex

Caryopteris incana C. tangutica

Ceanothus americanus

Cephalanthus occidentalis

Cercis chinensis Chionanthus virginica Clerodendron trichotomum

Clethra alnifolia

C. barbinervis C. paniculata

Colutea arborescens

C. cilicica C. media

Comptonia asplenifolia Cornus alba

C. a. elegantissima
C. a. sibirica
C. a. spaethi
C. alternifolia
C. amomum syn. sericea
C. bailori

C. baileyi
C. paniculata
C. pubescens

C. rugosa D. r. venusta C. sanguinea C. s. viridissima D. scabra D. s. candidissima
D. s. Pride of Rochester
D. s. rosea plena
D. s. watereri
D. s. wellsi C. stolonifera C. s. flaviramea Corylus americana
C. avellana
C. a. atropurpurea
C. heterophylla setchuenensis D. Schneideriana laxiflora D. vilmorinae Diervilla sessilifolia C. rostrata Cotoneaster acutifolia
C. a. villosula
C. adpressa
C. ambigua D. trifida Dirca palustris Eleagnus angustifolia E. argentea
E. longipes
E. parvifolia
E. umbellata C. apiculata C. dammeri C. dielsiana C. divaricata C. divaricata
C. foveolata
C. francheti
C. himalaicus
C. horizontalis
C. h. perpusilla
C. hupehensis
C. integerrima
C. lucida
C. melanocarpa
C. microphylla E. perulatus
Euonymus alatus
E. a. compacta
E. americanus E. atropurpureus E. bungeanus C. microphylla C. moupinensis
C. multiflora
C. nitens
C. obscura
C. racemiflora soongarica
C. rotundifolia
C. rosea
C. salicifolia C. rosea
C. salicifolia
C. s. floccosa
C. simonsi
C. tenuipes
C. wilsoni
C. zabeli
Cydonia cathayensis
C. japonica
C. j. alba
C. j. alpina Forsythia euro
F. intermedia
F. i. primulina
F. i. spectabilis
F. ovata
F. suspensa
F. s. atrocaulis
F. s. fortunei
F. s. sieboldi
F. viridissima
Fothergilla gai C. j. alba
C. j. alpina
C. j. Columbia
C. j. Falconet Charlet
C. j. pygmaea
C. j. rosea plena
C. j. umbilicata
C. j. Vermilion
C. kermesiana semi-plena
C. maulei
Cytisus nigricans
C. scoparius G. tinctoria C. scoparius
C. s. andreanus
C. supinus Daphne mezereum D. m. alba Deutzia gracilis D. lemoinei D. l. avalanche D. I. compacta H. variegatus H. v. meehani D. myriantha Boule Rose D. ningpoense D. parviflora D. rosea D. rosea campanulata D. r. carminea D. r. eximea

Elsholtzia stauntoni Enkianthus campanulatus E. bungeanus
E. europaeus
E. e. fructu-coccineus
E. latifolius
E. maacki
E. nanus
E. obovatus
E. oxyphyllus
E. yedoensis
Euptelea polyandra
Evodia hupehensis
Exochorda grandiflora Exochorda grandiflora E. g. wilsoni Fontanesia fortunei Forsythia europea Fothergilla gardeni
Gaylussacia baccata
Genista juncea
G. pilosa
G. sagittalis
G. tinetoria Hamamelis japonica
H. j. rubra
H. vernalis
H. v. tomentella
H. virginiana
Helwingia japonica
Hibiscus syriacus
H variegatus Hippophae rhamnoides Holodiscus d. ariaefolius Hovenia dulcis Hydrangea arborescens H. a. grandiflora H. cineria sterilis H. o. Otaksa

H. o. Thos. Hogg H. paniculata L. syringantha L. s. wolfi L. tatarica H. p. grandiflora H. p. praecox L. t. alba L. t. grandiflora L. t. lutea L. t. sibirica H. quercifolia H. radiata Hypericum arnoldiana L. virginalis alba H. aureum H. bucklei L. xylosteum Lycium chinense H. densiflorum H. kalmianum L. halimifolium H. lobocarpum Lyonia ligustrina H. moserianum H. patulum H. p. henryi Magnolia parviflora M. stellata M. s. rosea Myrica carolinensis H. prolificum M. cerifera M. gale Ilex geniculata I. laevigata Nandina domestica Neillia longeracemosa I. monticola I. serrata syn. sieboldi I. verticillata N. sinensis Nemopanthus mucronatus I. v. chrysocarpa Neviusia alabamensis Paeonia suffruticosa Indigofera amblyantha I. kirilowi Perowskia atriplicifolia Philadelphus Albatre I. potanini Itea virginica P. Argentine
P. Avalanche
P. Banniere
P. Bouquet Blanc Jamesia americana Jasminum nudiflorum J. stephanense Kerria japonica K. j. florepleno P. coronarius P. c. aureus
P. c. nanus
P. c. multiflorus plenus
P. Dame Blanche
D. dienthiflorus plenus Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor L. formosa syn. penduliflorum P. dianthiflorus plenus
P. falconeri
P. Favorite
P. Gerbe de Neige
P. Clasier L. f. albiflora Ligustrum acuminatum L. a. macrocarpum L. amurense P. Glacier
P. gordonianus
P. grandiflorus
P. incanus L. ibolium L. ibota L. i. nanum L. i. regelianum P. lemoinei erectus
P. lewisi
P. Magdalene
P. nepalensis L. lodense L. ovalifolium L. o. variegatum L. vulgare P. nivalis
P. Norma
P. Ophelia
P. Pavillon Blanc L. v. foliosum L. v. leucocarpum Lonicera bella albida L. bella rosea L billardi P. pyramidale P. sericanthus
P. Sybille
P. virginal
P. Voie Lactee
P. zeyheri L. chrysantha L. conjugialis L. dioica L. fragrantissima L. gracilipes L. Kesselringi Photinia villosa
P. v. laevis
Physocarpus intermedius
parvifolius
P. monogynus
P. opulifolius
P. o lutous L. kohneana L. korolkowi floribunda L. ledebouri L. maacki L, m. podocarpa P. o. luteus P. o. nanus L. morrowi L. muendeniensis L. quinquelocularis Pieris mariana Potentilla fruticosa Prinsepia sinensis L. ruprechtiana L. saccata L. spihosa alberti Prunus besseyi L. standishi · P. demissa

R. hybrid perpetuals R. hybrid tea P. dunbari P. glandulosa P. g. albiplena P. g. sinensis R. climbing R. polyantha hybrids P. japonica Rubus deliciosus P. maritima R. odoratus R. phoenicolasius P. pumila P. tomentosa Salix discolor S. doniana P. triloba P. t. plena S. incana S. irrorata S. jessoensis S. mutabilis Rhamnus caroliniana R. cathartica R. dahurica R. frangula S. myricoides rigida R. f. asplenifolia
R. koraiensis
R. purshiana
R. utilis S. nigricans cotinifolia S. purpurea nana S. uralensis S. vitellina glauca Sambucus canadensis R. Wilsoni S. c. acutiloba Rhodora canadensis S. nigra S. n. aurea S. n. variegata Rhodotypos kerrioides Rhus canadensis R. copallina R. glabra
R. typhina
R. t. laciniata
Ribes alpinum S. pubens S. p. leucocarpa S. racemosus Shepherdia argentea R. aureum Smilax rotundifolia Sophora vicifolia Sorbaria aitchisoni S. arborea glabrata R. fasciculatum R. gordonianum R. sanguineum S. lindleyana Robinia Ellioti S. sorbifolia R. kelseyi R. pseudoacacia umbraculi-Spirea arguta S. billiardi fera R. viscosa S. bumalda S. b. Anthony Waterer S. b. walluffi Rosa acicularis R. blanda S. chamaedryfolia ulmifolia S. dasyantha R. canina R. coriifolia froebeli R. davurica S. douglasi S. fortunei R. ecae R. foetida S. froebeli R. f. persiana R. fujisanensis S. japonica S. j. ovalifolia S. j. ruberrima S. latifolia R. helenae R. hugonis R. humilis R. lucida S. margaritae S. nipponica rotundifolia R. marreti S. prunifolia S. pubescens S. reevesiana S. r. lanceata R. moyesi R, multiflora R. m. cathayensis R. nitida S. salicifolia R. palustris S. superba R. pendulina R. rouletti S. syringiflora S. thunbergi R. rubiginosa S. tomentosa R. r. hybrids S. trichocarpa R. rubrifolia S. van houttei S. veitchi S. wilsoni R. rugosa R. r. alba R. r. hybrids Staphylea bumalda S. colchica R. sericea R. setigera S. pinnata S. trifolia R. spinosissima altaica R. s. hispida R. s. hybrids Stephanandra flexuosa Stewartia pentagyna S. p. grandiflora R. wichuraiana R. w. hybrids S. pseudocamellia

Symphoricarpos chenaulti S. mollis S. occidentalis S. o. heyeri S. racemosus S. vulgaris Symplocos paniculata Syringa affinis S. a. giraldi S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece S. josikea S. microphylla S. oblata S. o. dilatata S. palibiniana S. persica S. p. alba S. velutina S. villosa
S. vulgaris
S. vulgaris alba S. v. hybrids S. yunnanensis Tamarix africana T. gallica
T. g. indica
T. juniperina
T. odessana
T. pentandra
T. tetandra purpurea Ulex europeus Vaccinium corymbosum V. vacillans Viburnum acerifolium V. americanum
V. bitchuiense
V. carlesi
V. cassinoides
V. dentatum

V. dilatatum V. hupehense V. lantana V. l. rugosum V. lentago V. molle V. nudum V. opulus
V. o. nanum
V. o. sterile
V. ovatifolium V. prunifolium V. pubescens V. rufidulum V. sargenti V. sieboldi V. theiferum V. tomentosum V. t. plicatum V. veitchi
V. venosum canbyi
V. wrighti
Vitex agnus castus Vitex agnus castus
V. a. c. alba
V. macrophylla
V. negundo incisa
Weigela Abel Carriere
W. amabilis
W. candida
W. desboisi
W. Eva Rathke
W. floribunda
W. groenewegeni W. normunda
W. groenewegeni
W. Gustav Mallot
W. hortensis rubra
W. japonica
W. rosea
W. rosea
W. rosea nana variegata
W. sieboldi argenteomarginata W. styriaca W. Van Houtte Xanthoceras sorbifolia Zanthorhiza apiifolia

VINES

Actinidia arguta Akebia lobata A. quinata Ampelopsis aconitifolia A. henryana A. heterophylla A. h. amurensis A. h. elegans A. quinquefolia A. q. engelmanni A. q. murorum A. q. saintpauli A. tricuspidata veitchi A. t. lowi Aristolochia sipho A. tomentosa Bignonia grandiflora B. g. Mad. Gallen B. radicans B. speciosa Celastrus orbiculatus

C. scandens
Clematis apiifolia
C. chrysocoma sericea
C. crispa
C. fargesi
C. flammula
C. hybrids
C. ligusticifolia
C. montana rubens
C. m. undulata
C. m. wilsoni
C. orientalis
C. paniculata
C. serratifolia
C. tangutica
C. texensis syn. coccinea
C. veitchi
C. viorna
C. virginiana
C. vitalba
C. viticella

Zanthoxylum americanum

Vines Continued

Decumaria barbara

Hedera helix
H. h. Albany
H. h. baltica
H. h. conglomerata
H. h. gracilis

Hydrangea petiolaris Lonicera alseusmoides L. browni plantierensis L. caprifoidum

L. fuchsoides L. heckrotti L. henryi

L. hirsuta L. japonica

L. j. halleana L. j. reticulata aurea L. periclymenum belgica L. prolifera syn. sullavanti

L. sempervirens L. tellmanniana

L. thibetica L. verna

Periploca graeca

P. sepium

Polygonum auberti Pueraria thunbergiana

Schizophragma hydrangoides

Solanum dulcamara Tripterygium regeli

Vinca minor

V. m. alþa V. m. rubra plena Vitis aestivalis V. amurensis V. coignetae V. cordifolia V. labrusca

V. rotundifolia V. vulpina Wistaria frutescens

W. f. magnifica W. multijuga W. sinensis W. s. alba W. venusta

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

Woody Plants for August and September Flowering

Baccharis halimifolia Bignonia grandiflora
Buddleia in variety
Clematis paniculata
Elscholtzia stauntoni
Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa 'Tamarix aestivale Vitex agnus castus Vitex macrophylla

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Ampelopsis quinquefolia
Ampelopsis tricuspidata
veitchi
Aronia arbutifolia
Aronia atropurpurea
Benzoin aestivale
*Betula papyrifera
*Betula populifolia
*Betula lenta
*Betula lutea

*Betula lutea

Cornus in variety
*Crataegus in variety
Euonymus in variety
*Hypericum prolificum
*Juniperus virginiana

*Hypericum prolificum
*Juniperus virginiana
*Juniperus communis
*Ligustrum in variety
Lonicera in variety
Morus alba

*Myrica carolinensis
Nyssa sylvatica

*Pinus in variety
Photinia villosa
Prunus besseyi
Prunus padus
Prunus pennsylvanicum
Prunus serotina

*Rhamnus in variety

*Rhus copallina

*Rhus copallina
*Rhus glabra
*Rhus typhina
Ribes in variety
Sambucus in variety

*Symphoricarpus in variety
Vaccinium corymbosum
Viburnum in variety
Vitis in variety

Vitis in variety *Weigela hybrida in variety

Low Woody Plants for Rock Gardens

Chamaecyparis obtusa
compacta
Chamaecyparis obtusa nana
Cotoneaster adpressa
Cotoneaster horizontalis
Cotoneaster horizontalis
perpusilla
Cotoneaster rotundifolia
Daphne cneorum
Daphne mezereum
Euonymus radicans minima

Hypericum henryi
Jasminum nudiflorum
Juniperus horizontalis
Juniperus horizontalis
glauca
Juniperus suecica nana
Juniperus sabina
tamariscifolia
Lonicera spinosa alberti
Lonicera syringantha
Lonicera thibetica

Woody Plants Enduring Shade

For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum ibota

Ligustrum vulgare Ribes alpinum Rhus canadensis Rubus odoratus Symphoricarpus vulgaris Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum
Acer spicatum
Alnus glutinosa
Alnus incana
Cornus florida
Euonymus radicans and
varieties
Fagus americana
Hedera helix
Kalmia latifolia

Amelanchier in variety
Benzoin aestivale
Carpinus in variety
Cercis canadensis
Ostrya virginica
Pachysandra terminalis
Rhododendron in variety
'Tsuga canadensis
Viburnum acerfolium
Zanthorhiza apiifolia

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa Celastrus scandens Cornus alba Cornus amomum Cornus stolonifera Eunonymus radicans acutus

*Lonicera halleana *Lonicera japonica Lonicera tatarica Physocarpus opulifolius *Rhus typhina Robinia pseudacacia *Rosa setigera

*Rosa wichuraiana *Rubus odoratus Salix caprea Salix discolor Salix incana

*Symphoricarpus vulgaris Vinca minor Vitis vulpina

Plants for the Herb Garden

Achillea millefolium Allium schoenoprasum Anthemis nobilis Artemisia abrotanum Artemisia absinthium Artemisia dracunculus Artemisia pontica Artemisia stelleriana Asarum canadense Asperula odorata Calamintha alpina Cedronella cana Chrysanthemum balsamita Foeniculum atrosanguineum Hyssopus officinalis Lavandula officinalis Marrubium vulgare

Melissa officinalis Mentha piperita Mentha requieni Monardi didyma Monardi fistulosa Nepeta hederacea Origanum vulgare Rosmarinus officinalis Ruta graveolens Salvia officinalis Santolina chamaecyparissus Tanecetum vulgare Thymus serpyllum Thymus serpyllum citriodorus Thymus vulgaris Valeriana officinalis

SCHEDULE OF B&B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B", this charge is included in the printed price.

18-24"		\$.25	
2- 3'			
3- 4'			
4- 5'			
5- 6'		1.00	
			Diameter of Ball
6- 8' 1"	Shrubs Trees	\$ 1.50	16"
8-10' 1 1/4 "	Shrubs Trees	2.25	18"
1 ½ "	Trees	3.00	20"
1 3/4 "	66	4.00	22"
2"	66	5.00	24"
2 ½ "	66	6.50	30"
3"	66	9.00	36"
3 ½ "	66	12.50	42"
4"	66	18.00	48"
4 ½ "	66	24.00	54"
5"	66	32.00	60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.



